



Bellhop Bollard 380

Bollard version Designed by Edward Barber & Jay Osgerby

Description

The Bellhop was conceived as a table lamp for the London Design Museum restaurant. Now the collection is moving outdoors. We have adapted the simple archetype into a functional outdoor series which enriches landscapes and architecture.


Wall light version of the Bellhop Outdoor Collection for diffuse light, made of extruded and die-cast aluminium or stainless steel.



Lamp

Lamps Type	LED
Wattage	8W
Initial Lumens	783 lm, 816 lm, 873 lm
Color Temperature	2700K, 3000K, 4000K
Color rendering	CR180

Dimensions



Optical

Beam Angle	85°
Lighting Type	Indirect
Light Distribution	Diffuse

Physical

Material	Aluminium
Aiming	Fixed
Weight	Pounds
Ingress Protection Rating	IP65

Finishes

Painted lacquer

01 White	06 Grey	56 Stainless Steel	12 Forest Green	30 Black	18 Deep Brown	33 Anthracite
----------	---------	--------------------	-----------------	----------	---------------	---------------



Installation type	Bollard ground
Environment	Outdoor / Wet Location

Certifications



Class 2

Photometrics

For current IES files please visit architectural.flosusa.com

Warranty

2 years from date of sale.



Bellhop Bollard 380

Bollard version Designed by Edward Barber & Jay Osgerby

Electrical & Control

Voltage	120V
Control	Non Dimmable
Driver	Included


Performance

Maximum delivered output	607
Efficacy	75.9 lm/W

Notes



Dimensions



Certifications



Class 2

Photometrics

For current IES files please visit architectural.flosusa.com

Warranty

2 years from date of sale.

Each luminaire is equipped with 8" [200 mm] length wire for connection inside the luminaire body.

Recommended connections for in-ground installations with a 2-way terminal block 4 pole IP68 H₂O Stop. Not supplied by FLOS, to be ordered separately.

The aluminum versions are finished with a high-resistance coating: after a sandblasting treatment of all components to make the surface porous and ensure a greater adhesion of the paint, the external coating is applied with a double layer with epoxy powders according to the QUALICOAT standard.

The first layer of epoxy powder gives chemical and mechanical resistance, the second finishing layer of polyester powder ensures resistance to UV rays and atmospheric agents.

The painted surfaces are treated with alkaline and acidic washes, then rinsed with demineralized water, subjected to a chemical conversion treatment to protect against oxidation.

During the installation and the maintenance of the fixtures it is important to be careful and avoid damages on the paint coating.

Damages on the coating exposed to outdoor conditions or water, could cause corrosion.

Chemical substances affect the anticorrosion covering protection.

For LED fixtures, there is evidence that most of the damages are connected to electrical effects related to the insulations, which cause destructive electrical discharges

These effects are frequently caused by:


- over voltage coming from the mains' network where fixture is connected.
- electrostatic discharge (ESD) coming from the environment.

The use of a protective device against the overvoltage on the electrical installation is warmly suggest this helps to reduce the intensity of some of these phenomenon and prevent irreversible damages. The selection of the type of device to be used must be adjust on the electrical plant.
























Bellhop Bollard 380

Bollard version Designed by Edward Barber & Jay Osgerby

How to specify



POWER LED | Non Dimmable

Part Number	Finish	CCT	Watts	Initial Lumens	Delivered Lumens	CRI	Photometrics
F003A21AU01	 White	2700	8W	783	551	80	 
F003A21AU06	 Grey						
F003A21AU33	 Anthracite						
F003A21AU30	 Black						
F003A21AU18	 Deep Brown						
F003A21AU56	 Stainless Steel						
F003A21AU12	 Forest Green						
F003A31AU01	 White	3000	8W	816	580		
F003A31AU06	 Grey						
F003A31AU33	 Anthracite						
F003A31AU30	 Black						
F003A31AU18	 Deep Brown						
F003A31AU56	 Stainless Steel						
F003A31AU12	 Forest Green						
F003A41AU01	 White	4000	8W	873	607		
F003A41AU06	 Grey						
F003A41AU33	 Anthracite						
F003A41AU30	 Black						
F003A41AU18	 Deep Brown						
F003A41AU56	 Stainless Steel						
F003A41AU12	 Forest Green						

Bellhop Bollard 380

Bollard version Designed by Edward Barber & Jay Osgerby

Required Accessories

Base plate with bolt

Part Number: F003Z010000

