


Bellhop Wall

Wall version Designed by Edward Barber & Jay Osgerby




Description

Originally conceived as a table lamp for the London Design Museum restaurant, Bellhop moves outdoors. Reminiscent of a hatted hotel porter, Edward Barber & Jay Osgerby's contemporary design offers diffused lighting which enriches landscapes and architecture.


Bellhop utilizes the latest generation LED technology installed around the lamp head, protected by an opal optic diffuser, allowing a smooth and homogeneous light to radiate all around the pole.

Lamp

Lamps Type	LED
Wattage	8W
Initial Lumens	783 lm, 816 lm, 873 lm
Color Temperature	2700K, 3000K, 4000K
Color rendering	CRI 80



Dimensions



Optical

Beam Angle	85°
Lighting Type	Indirect
Light Distribution	Diffuse

Physical

Material	Aluminium
Aiming	Fixed
Weight	Pounds
Ingress Protection Rating	IP65

Finishes

Painted lacquer

01 White	06 Grey	56 Stainless Steel	12 Forest Green	30 Black	18 Deep Brown	33 Anthracite
----------	---------	--------------------	-----------------	----------	---------------	---------------



Certifications



Class 2

Photometrics

For current IES files please visit architectural.flosusa.com



Warranty

2 years from date of sale.

Installation type	Wall Surface
Environment	Outdoor / Wet Location

Bellhop Wall

Wall version Designed by Edward Barber & Jay Osgerby



Electrical & Control

Voltage	120V
Control	Non Dimmable, 0-10V
Driver	Integral

Performance

Maximum delivered output	607
Efficacy	75.9 lm/W

Notes

Recommended connections for in-ground installations with a 2-way terminal block 4 pole IP68 H₂O Stop. Not supplied by FLOS, to be ordered separately.


Painted versions are an exterior rated epoxy polyester powder coat finish for superior strength, heat and UV resistance.

During installation and maintenance avoid scratching or damaging the finish as it may result in premature corrosion of metal surfaces. Avoid cleaning fixtures with corrosive chemicals as it may result in voiding the warranty.

LED fixtures are highly susceptible to failure due to electrical effects from poor connections, and electrical short circuits. These are frequently caused by (a) overvoltage from primary voltage sources, (b) electrostatic discharge from the exterior environment. Ensure that all outdoor fixtures are installed on GFI circuits as required by code, and use proper surge protecting devices to avoid irreversible damages to electrical components.

Bellhop Wall includes a Jbox Cover Plate

Dimensions



Certifications



Class 2

Photometrics

For current IES files please visit architectural.flosusa.com


Warranty

2 years from date of sale.


Bellhop Wall

Wall Version Designed by Edward Barber & Jay Osgerby

How to specify




POWER LED | Non Dimmable

Part Number	Finish	CCT	Watts	Initial Lumens	Delivered Lumens	Control	CRI	Photometrics			
F003C21AU01	 White	2700	8W	783	551	Non Dimmable	80				
F003C21AU06	 Grey										
F003C21AU33	 Anthracite										
F003C21AU30	 Black										
F003C21AU18	 Deep Brown										
F003C21AU56	 Stainless Steel										
F003C21AU12	 Forest Green										
F003C31AU01	 White	3000	8W	816	580						
F003C31AU06	 Grey										
F003C31AU33	 Anthracite										
F003C31AU30	 Black										
F003C31AU18	 Deep Brown										
F003C31AU56	 Stainless Steel										
F003C31AU12	 Forest Green										
F003C41AU01	 White	4000	8W	873	607						
F003C41AU06	 Grey										
F003C41AU33	 Anthracite										
F003C41AU30	 Black										
F003C41AU18	 Deep Brown										
F003C41AU56	 Stainless Steel										
F003C41AU12	 Forest Green										

Bellhop Wall

Wall Version Designed by Edward Barber & Jay Osgerby

POWER LED | 1-10V

Part Number	Finish	CCT	Watts	Initial Lumens	Delivered Lumens	Control	CRI	Photometrics			
F003C21BU01	 White	2700	8W	783	551	1-10V	80				
F003C21BU06	 Grey										
F003C21BU33	 Anthracite										
F003C21BU30	 Black										
F003C21BU18	 Deep Brown										
F003C21BU56	 Stainless Steel										
F003C21BU12	 Forest Green										
F003C31BU01	 White	3000	8W	783	551						
F003C31BU06	 Grey										
F003C31BU33	 Anthracite										
F003C31BU30	 Black										
F003C31BU18	 Deep Brown										
F003C31BU56	 Stainless Steel										
F003C31BU12	 Forest Green										
F003C41BU01	 White	4000	8W	783	551						
F003C41BU06	 Grey										
F003C41BU33	 Anthracite										
F003C41BU30	 Black										
F003C41BU18	 Deep Brown										
F003C41BU56	 Stainless Steel										
F003C41BU12	 Forest Green										