




Find Me Suspension

Suspended ceiling-mounted luminaire

Description

The Find Me Suspension is a thin pendant mount fixture. Deep matte black snoot maximizes cut off and reduces glare. Snoot in pendant version can be changed out to add a touch of color. The Find Me line is available as a single, as a dual-head trimless multiple, and as a pendant.



Lamp

Lamp Type	LED
Wattage	6W
Output Nominal	560lm, 600lm
Color Temperature	2700K, 3000K 3500K* (See Notes)
Color rendering	CRI 90

Optical

Beam Angle	14°
Lighting Type	Direct
Light Distribution	Symmetric

Physical

Material	Aluminum
Aiming	Adjustable
Weight	0.51 Lbs
Ingress Protection Rating	IP20
Finishes	Painted lacquer


☐ 30 White

☐ 05 Chrome

☐ 14 Black



Dimensions



Certifications



Photometrics

For current IES files please visit arch.flosusa.com

Warranty

2 years from date of sale.

Installation type	Ceiling Suspended
Environment	Indoor



Find Me Suspension

Suspended ceiling-mounted luminaire

Electrical & Control


Driver location	Remote
Driver Input Voltage	120V-277V
Fixture Vf	13V
Current mA	500mA
Control	0-10V

Performance

Maximum delivered output	From 344lm to 365lm
Efficacy	63lm/W



Dimensions



Notes

Integral LED is not field replaceable.

Fixture is constant Current Low Voltage LED, Class 2.

Just 1 accessory can be install at the time. For filter options contact Flos.

Wiring suitable for plenum spaces

The fitting is supplied pre-wired ready to be connected to a remote power supply (not included).

The product includes interchangeable shield cylinder in different colours (orange, violet and black)

3500K available, but not cataloged. Consult factory for additional color temperatures.

Certifications



Photometrics

For current IES files please visit
arch.flosusa.com


Warranty

2 years from date of sale.

Find Me Suspension

Suspended ceiling-mounted luminaire



How to specify



How to Specify ex. 09.3710.30B9S + SP40W500MA-10V-A02

Part Number	CCT	CRI	Initial Lumens	Delivered Lumens	Watts	Beam Angle	Finish	Dimming Protocol
09.3710	3000	90	600	365	6W	14°	30 = White 05 = Chrome 14 = Black	C9S = Remote Power Supply
09.3711	2700	90	560	344	6W	14°		


Photometrics



Find Me Suspension

Suspended ceiling-mounted luminaire

Required Splice Box

Splice Box UL 7"x3-5/8"x1-1/4", UL. With Driver Programmed to to 500mA, 40W, 0-10V Dimmable, 120/277V	
SP40W500MA-10V-A02	
	

Required Accessories

Find Me Suspension Canopy, without driver	
08U0003.14 08U0003.30	
