

**Landlord**

Designed by Piero Lissoni





Landlord Ground



Landlord Soft



Landlord Spot + Pole

## Family / Familia

Landlord Spot



Landlord Spot + Pole



### Power Led

2,3W  
130 lm - 2700K/CRI 80  
135 lm - 3000K/CRI 80  
140 lm - 4000K/CRI 80  
2200K available on request.

### Power Led

3,4W  
135 lm - 2700K/CRI 80  
140 lm - 3000K/CRI 80  
145 lm - 4000K/CRI 80  
2200K available on request.

### Power Led

7,2W  
442 lm - 2700K/CRI 80  
457 lm - 3000K/CRI 80  
492 lm - 4000K/CRI 80

Landlord Soft



### Power Led

5W  
242 lm - 2700K/CRI 80  
252 lm - 3000K/CRI 80  
269 lm - 4000K/CRI 80  
2200K available on request.

Landlord Ground



### Power Led

2,3W  
121 lm - 2700K/CRI 80  
125 lm - 3000K/CRI 80  
130 lm - 4000K/CRI 80  
2200K available on request.

### Power Led

3,4W  
183 lm - 2700K/CRI 80  
189 lm - 3000K/CRI 80  
196 lm - 4000K/CRI 80  
2200K available on request.

## Colours / Colores

Landlord Spot / Soft



01 White



06 Grey



12 Forest Green



18 Deep Brown



30 Black



33 Anthracite



71 Anodized Black

Landlord Ground



56 Matt Stainless Steel

Landlord

### Landlord Spot

IP66 projector for external use made of turned aluminium body and powered at 24V, and available in 2700K, 3000K and 4000K colour temperatures. With reference to the horizontal axis the spotlight can be swivelled by 359°, on the vertical axis by up to 30° down and up to 90° up.

Landlord Spots are available in two sizes, ø40 and ø50 head, both equipped with desmontable front ferrule, in order to install flood lens or up to two honeycombs for maximum visual confort.

Landlord Spots can be installed on solid ground spikes, with the possibility of an optional picket, on wall base, or on the innovative tree belt, designed to fix the luminaries directly on tree branches.

### Landlord Soft

IP65 projector for external use, designed to offer diffuse lighting.

It is characterized by an aluminium disk shape head, orientable up to 20° beam and lockable in position, to be powered at 24V, and available in 2700K, 3000K and 4000K colour temperature.

It is the perfect tool to light bushes, flowerbed and transit areas with an homogenous diffuse light beam.

Landlord Soft can be installed on solid ground spikes, with the possibility of an optional picket.

### Landlord Ground

IP66 / IP67 luminaries for ground recessed installation, powered 24V. Body in anodized, then resined aluminium, external ring in shot-peened stainless steel, encasing the entire control electronics. Head available in two sizes, ø49 mm, and ø64 mm, with frontal or grazing emission (one, two or four beams).

Frontal emission version are available with spot or medium optic, or with integrated non removable honeycomb, for maximum visual confort.

To be installed in its installation box.

### Landlord Spot

Proyector IP66 para uso externo con un cuerpo hecho de aluminio torneado y con una potencia de 24V, disponible en temperaturas de color de 2700K, 3000K y 4000K. En relación con el eje horizontal, el foco se puede girar hasta 359°, en el eje vertical hasta 30° hacia abajo y hasta 90° hacia arriba.

Los focos Landlord están disponibles en dos tamaños (con cabezal de ø40 y ø50), ambos equipados con un casquillo delantero desmontable, que permite instalar lentes "flood" o hasta dos filtros "honeycomb" para un confort visual máximo.

Los focos Landlord se pueden instalar con estacas en terrenos sólidos, o también tienen la opción de un poste instalado sobre una base de mampostería, o bien con la innovadora correa para árbol, diseñada para fijar las luminarias directamente en las ramas de los árboles.

### Landlord Soft

Proyector IP65 para uso externo diseñado para ofrecer una iluminación difusa.

Se caracteriza por un cabezal con forma de disco de aluminio, orientable con un haz de hasta 20° y cuya posición se puede bloquear, con una potencia de 24V y disponible en temperaturas de color de 2700K, 3000K y 4000K.

Es la herramienta perfecta para iluminar arbustos, macizos de flores y zonas de tránsito con un haz luminoso difuso y homogéneo.

Landlord Soft se puede instalar en estacas para suelos sólidos, con la posibilidad de un poste opcional.

### Landlord Ground

Luminarias IP66 / IP67 con instalación empotrada en el suelo, con una potencia de 24V. Cuerpo en aluminio primero anodizado y luego resinado, anillo externo en acero inoxidable granallado, que alberga la totalidad del dispositivo electrónico de control. Cabezal disponible en dos tamaños (ø49 mm y ø64 mm), con emisión frontal o rasante (uno, dos o cuatro haces).

Las versiones con emisión frontal están disponibles con óptica "spot" o "medium", o con honeycomb no extraíble integrado, para un confort visual máximo.

Para ser instalado en su propia caja.