

# **S-Pantile**

# BMI GCI S-Pantile, It Starts with a Solid Roof

### **S-Pantile**

S-Pantile, a unique wavy 'S' profile with clean, crisp lines yielding bold European architecture.

Clay roof tiles are renowned for the incredible durability and beauty, which is why they remain as the core element of GCI since inception.

Mined, moulded & fired at source, GCI Clay Roof Tiles are made 100% from the finest clay through a state-of-the-art HydroCeric and H-Cassette system.

GCI Clay Roof Tiles are exceptionally strong, have a high level of colour retention and require minimal maintenance.



INTERLOCKING ROOFING SYSTEM



COLOUR FASTNESS



ACCURATE & PRECISE



TIMELESS & ENDURING



STRONG & DURABLE




CLASSIC CONTEMPORARY

# S-PANTILE COLOUR PALETTE

S-Pantile, a unique wavy 'S' profile with clean, crisp lines yielding bold European architecture.

#### **CLASSIC COLLECTION**

#### Glazed



#### Satin



## **MODERN COLLECTION**

# **Earthy**



#### **Natural**



\*Batten Spacing has to be calculated based on actual rafter length. The maximum rafter length span up to 6 meters at minimum roof pitch stated.



## **PRODUCT & TECHNICAL DATA**

Dimension	280mm (W) x 420mm (L)
Batten Spacing*	345mm +/- 3mm
Coverage	12.5pcs/m²
Weight	~3.85kg/pc
Minimum Pitch	20°

<sup>\*</sup>The colours shown here are reproduced as close to the original as printing technology allows. For best accuracy on colour selection, refer to actual tile. 
\*\*Other colours not featured on this page are available upon request.

In view of innovation, the specifications are subject to change without any prior notice and in the event of such changes, BMI MONIER® shall ensure that the new specifications are equivalent if not better.

# **ROOF SYSTEM COMPONENTS**



#### **RADIENT BARRIERS**

#### **Woven Series**

**Radenshield® AL+ FX** (1.25m x 48m)
A double sided woven fire retardant aluminium foil.

**Radenshield® AL FX** (1.25m x 48m) A single sided woven fire retardant aluminium foil.

#### **Bubble R Series**

ThermalFoil<sup>™</sup> Deluxe Bubble R (1.22m x 20m) A double sided pure aluminium foil with 6mm thermal insulating polymer with double sided 20mm Super Bubble.

#### **Bubble Series**

ThermalFoil™ BF (1.22m x 40m)
A double sided small bubble fire retardant aluminium foil.

A double sided siriali babble ili e retardarit aldirili lidiri roli

ThermalFoil<sup>™</sup> Deluxe BF (1.22m x 20m)
A double sided big bubble fire retardant aluminium foil.

ThermalFoil<sup>™</sup> Super BW (1.22m x 40m) A double sided big bubble fire retardant aluminium foil with single sided woven.

#### **HIP & RIDGE DRY FIX SOLUTION**



## **CompactRoll® Plus** Overall Dimensions: 340mm x 10m

#### Colours Available:



#### **ABUTMENT & WALL FLASHING**



Overall Dimensions: 250mm x 5m 280mm x 5m

#### Colours Available:




#### **OTHERS COMPONENTS**



**Ridge Tree** 

# S-PANTILE FITTINGS SERIES













# **ABOUT BMI GROUP**

BMI Group was born out of a recognition that customers now expect a single point of expertise to help them find their ideal roof. Bringing together some of the industries most trusted brands to become the largest supplier of both flat and pitched roofing and waterproofing solutions throughout Europe, BMI Group has over 165 years of experience and innovation to offer its clients.

As a **Standard Industries** company, BMI Group, headquartered in London, has the support, reach and resources of a global enterprise. With over 120 production facilities across Europe, Africa and Asia, and more than 9,500 employees worldwide, the business is well positioned to provide an unparalleled level of service to homeowners, specifiers, contractors, property owners and developers.

Find out more at www.bmigroup.com

MONIER MALAYSIA SDN. BHD. (19163-M)

Suite 12W,12th Floor Wisma FGV Jalan Raja Laut 50350 Kuala Lumpur Malaysia T (+60) (3) 21760600 F (+60) (3) 26040335 Toll Free: 1800 88 0865

roofing-malaysia@bmigroup.com

bmigroup.com/my