




DIRECTIONAL LEDS



ED3766 SERIES SAE Class I Dual-or Tri-Color Surface Mount

The ED3766 Series directional LED warning light offers the flexibility of two different color outputs within a single unit, comprised of 12 (dual) or 18 (tri) high intensity LEDs, six of each color. SAE Class I light output, synchronization capability and the choice of 12 flash patterns allows the creation of an attention-getting multi-color warning system with half the number of lights typically required. Each model can be programmed to flash each color option individually or alternate colors.



Models

PART NO.	COLORS	VDC	AMPS
ED3766AB	Amber/Blue	12-24	0.75
ED3766AC	Amber/Clear	12-24	0.75
ED3766AG	Amber/Green	12-24	0.75
ED3766AR	Amber/Red	12-24	0.75
ED3766RB	Red/Blue	12-24	0.75
ED3766RBW	Red/Blue/White	12-24	0.75
ED3766RBA	Red/Blue/Amber	12-24	0.75
ED3766RAW	Red/Amber/White	12-24	0.75
ED3766BAW	Blue/Amber/White	12-24	0.75
ED3766AGW	Amber/Green/White	12-24	0.75

Features and Benefits

- 12 (dual) or 18 (tri) high-intensity LEDs provide exceptional warning
- Six LEDs per color
- 12 flash patterns
- Synchronizable
- Aluminum housing, polycarbonate lens
- Temperature Range: -22°F to +122°F (-30°C to +50°C)

Flash Patterns (12)

- Single
- Fast Single
- Double
- Fast Double
- Triple
- Quad
- Fast Quad
- Modulation
- Steady Burn
- 2 Double, 2 Quad, Alt
- 4 Single, 2 Triple, Alt
- 1 Double, 1 Triple, 1 Quad