



# ELECTRICAL REFLECTIVE BANNERS



- Class 1W All Prismatic Reflective Fabric
- AS/NZ 1906.1 Compliant
- Heavy Duty Welded Finish
- Weather/water proof
- Day & Night high Visibility

## REFLECTIVE ELECTRICAL HOLDER

### Reflective Electrical Document Holder

Our Electrical Document Holder Banners provide document storage solutions for Crib and DCB Rooms. Made from heavy duty Omni Reflective Roll Up material with a reinforced fuse welded finish, on 440gsm reinforced waterproof vinyl. Top section only being reflective for night and underground use. 4 x A4, and 2 x A3 Clear sleeves are welded onto the banner with velcro affixing to secure various documents. Eyelets are added every 500mm with 50mm spacing. And a 50mm dia reinforced welded pocket on the reverse, for stiffening rod installation.

PRODUCT CODE **EDH1290**



#### Size Options

1200mm x 900mm

Your chosen custom size

#### Finished with

EYELETS



CLEAR POCKETS



Code	Size	Description
EDH1290	1200 x 900mm	Electrical Document Holder Reflective Banner with clear sleeves
EDHC	*	Custom Electrical Document Holder Reflective Banner

\* add your custom size





## MINING CABLE BANNER

### Custom Made Reflective Mining/Cable Storage Banner

Made from heavy duty Omni Reflective Roll Up material with a reinforced fuse welded finish, on 440gsm reinforced waterproof vinyl. Text heading sections only being reflective for night and underground use. 8 x A4, and 9 x A3 Clear sleeves are welded onto the banner with velcro affixing to secure various documents. Supplied with Eyelets for secure installation.

PRODUCT CODE **MCSB22**



#### Size Options

2000mm x 2000mm  
Your chosen custom size

EYELETS



CLEAR POCKETS



SINGLE SIDED



#### Finished With

Code	Size	Description
MCSB22	2000 x 2000mm	Mining Cable Storage Reflective Banner with clear sleeves
MCSBC	*	Custom Mining Cable Storage Reflective Banner with clear sleeves

\* add your custom size

## MINING CT MAP BANNER

### Mining CT Map Banner

Custom reflective Cable Storage CT Map banner, made to your requirements to provide better site safety and identification. Finished with eyelets top and bottom. Clear Pockets for storage also available.

#### Size Options

1200mm x 900mm  
Your chosen custom size

#### Finished With

EYELETS




SINGLE SIDED



CLEAR POCKET




order code |



Code	Size	Finishing Option	Description
MCTMB	1200 x 900mm	*	Mining CT Map Reflective Banner
MCTMBC	*	*	Custom Mining CT Map Reflective Banner

CUSTOM \* Select your size/finishing options/email drawings through





ELECTRICAL MINING BANNER / DCB

Electrical Underground Distribution Control Board / Safety Banner

Our Multi Message Electrical Underground Safety Banners are the All In One Safety Solution for DCB.

Made from heavy duty Omni Reflective Roll Up material with a reinforced fuse welded finish, on 440gsm reinforced waterproof vinyl. Various clear sleeves are welded onto the banner with velcro affixing to keep all documents secure. Eyelets are added every 500mm with 50mm spacing. And a 50mm dia reinforced welded pocket on the reverse, for stiffening rod installation. Webbing straps are attached over the first aid panel with quick release buckles to attach a first aid kit.

PRODUCT CODE **EMMB**



Customise your ELECTRICAL UNDERGROUND BANNER

IMPROVE Your signage with our compact ALL IN ONE roll up Electrical DCB Banner


First Aid Kit Holder +Sign



Choose your VOLT, MESSAGE, TAG & PLAN HOLDERS



CPR Instruction



Installation White Board



Power Isolation



Fire Safety



© Reflect Fabrics E & O.E Prices & Information correct at the time of publication



FABRIC RANGE REFLECTIVE NIGHT USE



DAY USE





ELECTRICAL MINING BANNER / DCB SIZES

3 METRE EXAMPLES

LOW VOLTAGE 1,100

**ELECTRICAL INSTALLATION - NO UNAUTHORISED PERSONNEL - IN EMERGENCY PHONE 555**

<p><b>FIRST AID</b></p>	<p><b>DANGER</b> ELECTRICAL EQUIPMENT AUTHORISED PERSONNEL ONLY</p>	<p><b>DANGER</b> LOW VOLTAGE</p>	<p><b>DANGER</b> 1,100 VOLTS</p>	<p>LINE DIAGRAM</p>	<p><b>INSTALLATION DETAILS</b></p> <p>EQUIPMENT AT THIS INSTALLATION - _____</p> <p>INSTALLATION FED FROM - _____</p> <p>IN AN EMERGENCY ISOLATE AT - _____</p> <p>FIRST OUTBYE TELEPHONE LOCATION - _____</p> <p>FIRST OUTBYE TELEPHONE NUMBER - _____</p> <p>EQUIPMENT POWERED FROM THIS INSTALLATION - _____</p> <p>OTHER INFORMATION - _____</p> <p>ARC FLASH CATEGORY FOR ELECTRICAL OPERATING AREA</p>

**ELECTRICAL INSTALLATION - NO UNAUTHORISED PERSONNEL - IN EMERGENCY PHONE 555**

HIGH VOLTAGE 3,300

**ELECTRICAL INSTALLATION - NO UNAUTHORISED PERSONNEL - IN EMERGENCY PHONE 555**

<p><b>FIRST AID</b></p>	<p><b>DANGER</b> ELECTRICAL EQUIPMENT AUTHORISED PERSONNEL ONLY</p>	<p><b>INSTALLATION DETAILS</b></p> <p>EQUIPMENT AT THIS INSTALLATION - _____</p> <p>INSTALLATION FED FROM - _____</p> <p>IN AN EMERGENCY ISOLATE AT - _____</p> <p>FIRST OUTBYE TELEPHONE LOCATION - _____</p> <p>FIRST OUTBYE TELEPHONE NUMBER - _____</p> <p>EQUIPMENT POWERED FROM THIS INSTALLATION - _____</p> <p>OTHER INFORMATION - _____</p> <p>ARC FLASH CATEGORY FOR ELECTRICAL OPERATING AREA</p>	<p><b>DANGER</b> HIGH VOLTAGE</p>	<p><b>DANGER</b> 3,300 VOLTS</p>	<p>LINE DIAGRAM</p>


**ELECTRICAL INSTALLATION - NO UNAUTHORISED PERSONNEL - IN EMERGENCY PHONE 555**

HIGH VOLTAGE 11,000

**ELECTRICAL INSTALLATION - NO UNAUTHORISED PERSONNEL - IN EMERGENCY PHONE 555**

<p><b>FIRST AID</b></p>	<p><b>DANGER</b> ELECTRICAL EQUIPMENT AUTHORISED PERSONNEL ONLY</p>	<p><b>INSTALLATION DETAILS</b></p> <p>EQUIPMENT AT THIS INSTALLATION - _____</p> <p>UNDERGROUND TRIP RELEASE DEVIATION - _____</p> <p>IN AN EMERGENCY ISOLATE AT - _____</p> <p>FIRST OUTBYE TELEPHONE LOCATION - _____</p> <p>FIRST OUTBYE TELEPHONE NUMBER - _____</p> <p>EQUIPMENT POWERED FROM THIS INSTALLATION - _____</p> <p>OTHER INFORMATION - _____</p> <p>ARC FLASH CATEGORY FOR ELECTRICAL OPERATING AREA</p>	<p><b>DANGER</b> HIGH VOLTAGE</p>	<p><b>DANGER</b> 11,000 VOLTS</p>	<p>LINE DIAGRAM</p>

**ELECTRICAL INSTALLATION - NO UNAUTHORISED PERSONNEL - IN EMERGENCY PHONE 555**





ELECTRICAL MINING BANNER / DCB SIZES

2100 x 800mm EXAMPLE

LOW VOLTAGE 1,100

**555 BASIC LIFE SUPPORT 555**

**D** Dangers?  
**R** Responsive?  
**S** Send for Help  
**A** Open Airway  
**B** Normal Breathing?  
**C** **START CPR - 30 Compressions : 2 breaths**  
**D** **ATTACH DEFIBRILLATOR (AED)**

Continue CPR until responsiveness or normal breathing returns.

**ACTION IN CASE OF FIRE**  
 1. IMMEDIATELY NOTIFY CONTROL ROOM - EMERGENCY PHONE 555  
 2. IF POSSIBLE, REMOVE OR ISOLATE THE ELECTRICAL EQUIPMENT FROM THE SCENE  
 3. IF CANNOT BE REMOVED OR ISOLATED, NOTIFY RELEVANT PERSONNEL OF LOCATION  
 4. IF NOT EMERGENCY - YOU WILL SEEK FURTHER ASSISTANCE FROM RELEVANT PERSONNEL TO TRIP UNDERGROUND POWER

**TO ISOLATE ALL UNDERGROUND POWER**  
 1. CONTACT THE O&E ON SITE  
 2. GIVE REASON FOR ISOLATION  
 3. IN EMERGENCY - YOU WILL TRIP POWER AND NOTIFY RELEVANT PERSONNEL OF LOCATION  
 4. IF NOT EMERGENCY - YOU WILL SEEK FURTHER ASSISTANCE FROM RELEVANT PERSONNEL TO TRIP UNDERGROUND POWER

**INSTALLATION DETAILS**  
 EQUIPMENT AT THIS INSTALLATION: \_\_\_\_\_  
 INSTALLATION FED FROM: \_\_\_\_\_  
 MAIN EMERGENCY ISOLATION: \_\_\_\_\_  
 FIRST OUTSIDE TELEPHONE LOCATION: \_\_\_\_\_  
 FIRST OUTSIDE TELEPHONE NUMBER: \_\_\_\_\_  
 EQUIPMENT POWERED FROM THIS INSTALLATION: \_\_\_\_\_  
 OTHER INFORMATION: \_\_\_\_\_

**DANGER LOW VOLTAGE**  
**DANGER ELECTRICAL EQUIPMENT AUTHORIZED PERSONNEL ONLY**  
**DANGER 1,100 VOLTS**

Custom Messages & Pockets Available

2 METRE EXAMPLES

LOW VOLTAGE 1,100 - MINI POCKETS

LOW VOLTAGE 1,100 - NO POCKETS

**ELECTRICAL INSTALLATION - NO UNAUTHORISED PERSONNEL - IN EMERGENCY PHONE 555**

**FIRST AID**

**DANGER ELECTRICAL EQUIPMENT AUTHORIZED PERSONNEL ONLY**

**DANGER LOW VOLTAGE**

**DANGER 1,100 VOLTS**

**INSTALLATION DETAILS**  
 EQUIPMENT AT THIS INSTALLATION: \_\_\_\_\_  
 INSTALLATION FED FROM: \_\_\_\_\_  
 MAIN EMERGENCY ISOLATION: \_\_\_\_\_  
 FIRST OUTSIDE TELEPHONE LOCATION: \_\_\_\_\_  
 FIRST OUTSIDE TELEPHONE NUMBER: \_\_\_\_\_  
 EQUIPMENT POWERED FROM THIS INSTALLATION: \_\_\_\_\_  
 OTHER INFORMATION: \_\_\_\_\_

**INFO TAGS CAUTION TAGS DANGER TAGS**

**555 BASIC LIFE SUPPORT 555**

**D** Dangers?  
**R** Responsive?  
**S** Send for Help  
**A** Open Airway  
**B** Normal Breathing?  
**C** **START CPR - 30 Compressions : 2 breaths**  
**D** **ATTACH DEFIBRILLATOR (AED)**

Continue CPR until responsiveness or normal breathing returns.

**ACTION IN CASE OF FIRE**  
 1. IMMEDIATELY NOTIFY CONTROL ROOM - EMERGENCY PHONE 555  
 2. IF POSSIBLE, REMOVE OR ISOLATE THE ELECTRICAL EQUIPMENT FROM THE SCENE  
 3. IF CANNOT BE REMOVED OR ISOLATED, NOTIFY RELEVANT PERSONNEL OF LOCATION  
 4. IF NOT EMERGENCY - YOU WILL SEEK FURTHER ASSISTANCE FROM RELEVANT PERSONNEL TO TRIP UNDERGROUND POWER

**TO ISOLATE ALL UNDERGROUND POWER**  
 1. CONTACT THE O&E ON SITE  
 2. GIVE REASON FOR ISOLATION  
 3. IN EMERGENCY - YOU WILL TRIP POWER AND NOTIFY RELEVANT PERSONNEL OF LOCATION  
 4. IF NOT EMERGENCY - YOU WILL SEEK FURTHER ASSISTANCE FROM RELEVANT PERSONNEL TO TRIP UNDERGROUND POWER

**ELECTRICAL INSTALLATION - NO UNAUTHORISED PERSONNEL - IN EMERGENCY PHONE 555**

**ELECTRICAL INSTALLATION - NO UNAUTHORISED PERSONNEL - IN EMERGENCY PHONE 555**

**FIRST AID**

**DANGER ELECTRICAL EQUIPMENT AUTHORIZED PERSONNEL ONLY**

**DANGER LOW VOLTAGE**

**DANGER 1,100 VOLTS**

**INSTALLATION DETAILS**  
 EQUIPMENT AT THIS INSTALLATION: \_\_\_\_\_  
 INSTALLATION FED FROM: \_\_\_\_\_  
 MAIN EMERGENCY ISOLATION: \_\_\_\_\_  
 FIRST OUTSIDE TELEPHONE LOCATION: \_\_\_\_\_  
 FIRST OUTSIDE TELEPHONE NUMBER: \_\_\_\_\_  
 EQUIPMENT POWERED FROM THIS INSTALLATION: \_\_\_\_\_  
 OTHER INFORMATION: \_\_\_\_\_

**555 BASIC LIFE SUPPORT 555**

**D** Dangers?  
**R** Responsive?  
**S** Send for Help  
**A** Open Airway  
**B** Normal Breathing?  
**C** **START CPR - 30 Compressions : 2 breaths**  
**D** **ATTACH DEFIBRILLATOR (AED)**

Continue CPR until responsiveness or normal breathing returns.

**ACTION IN CASE OF FIRE**  
 1. IMMEDIATELY NOTIFY CONTROL ROOM - EMERGENCY PHONE 555  
 2. IF POSSIBLE, REMOVE OR ISOLATE THE ELECTRICAL EQUIPMENT FROM THE SCENE  
 3. IF CANNOT BE REMOVED OR ISOLATED, NOTIFY RELEVANT PERSONNEL OF LOCATION  
 4. IF NOT EMERGENCY - YOU WILL SEEK FURTHER ASSISTANCE FROM RELEVANT PERSONNEL TO TRIP UNDERGROUND POWER

**TO ISOLATE ALL UNDERGROUND POWER**  
 1. CONTACT THE O&E ON SITE  
 2. GIVE REASON FOR ISOLATION  
 3. IN EMERGENCY - YOU WILL TRIP POWER AND NOTIFY RELEVANT PERSONNEL OF LOCATION  
 4. IF NOT EMERGENCY - YOU WILL SEEK FURTHER ASSISTANCE FROM RELEVANT PERSONNEL TO TRIP UNDERGROUND POWER

**ELECTRICAL INSTALLATION - NO UNAUTHORISED PERSONNEL - IN EMERGENCY PHONE 555**

Finished With

- EYELETS
- CLEAR POCKETS
- SINGLE SIDED

Order Code	Size	Voltage Section
EMMB3	3000 x 1370mm	LOW VOLTAGE 1,100 with Pockets
EMMB3300V3	3000 x 1370mm	HIGH VOLTAGE 3,300 with Pockets
EMMB11000V3	3000 x 1370mm	HIGH VOLTAGE 11,000 with Pockets
EMMB21080	2100 x 800mm	LOW VOLTAGE 1,100 with 1 Pocket
EMB1100V2	2000 x 1370mm	LOW VOLTAGE 1,100 with mini Pockets
EMB1100V2NP	2000 x 1370mm	LOW VOLTAGE 1,100 with no Pockets
EMMBC (CUSTOM)	*(CUSTOM)	*

\* CUSTOM add your chosen size and Voltage Sign

NEED A QUOTE FOR A CUSTOM BANNER? CALL 1300 739 323 or email sales@reflectfabrics.com.au





REFLECTIVE UNDERGROUND LONG WALL SIGNAGE

Double Sided Reflective Long Wall Signage

Class 1W All Prismatic Reflective Fabric  
 AS/NZ1906.1 Compliant  
 Heavy Duty Welded Finish  
 Weather/water proof  
 Day & Night High Visibility  
 4 Corner Eyelets for securing

Standard Size 600mm x 200mm  
 Custom Sizes available

PRODUCT CODE **RLB62**

Finished with EYELETS



DOUBLE SIDED



RSTK



RMGL



TS



EGSS



MS



WS



EFSS



WSS



PSS



EMS



SS



GS

Code	Size	Description	Sign Code or custom Message	Colour
RLB62	600 x 200mm	DOUBLE SIDED Reflective Long Wall Signage	*	NA
RLB62C	600 x 200mm	CUSTOM DOUBLE SIDED Reflective Long Wall Signage	NA	*

Choose from single or double sided \* add your chosen sign code from above or custom message \* add your chosen colour from below  
 EXAMPLE - RLB62 SS

**NEED A QUOTE FOR A CUSTOM MADE REFLECTIVE DROPPER?  
 CALL 1300 739 323 or email [sales@reflectfabrics.com.au](mailto:sales@reflectfabrics.com.au)**





# MINE SAFE CONDITION SIGNAGE



Roll up reflective safe area signage designates areas and services which are safe within the mine. Protect your personnel:

- Electrical Safety
- Safe Escape Route
- Fresh Air Base
- First Aid

## REFLECTIVE CABLE BANNERS

### Reflective Cable Banners

2500mm x 300mm Reflective double sided cable banners. for Day and Night High Visibility. Custom hazard symbols, colours and messages available. Metal eyelets in each corner and every 400mm for easy installation.



EOA



HVCIV




HVPIV



LVCX



HVCX



UCSA

Finished with EYELETS



DOUBLE SIDED



Code	Sign	Description	Size
CMB2530	*	Reflective Double Sided Cable Mining Banners	2500 x 300mm

\* add your sign of choice from above, custom orders accepted

## REFLECTIVE BARRICADING BANNERS

### Reflective Barricading Banners

5000mm x 150mm Day and Night High Visibility Barricading Banners with 45 degree custom colour safety pattern, and customised messages. Eyelets every 250mm or 500mm along top side.



RA



NE

Finished with EYELETS



Choose from SINGLE SIDED



Or DOUBLE SIDED



Code	Size	Description	Sign
BB5015	5000 x 150mm	Single Sided Printed - Reflective Barricading Banners	*
BB5015D	5000 x 150mm	Double Sided Printed - Reflective Barricading Banners	*

\* add your sign of choice from above

