

DATASHEET

19" Wall Housing 12U, Swiveling, 2-Part, RAL7035, Depth 500 mm



General data

Steel sheet housing with welded frame, pre-assembled, self-ventilated

Rear sided swing-frame for swiveling the front part of the housing

Prepared for Plug & Play 2-fan unit (Art.-No. 691656GR)

Bottom with 4 x mounting point for leveling feet or castor set (please order separately)

Front door with metal hinges for increased stability

Roof, bottom and rear wall with pre-punched openings for cable entry (250 x 70 mm)

Prepared for mounting of single fan units in roof and bottom

Inside front-sided 2 x 19" profile rails, galvanised, depth-adjustable

Front door with window made of certified safety glass

Front door lockable with latch

Internal earthing of all cabinet sections

Paint finish: RAL7035, light grey

Protection degree IP20

This datasheet was created automatically on 08-04-2024 . Technical changes reserved.



DATASHEET

19" Wall Housing 12U, Swiveling, 2-Part, RAL7035, Depth 500 mm

Included in delivery: 1 x brush terminal, 1 x set of captive nuts (PU 20 pcs.), 2 x key
 Delivery in transport packaging, from 30 kg / 12U on disposable pallet

Allgemeine Daten	
Modular spacing	482.6 mm (19 inch)
With front door	True
Type of ventilation	Passive
Surface finishing	powder coating
Number of cartons	1
With roof plate	True
Mounting level	Front side
With sidewall	True
Model	With permanent frame
With earthing	True
Number of doors	1
Material	steel
Degree of protection	IP20
Demountable	False
Type of profile rail	L-shaped

Available variants

ArtNr.	Bezeichnung	Colour	Depth	Height	Max. Load	Max. Load Capacity	Number of height units	Width	RAL-Nummer
691606VGR.50	19" Wall Housing 6U, Swiveling, 2-Part, RAL7035, Depth 500 mm	grey	500 mm	330 mm	40 kg	40 kg	6 U	600 mm	7035
691609VGR.50	19" Wall Housing 9U, Swiveling, 2-Part, RAL7035, Depth 500 mm	grey	500 mm	465 mm	40 kg	40 kg	9 U	600 mm	7035
691612VGR.50	19" Wall Housing 12U, Swiveling, 2-Part, RAL7035, Depth 500 mm	grey	500 mm	600 mm	40 kg	40 kg	12 U	600 mm	7035
691615VGR.50	19" Wall Housing 15U, Swiveling, 2-Part, RAL7035, Depth 500 mm	grey	500 mm	730 mm	50 kg	50 kg	15 U	600 mm	7035

This datasheet was created automatically on 08-04-2024 . Technical changes reserved.



DATASHEET

19" Wall Housing 12U, Swiveling, 2-Part, RAL7035, Depth 500 mm

691621VGR.50	19" Wall Housing 21U, Swiveling, 2-Part, RAL7035, Depth 500 mm	grey	500 mm	997 mm	50 kg	50 kg	21 U	600 mm	7035
--------------	--	------	--------	--------	-------	-------	------	--------	------

This datasheet was created automatically on 08-04-2024 . Technical changes reserved.

