



Product data sheet

49937 - Woertz flat cable lever cutter from 10mm²



Lever cutter for flat cable of 10 mm² and more

Characteristics

Base Unit	Piece
availability	available from stock
group	170000
Packaging unit	1
country of origin	CH
Customs tariff number	8203.2000
Weight (g)	450 g

Technical data

Dimensions length x width x height (mm)	580 mm
---	--------



Product data sheet

49937 - Woertz flat cable lever cutter from 10mm²

Product accessories



Product data sheet

49937 - Woertz flat cable lever cutter from 10mm2

Product systems

Flat cable system Power 5G25 mm² (IP65)



Ideal for construction temporary buildings, offices, tunnels, halls, trade fairs and e-mobility. Robust, weatherproof and powerful - perfect for temporary or permanent power supply.



Flat cable system Power 5G25 mm² (IP65)



Flat cable system Power 5G25 mm² (IP65)



Flat cable system Power 5G16 mm² (IP65)



Robust, weatherproof and powerful - a flexible power supply solution for construction temporary buildings, offices, tunnels, ships, halls, trade fairs and e-mobility.



Flat cable system Power 5G16 mm² (IP65)



Flat cable system Power 5G16 mm² (IP65)



Flat cable system Power IP 5G10 mm² (IP65)



Secure reliable power supply for tunneling, civil engineering, industrial plants, workshops and joineries with our high quality flat cable system - perfectly protected by IP-65.





Product data sheet

49937 - Woertz flat cable lever cutter from 10mm²



Flat cable system Power 5G10 mm²

This system is used in hospitals, shopping malls, data centers, for hall lighting, hotels and catering Stetten.



FE180 E30/E90 5G16 mm²

Woertz fire safety system FE180 E30/E90 5G16 mm² for power supply of safety-relevant elements, such as emergency and escape route lighting, smoke extraction systems or fire department elevators.



Stripping / stripping tool

Stripping and stripping tools eye and flat cable insulation tape.

