

SASI® : Technical data
600x400



1156.000 - 44 L	COMING SOON
Ext. (mm)	598.5 x 398.5 x 220
Int. (mm)	563 x 363 x 209
Stacked height (mm)	211
Weight (Kg)	2.3
Unit load (Kg)	Up to 50kg*
Static load (Kg)	150

*1156.000H is the heavy version with a unit load of 50kg.



1157.000 - 54 L	
Ext. (mm)	598.5 x 398.5 x 270
Int. (mm)	563 x 363 x 259
Stacked height (mm)	261
Weight (Kg)	2.5
Unit load (Kg)	Up to 50kg*
Static load (Kg)	150

*1157.000H is the heavy version with a unit load of 50kg.



1158.000 - 65 L	
Ext. (mm)	598.5 x 398.5 x 320
Int. (mm)	563 x 363 x 309
Stacked height (mm)	311
Weight (Kg)	2.7
Unit load (Kg)	Up to 50kg*
Static load (Kg)	150

*1158.000H is the heavy version with a unit load of 50kg.



1159.000 - 86 L	
Ext. (mm)	598.5 x 398.5 x 420
Int. (mm)	563 x 363 x 409
Stacked height (mm)	411
Weight (Kg)	3.1
Unit load (Kg)	Up to 50kg*
Static load (Kg)	150

*1159.000H is the heavy version with a unit load of 50kg.

*All standard versions have a unit load of 35kg. All versions suitable for 50kg unit load are indicated with an H in the product code.
For more information please contact your local sales representative or send an email to info@schoellerallibert.com



Schoeller Allibert
Innovating your logistics for a better world



Please visit our website
www.schoellerallibert.com

650x450



1166.000 - 48 L	COMING SOON
Ext. (mm)	648.5 x 448.5 x 220
Int. (mm)	612 x 412 x 204.5
Stacked height (mm)	207
Weight (Kg)	3
Unit load (Kg)	Up to 50kg*
Static load (Kg)	150

*1166.000H is the heavy version with a unit load of 50kg.



1167.000 - 66 L	
Ext. (mm)	648.5 x 448.5 x 270
Int. (mm)	612 x 412 x 254.5
Stacked height (mm)	257
Weight (Kg)	3.3
Unit load (Kg)	Up to 50kg*
Static load (Kg)	150

*1167.000H is the heavy version with a unit load of 50kg.



1168.000 - 79 L	COMING SOON
Ext. (mm)	648.5 x 448.5 x 320
Int. (mm)	612 x 412 x 304.5
Stacked height (mm)	307
Weight (Kg)	3.6
Unit load (Kg)	Up to 50kg*
Static load (Kg)	150

*1168.000H is the heavy version with a unit load of 50kg.



1169.000 - 97 L	COMING SOON
Ext. (mm)	648.5 x 448.5 x 400
Int. (mm)	612 x 412 x 384.5
Stacked height (mm)	387
Weight (Kg)	4
Unit load (Kg)	Up to 50kg*
Static load (Kg)	150

*1169.000H is the heavy version with a unit load of 50kg.

The 650x450 footprint easily
accommodates a 600x400 cardboard box

In line with its policy of continuous development, Schoeller Allibert reserves the right to amend product specifications described in this catalogue without prior notice. Most of our products are protected by patent, registered design or copyright. Texts, characteristics, pictures and plans are not contractual. Creation 09/2022.

360°

Schoeller Allibert
Returnable Plastic
Packaging Solutions



Schoeller Allibert
Innovating your logistics for a better world

SASI® 4.0: Your automation partner

Industry 4.0 ready

Our SASI® 4.0 range is suitable for use in automated warehouses (in both longitudinal and lateral directions). Integrated vertical lifting pockets enable automated palletizing and lifting from the top.

Compatible with automated guided vehicle (AGV) systems and modern shuttle systems.

Fully sustainable

SASI 4.0 can be manufactured from recycled polypropylene as required. The crates are 100% recyclable at the end of their long service life.



Conveyor protection

SASI 4.0 features a full lower bumper and wrap around corners on all sides for optimized guiding on conveyor belts.

Drainage holes

Multiple drain holes easily remove excess water to meet the fire safety requirements in line with FM Global regulations.

Improved divider design

Larger locator slots make fitting dividers easier and provide better stability. SASI 4.0 can be divided into up to 8 compartments on demand.

Load stability

Max. 5mm base deflection with long side support for an evenly distributed load.

Customisation options

SASI 4.0 can be customised on request to feature:

- Open handles
- Ventilated sides
- Additional horizontal bumper ribbing
- IML in 3 possible locations on each short and long side wall




Noise reducing welded base

The large, flat area provides stability and a smooth roller transfer. Added sound skirts on the outside of the welded base plate reduce impact and sound levels.



Retaining leaks

The base features a 0.75l leak reservoir which reduces the risk of contamination (FM Global conform).



SASI® 4.0

Industry 4.0 ready

600x400 and 650x450 footprints
available in different heights.