


Less hassle, more performance



Schoeller Allibert

Accelerate your feeding line operations



The Magnum Optimum Hopper and Optishute offer high volume, compact storage, and precise dispensing. Their design enables direct food contact without disposables, while the low folding height reduces return transport costs. »

Magnum Optimum Hopper

Magnum Optimum Hopper comes with a base discharge opening suitable feeding lines dispensing for example large caps and closures

Key Features

- Wide lever-controlled opening of:
 - 1208: 286mm x 186mm
 - 1210: 330mm x 214mm
- Safe and ergonomic, it can be handled by one operator only
- Footprint [mm]:
 - 1200 x 800 x 1168
 - 1200 x 1000 x 805 / 1185 / 1210 / 1335 + antistatic
- Unit load: 500kg
- Max static load: 2220 kg → 5 high stacking




Magnum Optimum Optishute

Magnum Optimum Optishute, thanks to its bottom sliding door, can be used at feeding lines equipped with tilting machines to dispense small goods such as bottle caps.

Key Features

- Sliding door opening 440 x 191 mm
- Safe and ergonomic, it can be handled by one operator only
- Footprint [mm]:
→ 1200 x 1000 x 975 / 1125
- Unit load: 250kg
- Max static load: 1250 kg → 6 high stacking



Key benefits vs traditional packing solutions:

	Magnum Optimum Hopper & Optishute	Traditional Packaging Metal boxes & Octabins									
Suitable for Food & hygienic conditions	1. Available in FDA material 2. Easy to clean 3. Resistant against weathering	1. Dedicated liner needed 2. Complex to clean & to maintain 3. Additional protection needed against weather agents									
TCO minimisation	1. No waste disposal 2. No additional packaging needed 3. Optimised return transport - ie MegaTruck <table><tr><td>FOOTPRINT</td><td>1208</td><td>1210</td></tr><tr><td>Hopper</td><td>165u</td><td>130u</td></tr><tr><td>Optishute</td><td>na</td><td>208u</td></tr></table>	FOOTPRINT	1208	1210	Hopper	165u	130u	Optishute	na	208u	1. High waste: cardboard, plastic wrapping, plastic composite liners, straps etc. 2. Several packaging components needed at once 3. Several trucks needed to return empty metal boxes
FOOTPRINT	1208	1210									
Hopper	165u	130u									
Optishute	na	208u									

Technical data

Magnum Optimum Hopper



2500880 - MO Hopper 1208

Base configuration	2 Runners & 2 Feet
Drop doors	0
Footprint [mm]	1200x800
Height [mm]	1168
Folded height [mm]	505
Weight [kg]	73
Usable Volume [L]	725
Max static load [kg]	2220
Max dynamic load [kg]	573
Max Racking load [kg]	500
Max unit load [kg]	500
Max stat. stack qty (erected)	5
Max dyn. stack qty (erected)	2
Folding ratio %	57%
SmartLink reference	2500A80 or 2500B80



2510880 - MO Hopper 1210

Base configuration	2 Runners & 2 Feet
Drop doors	0
Footprint [mm]	1200x800
Height [mm]	805
Folded height [mm]	525
Weight [kg]	56
Usable Volume [L]	535
Max static load [kg]	2220
Max dynamic load [kg]	1112
Max Racking load [kg]	500
Max unit load [kg]	500
Max stat. stack qty (erected)	5
Max dyn. stack qty (erected)	3
Folding ratio %	33%
SmartLink reference	na



2549880 - MO Hopper 1210

Base configuration	2 Runners & 2 Feet
Drop doors	0
Footprint [mm]	1200x1000
Height [mm]	1185
Folded height [mm]	525
Weight [kg]	71
Usable Volume [L]	942
Max static load [kg]	2220
Max dynamic load [kg]	571
Max Racking load [kg]	500
Max unit load [kg]	500
Max stat. stack qty (erected)	5
Max dyn. stack qty (erected)	2
Folding ratio %	55%
SmartLink reference	na



2549882 - MO Hopper 1210

Base configuration	2 Runners & 2 Feet
Drop doors	1 long side
Footprint [mm]	1200x1000
Height [mm]	1185
Folded height [mm]	525
Weight [kg]	71
Usable Volume [L]	942
Max static load [kg]	2220
Max dynamic load [kg]	571
Max Racking load [kg]	500
Max unit load [kg]	500
Max stat. stack qty (erected)	5
Max dyn. stack qty (erected)	2
Folding ratio %	55%
SmartLink reference	na

All of Schoeller Allibert's products are available in a standard range of colours, other colours are possible upon request. RAL, PMS and Pantone colours are references for the closest comparator.

 White RAL 9016 Pantone 705	 Black RAL 9005 Pantone Black	 Grey 502 RAL 7040 Pantone 423	 Grey 522 RAL 7012 Pantone 445	 Green 415 RAL 6011 Pantone 626	 Green 481 RAL 6005 Pantone 3308	 Blue 646 Pantone 2728C	 Blue 626 RAL 5012 Pantone 307
 Blue 661 RAL 5003 Pantone 540	 Blue 662 RAL 5005 Pantone 294	 Red 246 RAL 3020 Pantone 485	 Orange 311 RAL 2004 Pantone 1655	 Yellow Pastel 316 RAL 1034 Pantone 715	 Yellow 355 RAL 1018 Pantone 123	 Beige 319 RAL 1015 Pantone 726	 Brown 801 RAL 3009 Pantone 181


Technical data

Magnum Optimum Hopper



2550880 - MO Hopper 1210

Base configuration	2 Runners & 2 Feet
Drop doors	0
Footprint [mm]	1200x1000
Height [mm]	1210
Folded height [mm]	525
Weight [kg]	72
Usable Volume [L]	968
Max static load [kg]	2220
Max dynamic load [kg]	572
Max Racking load [kg]	500
Max unit load [kg]	500
Max stat. stack qty (erected)	5
Max dyn. stack qty (erected)	2
Folding ratio %	56%
SmartLink reference	2550A80



Magnum Optimum Optishute



2549794 - MO Optishute

Base configuration	2 Runners & 2 Feet
Drop doors	1 long side
Footprint [mm]	1200x1000
Height [mm]	975
Folded height [mm]	345
Weight [kg]	55,5
Usable Volume [L]	847
Max static load [kg]	1250
Max dynamic load [kg]	306
Max Racking load [kg]	250
Max unit load [kg]	250
Max stat. stack qty (erected)	5
Max dyn. stack qty (erected)	2
Folding ratio %	65%
SmartLink reference	na

2559794 - MO Optishute



Base configuration	2 Runners & 2 Feet
Drop doors	1 long side
Footprint [mm]	1200x1000
Height [mm]	1125
Folded height [mm]	345
Weight [kg]	56,6
Usable Volume [L]	1007
Max static load [kg]	1250
Max dynamic load [kg]	307
Max Racking load [kg]	250
Max unit load [kg]	250
Max stat. stack qty (erected)	5
Max dyn. stack qty (erected)	2
Folding ratio %	71%
SmartLink reference	na

All of Schoeller Allibert's products are available in a standard range of colours, other colours are possible upon request. RAL, PMS and Pantone colours are references for the closest comparator.

 White RAL 9016 Pantone 705	 Black RAL 9005 Pantone Black	 Grey 502 RAL 7040 Pantone 423	 Grey 522 RAL 7012 Pantone 445	 Green 415 RAL 6011 Pantone 626	 Green 481 RAL 6005 Pantone 3308	 Blue 646 Pantone 2728C	 Blue 626 RAL 5012 Pantone 307
 Blue 661 RAL 5003 Pantone 540	 Blue 662 RAL 5005 Pantone 294	 Red 246 RAL 3020 Pantone 485	 Orange 311 RAL 2004 Pantone 1655	 Yellow Pastel 316 RAL 1034 Pantone 715	 Yellow 355 RAL 1018 Pantone 123	 Beige 319 RAL 1015 Pantone 726	 Brown 801 RAL 3009 Pantone 181



Schoeller Allibert

Efficient by design, circular by nature

Let's connect! Contact us

www.schoellerallibert.com



© Schoeller Allibert – all rights reserved. This presentation and the information contained (including any designs, drawings, trademarks, innovations, etc.) herein is confidential and proprietary information owned by Schoeller Allibert and is protected by copyright, trademark, patent, trade secret and other laws. No right, title or interest therein is transferred to you. The presentation nor the contents thereof may be used, disclosed, reproduced, copied, published, forwarded or distributed to any other party without the express written consent of Schoeller Allibert.