

The ultimate space-saving powerhouse



Schoeller Allibert

Versatility that adapts to you

Originally designed for the automotive industry, Magnum Optimum 1210 has become the go-to foldable large container across sectors. »

Cut carbon and costs in one move

With the market's highest folding ratio, Magnum Optimum® 1210 stacks 8-high in standard trucks and 10-high in mega trucks when folded. Slash your return journey emissions while protecting your bottom line. Fully recyclable when its long working life finally ends.



Complete fleet control at your fingertips

Transform your Magnum Optimum® 1210 with SmartLink® technology. Track, trace and monitor your assets wirelessly, enabling proactive maintenance and eliminating lost containers.




Expand capacity without compromise

The optional Optiframe increases volume in precise 105 mm increments to maximise vehicle fill or accommodate your contents perfectly. Store dunnage safely within the base when folded, eliminating waste space.

Hygiene you can count on

Smooth outer design with ribs internally, ensuring hygienic properties without compromising on strength.






Optimised for single-operator efficiency

Non-sequential folding and intuitive locking mechanisms allow a single person to erect or fold the container, saving labour costs and handling time. Four-way forklift entry ensures flexible, rapid movement throughout your facility.


Maximise every cubic centimetre

Gain 10% more volume than standard FLCs thanks to the innovative welded double wall design – more capacity without increasing your footprint.



Identify, track, protect

Multiple identification options including label holders, recessed barcode zones, and RFID-ready technology give you complete flexibility in how you manage your assets.



Extend lifespan, reduce costs

All components can be replaced, dramatically extending your investment's lifetime. The unique bayonet runner system makes repairs quick and straightforward.



Precision part handling

The Magnum Optimum Optishute® and Hopper® variants deliver controlled dispensing of small parts. Adjust discharge speed with the translucent sliding feature, or use the wide-opening hopper base for perfectly controlled flow.

Technical data

Options

















- ◆ **Lid**
9347.000
- ◆ **Dust cover**
9975.09D
- ◆ **Label holder(s)**
- ◆ **Short side wall options**

595 mm	750 mm
870 mm	975 mm
1000 mm	1125 mm
- ◆ **Long side wall options**

595 mm	750 mm
870 mm	975 mm
1000 mm	1125 mm
- ◆ **Max 3 optiframe(s)**
2538.000
- ◆ **Base footprint options**
 - 8 feet
 - 2 runners 2 feet
 - 2 runners 2 feet steel reinforced Perimetric runner
- ◆ **Castors**
Subject to technical feasibility
- ◆ **Anti-bacterial**
- ◆ **SmartLink availability**
- ◆ **ESD**

	2510.151 - 2R 2F - 439 L			2540.652 - 2R 2F 2SD - 606 L	
	Ext. (mm)	1200 x 1000 x 595		Ext. (mm)	1200 x 1000 x 750
	Int. (mm)	1140 x 940 x 410		Int. (mm)	1140 x 940 x 565
	Weight (Kg)	36		Weight (Kg)	42
	Unit load (Kg)	750		Unit load (Kg)	750
	Static load (Kg)	3200		Static load (Kg)	3200
	Folding ratio (%)	34		Folding ratio (%)	56.7
	2530.652 - 2R 2F 2SD - 734 L			2549.461 - 2R 2F 2DD - 847 L	
	Ext. (mm)	1200 x 1000 x 870		Ext. (mm)	1200 x 1000 x 975
	Int. (mm)	1140 x 940 x 685		Int. (mm)	1140 x 940 x 790
	Weight (Kg)	45		Weight (Kg)	51
	Unit load (Kg)	750		Unit load (Kg)	750
	Static load (Kg)	3200		Static load (Kg)	3200
	Folding ratio (%)	62.6		Folding ratio (%)	68.8
	2550.461- 2R 2F 2DD - 873 L			2559.461 - 2R 2F 2DD - 1007 L	
	Ext. (mm)	1200 x 1000 x 1000		Ext. (mm)	1200 x 1000 x 1125
	Int. (mm)	1140 x 940 x 815		Int. (mm)	1140 x 940 x 940
	Weight (Kg)	52		Weight (Kg)	57.68
	Unit load (Kg)	750		Unit load (Kg)	500
	Static load (Kg)	3200		Static load (Kg)	2200
	Folding ratio (%)	67.5		Folding ratio (%)	73.7
	Folding height (mm)	295		Folding height (mm)	295

All of Schoeller Allibert's products are available in a standard range of colours, other colours are possible upon request. RAL, PMS and Pantone colours are references for the closest comparator.

	White RAL 9016 Pantone 705		Black RAL 9005 Pantone Black		Grey 502 RAL 7040 Pantone 423		Grey 522 RAL 7012 Pantone 445		Green 415 RAL 6011 Pantone 626		Green 481 RAL 6005 Pantone 3308		Blue 646 Pantone 2728C		Blue 626 RAL 5012 Pantone 307
	Blue 661 RAL 5003 Pantone 540		Blue 662 RAL 5005 Pantone 294		Red 246 RAL 3020 Pantone 485		Orange 311 RAL 2004 Pantone 1655		Yellow Pastel 316 RAL 1034 Pantone 715		Yellow 355 RAL 1018 Pantone 123		Beige 319 RAL 1015 Pantone 726		Brown 801 RAL 3009 Pantone 181





Schoeller Allibert

Efficient by design, circular by nature

Let's connect! Contact us

www.schoellerallibert.com



© Schoeller Allibert – all rights reserved. This presentation and the information contained (including any designs, drawings, trademarks, innovations, etc.) herein is confidential and proprietary information owned by Schoeller Allibert and is protected by copyright, trademark, patent, trade secret and other laws. No right, title or interest therein is transferred to you. The presentation nor the contents thereof may be used, disclosed, reproduced, copied, published, forwarded or distributed to any other party without the express written consent of Schoeller Allibert.