

Version 4 / GB 102000027828

**National Poisons** 

Information Centre Dublin

1/14 Revision Date: 31.01.2023 Print Date: 31.01.2023

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Trade name	ASCRA XPRO
Product code (UVP)	86804662
UFI	VTK0-00WY-Q00D-QNPH (for Northern Ireland only) (voluntary notification)
1.2 Relevant identified uses	of the substance or mixture and uses advised against
Use	Fungicide
1.3 Details of the supplier of Supplier	<b>the safety data sheet</b> Bayer CropScience Limited 230 Cambridge Science Park Milton Road Cambridge Cambridgeshire CB4 0WB United Kingdom
Telephone	+44(0)1223 226500
Telefax	+44(0)1223 426240
Responsible Department	Email: gb-bcs-crop-regulatory-affairs@bayer.com
FOR IRELAND & NORTHERN IRELAND:	Bayer CropScience Ltd Bayer Ltd 1st Floor, The Grange Offices The Grange, Brewery Road Stillorgan Co. Dublin A94 H2K7 Ireland
Telephone	+353 1 216 3300
1.4 Emergency telephone no	
Emergency telephone no.	00800 1020 3333 (24 hr) (not available on non-contract mobile phones)
For Medical Professionals: For Members of the Public:	You can also contact the relevant NPIS. You can also contact NHS111 (for GB) or your local GP (for Northern Ireland).

+353-1-809 2166 (available from 8 am to 10 pm every day)



Version 4 / GB 102000027828 2/14 Revision Date: 31.01.2023 Print Date: 31.01.2023

### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute toxicity: Category 4 H302 Harmful if swallowed.

Skin sensitisation: Category 1BH317May cause an allergic skin reaction.

Serious eye damage: Category 1 H318 Causes serious eye damage.

Specific target organ toxicity - single exposure: Category 3 H335 May cause respiratory irritation.

Acute aquatic toxicity: Category 1 H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1 H410 Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

# Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Bixafen
- Fluopyram
- Prothioconazole
- N,N-Dimethyl decanamide



#### Signal word: Danger

### Hazard statements

H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for
	use.

#### **Precautionary statements**

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305 + P351	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
+ P338	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/ physician.



ASCRA XPRO Version 4 / GB

102000027828

**3/14** Revision Date: 31.01.2023 Print Date: 31.01.2023

P391 Collect spillage.

P410 Protect from sunlight.

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

### 2.3 Other hazards

No additional hazards known beside those mentioned.

Bixafen: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Fluopyram: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be persistent and very bioaccumulative (vPvB). Prothioconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). N,N-Dimethyldecanamide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative and toxic (PBT). This substance is not considered to be persistent, bioaccumulative (vPvB). N,N-Dimethyldecanamide: This substance is not considered to be very persistent and very bioaccumulative and toxic (PBT). This substance is not considered to be very persistent, bioaccumulative (vPvB).

Ecological information:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Toxicological information:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

### **Chemical nature**

Emulsifiable concentrate (EC) Prothioconazole/Fluopyram/Bixafen 130:65:65 g/l

### Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008	
Bixafen	581809-46-3	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	6.37
Fluopyram	658066-35-4 619-797-7	Aquatic Chronic 2, H411	6.37
Prothioconazole	178928-70-6	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	12.7
2-Ethylhexanol propylene ethyleneglycol ether	64366-70-7	Aquatic Chronic 3, H412	> 1 - < 25
N,N-Dimethyl decanamide	14433-76-2 01-2119485027-36-XXXX	Skin Irrit. 2, H315 Eye Irrit. 2, H319	> 25



Version 4 / GB 102000027828 **4/14** Revision Date: 31.01.2023 Print Date: 31.01.2023

	STOT SE 3, H335 Aquatic Chronic 3, H412
Further information	

# Bixafen 581809-46-3 M-Factor: 10 (acute)

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **Particle characteristics**

This substance/ mixture does not contain nanoforms

### **SECTION 4: FIRST AID MEASURES**

### 4.1 Description of first aid measures

General advice	Move out of dangerous area. Remove contaminated clothing immediately and dispose of safely. Place and transport victim in stable position (lying sideways).	
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.	
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.	
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.	
4.2 Most important symptoms and effects, both acute and delayed		
Symptoms	No symptoms known or expected.	
4.3 Indication of any immediate medical attention and special treatment needed		
Treatment	Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. There is no specific antidote.	

### **SECTION 5: FIREFIGHTING MEASURES**

5.1 Extinguishing media	
Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet



# **ASCRA XPRO**

5/14
Revision Date: 31.01.2023
Print Date: 31.01.2023
In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx)

Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and emergency procedures		
Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.	
6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).	
6.3 Methods and materials for containment and cleaning up		
Methods for cleaning up	Clean contaminated floors and objects thoroughly, observing environmental regulations. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	
Additional advice	Check also for any local site procedures.	
6.4 Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.	

### **SECTION 7: HANDLING AND STORAGE**

### 7.1 Precautions for safe handling

	-
Advice on safe handling	No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.
Advice on protection against fire and explosion	Keep away from heat and sources of ignition.
Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).



Version 4 / GB 102000027828 6/14 Revision Date: 31.01.2023 Print Date: 31.01.2023

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Protect from frost. Keep away from direct sunlight. Keep away from direct sunlight.
Advice on common storage	Keep away from food, drink and animal feedingstuffs.
Suitable materials	Coex HDPE/EVOH/HDPE - steel case HDPE - steel case
7.3 Specific end use(s)	Refer to the label and/or leaflet.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Bixafen	581809-46-3	0.6 mg/m3 (TWA)		OES BCS*
Fluopyram	658066-35-4	0.34 mg/m3 (TWA)		OES BCS*
Prothioconazole	178928-70-6	1.4 mg/m3 (SK-ABS)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### 8.2 Exposure controls

#### Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	(protection factor 10) confor Respiratory protection shoul short duration activities, whe been taken to reduce expos	anic vapours and gas filter mask ming to EN140 type A or equivalent. Id only be used to control residual risk of en all reasonably practicable steps have ure at source e.g. containment and/or ays follow respirator manufacturer's ng and maintenance.
Hand protection	breakthrough time which are Also take into consideration the product is used, such as contact time. Wash gloves when contamin inside, when perforated or w	ons regarding permeability and e provided by the supplier of the gloves. the specific local conditions under which a the danger of cuts, abrasion, and the nated. Dispose of when contaminated when contamination on the outside cannot equently and always before eating, he toilet. Nitrile rubber > 480 min



ASCRA XPRO

Version 4 / GB 102000027828 7/14 Revision Date: 31.01.2023 Print Date: 31.01.2023

	Glove thickness Protective index Directive	> 0.4 mm Class 6 Protective gloves complying with EN 374.
Eye protection	Wear goggles (conforming	to EN166, Field of Use = 5 or equivalent).
Skin and body protection	cotton overalls should be w should be professionally lau If chemical protection suit is	wherever possible. Polyester/cotton or orn under chemical protection suit and undered frequently. s splashed, sprayed or significantly ate as far as possible, then carefully
General protective measures	If product is handled while r Complete suit protecting ag	not enclosed, and if contact may occur: ainst chemicals

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Form	Liquid, clear to slightly turbid
Colour	yellow to brown
Odour	weak, characteristic
Odour Threshold	No data available
Melting point/range	No data available
Boiling Point	No data available
Flammability	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Flash point	148 °C
Auto-ignition temperature	360 °C
Self-accelarating	No data available
decomposition temperature (SADT)	
• •	4.0 - 6.0 (1 %) (23 °C) (deionized water)
(SADT)	
(SADT) pH	4.0 - 6.0 (1 %) (23 °C) (deionized water)
(SADT) pH Viscosity, dynamic	4.0 - 6.0 (1 %) (23 °C) (deionized water) No data available
(SADT) pH Viscosity, dynamic Viscosity, kinematic	4.0 - 6.0 (1 %) (23 °C) (deionized water) No data available No data available



ASCRA XPRO Version 4 / GB

102000027828

8/14 Revision Date: 31.01.2023 Print Date: 31.01.2023

	Prothioconazole: log Pow: 3.82 (20 °C) (pH 7)
	N,N-Dimethyldecanamide: log Pow: 2.46
Vapour pressure	No data available
Density	ca. 1.02 g/cm³ (20 °C)
Relative density	No data available
Relative vapour density	No data available
Assessment nano particles	This substance/ mixture does not contain nanoforms
Particle size	No data available
9.2 Other information	
Impact sensitivity	Not impact sensitive.
Explosivity	Not explosive
Oxidizing properties	No oxidizing properties
Evaporation rate	No data available
Other physico-chemical properties	Further safety related physical-chemical data are not known.

### SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity 10.2 Chemical stability	Stable under normal conditions. Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

### SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity	LD50 (Rat) > 300 - 2,000 mg/kg
Acute inhalation toxicity	
	During intended and foreseen applications, no respirable aerosol is



ASCRA XPRO Version 4 / GB

102000027828

**9/14** Revision Date: 31.01.2023 Print Date: 31.01.2023

formed.

	Irritating to respiratory system. The value mentioned relates to N,N-dimethylacetamide.
Acute dermal toxicity	LD50 (Rat) > 2,000 mg/kg
Skin corrosion/irritation	No skin irritation (Rabbit)
Serious eye damage/eye irritation	Risk of serious damage to eyes. (Rabbit)
Respiratory or skin sensitisation	Skin: Sensitising (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

#### Assessment STOT Specific target organ toxicity – single exposure

Bixafen: Based on available data, the classification criteria are not met. Fluopyram: Based on available data, the classification criteria are not met. Prothioconazole: Based on available data, the classification criteria are not met. N,N-Dimethyldecan-1-amide: May cause respiratory irritation.

#### Assessment STOT Specific target organ toxicity - repeated exposure

Bixafen did not cause human relevant specific target organ toxicity in experimental animal studies. Fluopyram did not cause specific target organ toxicity in experimental animal studies. Prothioconazole did not cause specific target organ toxicity in experimental animal studies. N,N-Dimethyldecanamide did not cause specific target organ toxicity in experimental animal studies.

#### Assessment mutagenicity

Bixafen was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Fluopyram was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

N,N-Dimethyldecanamide was not genotoxic in a battery of in vitro tests.

#### Assessment carcinogenicity

Bixafen was not carcinogenic in lifetime feeding studies in rats and mice.

Fluopyram caused at high dose levels an increased incidence of tumours in rats in the following organ(s): Liver.

Fluopyram caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Thyroid.

The tumours seen with Fluopyram were caused through a non-genotoxic mechanism, which is not relevant at low doses. The mechanism that triggers these tumours is not relevant to humans. Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.

N,N-Dimethyldecanamide is not considered carcinogenic.

### Assessment toxicity to reproduction

Bixafen did not cause reproductive toxicity in a two-generation study in rats.

Fluopyram caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Fluopyram is related to parental toxicity. Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

N,N-Dimethyldecanamide is not considered a reproductive toxicant at non-maternally toxic dose levels.

### Assessment developmental toxicity

Bixafen did not cause developmental toxicity in rats and rabbits.



Version 4 / GB 102000027828 **10/14** Revision Date: 31.01.2023 Print Date: 31.01.2023

Fluopyram caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Fluopyram are related to maternal toxicity.

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.

N,N-Dimethyldecanamide did not cause developmental toxicity in rats and rabbits.

### Aspiration hazard

Based on available data, the classification criteria are not met.

#### **Further information**

No further toxicological information is available.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

Assessment The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	
Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 1.77 mg/l static test; Exposure time: 96 h
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 3.39 mg/l Exposure time: 48 h
Toxicity to aquatic plants	EC50 (Raphidocelis subcapitata (freshwater green alga)) 2.97 mg/l Growth rate; Exposure time: 72 h
	EC10 (Skeletonema costatum) 0.01427 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient prothioconazole.
	ErC50 (Skeletonema costatum) 0.03278 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient prothioconazole.
12.2 Persistence and degrada	ability
Biodegradability	Bixafen: Not rapidly biodegradable Fluopyram: Not rapidly biodegradable Prothioconazole: Not rapidly biodegradable N.N-Dimethyldecanamide:

Koc Bixafen: Koc: 3869 Fluopyram: Koc: 279 Prothioconazole: Koc: 1765

rapidly biodegradable



ASCRA XPRO

Version 4 / GB 102000027828 **11/14** Revision Date: 31.01.2023 Print Date: 31.01.2023

#### 12.3 Bioaccumulative potential Bioaccumulation Bixafen: Bioconcentration factor (BCF) 695 Does not bioaccumulate. Fluopyram: Bioconcentration factor (BCF) 18 Does not bioaccumulate. Prothioconazole: Bioconcentration factor (BCF) 19 Does not bioaccumulate. N,N-Dimethyldecanamide: Does not bioaccumulate. 12.4 Mobility in soil Mobility in soil Bixafen: Slightly mobile in soils Fluopyram: Moderately mobile in soils Prothioconazole: Slightly mobile in soils N,N-Dimethyldecanamide: Slightly mobile in soils 12.5 Results of PBT and vPvB assessment PBT and vPvB assessment Bixafen: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Fluopyram: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Prothioconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). N,N-Dimethyldecanamide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). 12.6 Endocrine disrupting properties The substance/mixture does not contain components considered to have Assessment endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. 12.7 Other adverse effects Additional ecological No other effects to be mentioned. information

### SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Product	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).
Contaminated packaging	Small containers (< 10 I or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times. Add washings to sprayer at time of filling.



Version 4 / GB 102000027828 **12/14** Revision Date: 31.01.2023 Print Date: 31.01.2023

Contaminated packaging	Dispose of empty and cleaned packaging safely. Follow advice on product label and/or leaflet. Not completely emptied packagings should be disposed of as hazardous waste.

### **SECTION 14: TRANSPORT INFORMATION**

#### ADR/RID/ADN

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S.
	(BIXAFEN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

#### IMDG

<ul> <li>14.1 UN number</li> <li>14.2 Proper shipping name</li> <li>14.3 Transport hazard class(es)</li> <li>14.4 Packaging Group</li> <li>14.5 Marine pollutant</li> </ul>	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BIXAFEN SOLUTION) 9 III YES
IATA 14.1 UN number 14.2 Proper shipping name 14.3 Transport hazard class(es) 14.4 Packaging Group 14.5 Environm. Hazardous Mark	<b>3082</b> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BIXAFEN SOLUTION) 9 III YES
UK 'Carriage' Regulations 14.1 UN number 14.2 Proper shipping name 14.3 Transport hazard class(es) 14.4 Packaging Group 14.5 Environm. Hazardous Mark Emergency action code	<b>3082</b> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BIXAFEN SOLUTION) 9 III YES 3Z

### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.



Version 4 / GB 10200027828

**13/14** Revision Date: 31.01.2023 Print Date: 31.01.2023

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code** No transport in bulk according to the IBC Code.

### **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### **UK and Northern Ireland Regulatory References**

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

### Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367) Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

### Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716) Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009 Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677) EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits Control of Pesticide Regulations 1986 Dangerous Substances and Explosive Atmospheres Regulations 2002

### Waste Treatment

Environmental Protection Act 1990, Part II Environmental Protection (Duty of Care) Regulations 1991 The Waste Management Licensing Regulations 1994 (as amended) Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended) Landfill Directive Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94) Water Resources Act 1991 Anti-Pollution Works Regulations 1999

### **Further information**

WHO-classification: II (Moderately hazardous)

### **SECTION 16: OTHER INFORMATION**

### Text of the hazard statements mentioned in Section 3

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.



Version 4 / GB 10200027828

14/14 Revision Date: 31.01.2023 Print Date: 31.01.2023

H412 Harmful to aquatic life with long lasting effects.

### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous
ICx	Chemicals in Bulk (IBC Code) Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LOX LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2020/878 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision: Re

Reviewed and updated for general editorial purposes.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.