



DECIS PROTECH

Version 10 / GB
102000025993

1/15
Revision Date: 13.04.2023
Print Date: 13.04.2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name DECIS PROTECH
Product code (UVP) 80269285
UFI 6Y90-V0U3-500E-JGNV (for Northern Ireland only) (voluntary notification)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Limited
230 Cambridge Science Park
Milton Road
Cambridge
Cambridgeshire CB4 0WB
United Kingdom

Telephone +44(0)1223 226500

Telefax +44(0)1223 426240

Responsible Department Email: gb-bcs-crop-regulatory-affairs@bayer.com

FOR IRELAND & NORTHERN IRELAND: Bayer CropScience Ltd
Bayer Ltd
1st Floor, The Grange Offices
The Grange, Brewery Road
Stillorgan
Co. Dublin
A94 H2K7
Ireland

Telephone +353 1 216 3300

1.4 Emergency telephone no.

Emergency telephone no. 00800 1020 3333 (24 hr) (not available on non-contract mobile phones)

For Medical Professionals: You can also contact the relevant NPIS.
For Members of the Public: You can also contact NHS111 (for GB) or your local GP (for Northern Ireland).

National Poisons Information Centre Dublin +353-1-809 2166 (available from 8 am to 10 pm every day)



DECIS PROTECH

Version 10 / GB
102000025993

2/15

Revision Date: 13.04.2023
Print Date: 13.04.2023

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Flammable liquids: Category 3

H226 Flammable liquid and vapour.

Acute aquatic toxicity: Category 1

H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Deltamethrin



Signal word: Warning

Hazard statements

H226 Flammable liquid and vapour.

H410 Very toxic to aquatic life with long lasting effects.

EUH208 Contains 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1), alpha-hexylcinnamaldehyde, benzylsalicylate. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P240 Ground/bond container and receiving equipment.

P280 Wear protective gloves/ protective clothing/ eye protection.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P391 Collect spillage.

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**DECIS PROTECH**Version 10 / GB
102000025993

3/15

Revision Date: 13.04.2023
Print Date: 13.04.2023

Deltamethrin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**Emulsion, oil in water (EW)
Deltamethrin 15 g/l**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Deltamethrin	52918-63-5		1.47
benzyl benzoate	120-51-4 01-2119976371-33-XXXX	Acute Tox. 4, H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	> 2.50 – < 25.00
Cyclohexanone	108-94-1 01-2119453616-35-XXXX	Flam. Liq. 3, H226 Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335	> 1.00 – < 25.00
Fatty alcohol ethoxylate	78330-21-9	Eye Dam. 1, H318 Aquatic Chronic 3, H412	> 1 – < 3
1,2-Benzisothiazol-3(2H)-one	2634-33-5 01-2120761540-60-0003		> 0.005 – < 0.05
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	> 0.0001 – < 0.0015
Benzyl salicylate	118-58-1 01-2119969442-31-XXXX	Skin Sens. 1B, H317 Eye Irrit. 2, H319	>= 0.1

**DECIS PROTECH**Version 10 / GB
102000025993

4/15

Revision Date: 13.04.2023
Print Date: 13.04.2023

		Aquatic Chronic 3, H412	
1,2-Propanediol	57-55-6 01-2119456809-23-XXXX	Not classified	>= 1

Further information

1,2-Benzisothiazol-3(2H)-one	2634-33-5	M-Factor: 10 (acute)
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Skin Corr. 1C; H314: SCL >= 0.6 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Skin Irrit. 2; H315: SCL 0.06 - < 0.6 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Eye Irrit. 2; H319: SCL 0.06 - < 0.6 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Skin Sens. 1A; H317: SCL >= 0.0015 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Eye Dam. 1; H318: SCL >= 0.6 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Particle characteristics

This substance/ mixture does not contain nanoforms

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures****General advice**

Remove contaminated clothing immediately and dispose of safely. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Inhalation

Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.



DECIS PROTECH

Version 10 / GB
102000025993

5/15

Revision Date: 13.04.2023
Print Date: 13.04.2023

Skin contact	Immediately wash with plenty of soap and water for at least 15 minutes. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. Apply soothing eye drops, if needed anaesthetic eye drops. Get medical attention if irritation develops and persists.
Ingestion	DO NOT induce vomiting unless directed to do so by a physician or poison control center. Rinse out mouth and give water in small sips to drink. Keep patient warm and at rest.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	Local:, Skin and eye paraesthesia which may be severe, Usually transient with resolution within 24 hours, Skin, eye and mucous membrane irritation, Cough, sneezing Systemic:, discomfort in the chest, tachycardia, hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular fasciculation, Apathy, Dizziness
-----------------	---

4.3 Indication of any immediate medical attention and special treatment needed

Risks	This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
Treatment	Systemic treatment: Initial treatment: symptomatic. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Keep respiratory tract clear. Oxygen or artificial respiration if needed. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. If not effective, phenobarbital may be used. Contraindication: atropine. Contraindication: derivatives of adrenaline. There is no specific antidote. Recovery is spontaneous and without sequelae. In case of skin irritation, application of oils or lotions containing vitamin E may be considered.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet



DECIS PROTECH

Version 10 / GB
102000025993

6/15

Revision Date: 13.04.2023
Print Date: 13.04.2023

5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released:., Carbon monoxide (CO), Carbon dioxide (CO ₂)
5.3 Advice for firefighters	
Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions	Keep people away from and upwind of spill/leak. Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke. Use personal protective equipment.
--------------------	--

6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).
--------------------------------------	---

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.
--------------------------------	---

Additional advice	Check also for any local site procedures.
--------------------------	---

6.4 Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.
--	---

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.
Advice on protection against fire and explosion	Keep away from heat and sources of ignition. Vapours may form explosive mixture with air. Take measures to prevent the build up of electrostatic charge. Use only explosion-proof equipment.
Hygiene measures	When using, do not eat, drink or smoke. Remove soiled clothing immediately and clean thoroughly before using again. Contaminated

**DECIS PROTECH**Version 10 / GB
102000025993

7/15

Revision Date: 13.04.2023
Print Date: 13.04.2023

work clothing should not be allowed out of the workplace. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Wash hands immediately after work, if necessary take a shower.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container and out of the reach of children, preferably in a locked storage area. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight. Protect from freezing.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials Combination of sheet metal and HDPE (high density polyethylene)

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Deltamethrin	52918-63-5	0.01 mg/m ³ (TWA)		OES BCS*
Cyclohexanone	108-94-1	41 mg/m ³ /10 ppm (TWA)	12 2011	EH40 WEL
Cyclohexanone	108-94-1	82 mg/m ³ /20 ppm (STEL)	12 2011	EH40 WEL
1,2-Propanediol (Particulate.)	57-55-6	10 mg/m ³ (TWA)	2007	EH40 WEL
1,2-Propanediol (Total vapour and particulates.)	57-55-6	474 mg/m ³ /150 ppm (TWA)	2007	EH40 WEL

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Biological occupational exposure limits

Components	CAS-No.	Parameters	Biological specimen	Sampling time	Conc.	Basis
Cyclohexanone	108-94-1	cyclohexanol	Creatinine in urine	Sampling time: End of shift.	2 mmol/mol	UKEH40BMG V

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**DECIS PROTECH**Version 10 / GB
102000025993

8/15

Revision Date: 13.04.2023
Print Date: 13.04.2023

Respiratory protection	Respiratory protection is not required under anticipated circumstances of exposure. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.
Hand protection	Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet. Material Nitrile rubber Rate of permeability > 480 min Glove thickness > 0.4 mm Protective index Class 6 Directive Protective gloves complying with EN 374.
Eye protection	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).
Skin and body protection	Wear standard coveralls and Category 3 Type 6 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Form	Liquid
Colour	white
Odour	weak, characteristic
Odour Threshold	No data available
Melting point/range	No data available
Boiling Point	No data available
Flammability	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Flash point	56.5 °C

**DECIS PROTECH**Version 10 / GB
102000025993

9/15

Revision Date: 13.04.2023
Print Date: 13.04.2023

Auto-ignition temperature	No data available
Ignition temperature	435 °C
Self-accelarating decomposition temperature (SADT)	No data available
pH	2.0 - 4.0 (100 %) (23 °C)
Viscosity, dynamic	50 - 120 mPa.s (20 °C) Velocity gradient 20 /s 50 - 100 mPa.s (20 °C) Velocity gradient 100 /s
Viscosity, kinematic	No data available
Water solubility	miscible
Partition coefficient: n-octanol/water	Deltamethrin: log Pow: 6.4 (25 °C)
Vapour pressure	No data available
Density	ca. 1.02 g/cm ³ (20 °C)
Relative density	No data available
Relative vapour density	No data available
Assessment nano particles	This substance/ mixture does not contain nanoforms
Particle size	No data available
9.2 Other information	
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
Oxidizing properties	No oxidizing properties
Evaporation rate	No data available
Other physico-chemical properties	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.

**DECIS PROTECH**Version 10 / GB
102000025993

10/15

Revision Date: 13.04.2023
Print Date: 13.04.2023

- 10.4 Conditions to avoid** Extremes of temperature and direct sunlight.
- 10.5 Incompatible materials** Store only in the original container.
- 10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008**

- Acute oral toxicity** LD50 (Rat) > 2,000 mg/kg
Test conducted with a similar formulation.
- Acute inhalation toxicity** ATE (Mix) > 5.0 mg/l
- Acute dermal toxicity** LD50 (Rat) > 2,000 mg/kg
Test conducted with a similar formulation.
- Skin corrosion/irritation** Slight irritant effect - does not require labelling. (Rabbit)
Test conducted with a similar formulation.
- Serious eye damage/eye irritation** Slight irritant effect - does not require labelling. (Rabbit)
Test conducted with a similar formulation.
- Respiratory or skin sensitisation** Non-sensitizing. (Guinea pig)
OECD Test Guideline 406, Buehler test
Test conducted with a similar formulation.
Non-sensitizing. (Mouse)
OECD Test Guideline 429, local lymph node assay (LLNA)
Test conducted with a similar formulation.

Assessment STOT Specific target organ toxicity – single exposure

Deltamethrin: Based on available data, the classification criteria are not met.
cyclohexanone: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Deltamethrin caused neurobehavioral effects and/or neuropathological changes in animal studies. The toxic effects of Deltamethrin are related to transient neurobehavioral effects typical for pyrethroid neurotoxicity.
cyclohexanone did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
cyclohexanone was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice.
cyclohexanone is not considered carcinogenic.

Assessment toxicity to reproduction

Deltamethrin did not cause reproductive toxicity in a two-generation study in rats.

**DECIS PROTECH**Version 10 / GB
102000025993

11/15

Revision Date: 13.04.2023
Print Date: 13.04.2023

cyclohexanone did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Deltamethrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Deltamethrin are related to maternal toxicity.
cyclohexanone did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

11.2 Information on other hazards**Endocrine disrupting properties****Assessment**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 0.014 mg/l
Exposure time: 96 h
Test conducted with a similar formulation.

Toxicity to aquatic invertebrates EC50 (Daphnia magna (Water flea)) 0.0007 mg/l
Exposure time: 48 h

Toxicity to aquatic plants EC50 (algae) 5.35 mg/l
Growth rate; Exposure time: 72 h
Test conducted with a similar formulation.

12.2 Persistence and degradability

Biodegradability Deltamethrin:
Not rapidly biodegradable

Koc Deltamethrin: Koc: 10240000

12.3 Bioaccumulative potential

Bioaccumulation Deltamethrin: Bioconcentration factor (BCF) 1,400
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Deltamethrin: Immobile in soil

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and

**DECIS PROTECH**Version 10 / GB
102000025993

12/15

Revision Date: 13.04.2023
Print Date: 13.04.2023

toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

PBT and vPvB assessment Deltamethrin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties**Assessment**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological information No further ecological information is available.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Product In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

Contaminated packaging Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.
Add washings to sprayer at time of filling.
Dispose of empty and cleaned packaging safely.
Follow advice on product label and/or leaflet.

SECTION 14: TRANSPORT INFORMATION**ADR/RID/ADN**

14.1 UN number	1993
14.2 Proper shipping name	FLAMMABLE LIQUID, N.O.S. (DELTAMETHRIN, CYCLOHEXANONE SOLUTION)
14.3 Transport hazard class(es)	3
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	30
Tunnel Code	D/E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	1993
14.2 Proper shipping name	FLAMMABLE LIQUID, N.O.S. (DELTAMETHRIN, CYCLOHEXANONE SOLUTION)

**DECIS PROTECH**Version 10 / GB
102000025993

13/15

Revision Date: 13.04.2023
Print Date: 13.04.2023

14.3 Transport hazard class(es) 3
14.4 Packaging Group III
14.5 Marine pollutant YES

IATA

14.1 UN number **1993**
14.2 Proper shipping name FLAMMABLE LIQUID, N.O.S.
(DELTAMETHRIN, CYCLOHEXANONE SOLUTION)
14.3 Transport hazard class(es) 3
14.4 Packaging Group III
14.5 Environm. Hazardous Mark NO

UK 'Carriage' Regulations

14.1 UN number **1993**
14.2 Proper shipping name FLAMMABLE LIQUID, N.O.S.
(DELTAMETHRIN, CYCLOHEXANONE SOLUTION)
14.3 Transport hazard class(es) 3
14.4 Packaging Group III
14.5 Environm. Hazardous Mark YES
Emergency action code 3Y

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****UK and Northern Ireland Regulatory References**

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)
Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)
Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)
Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009
Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)
EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits
Control of Pesticide Regulations 1986
Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II

**DECIS PROTECH**Version 10 / GB
102000025993

14/15

Revision Date: 13.04.2023
Print Date: 13.04.2023

Environmental Protection (Duty of Care) Regulations 1991
The Waste Management Licensing Regulations 1994 (as amended)
Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)
Landfill Directive
Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)
Water Resources Act 1991
Anti-Pollution Works Regulations 1999

Further information

WHO-classification: III (Slightly hazardous)

SECTION 16: OTHER INFORMATION**Text of the hazard statements mentioned in Section 3**

H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %



DECIS PROTECH

Version 10 / GB
102000025993

15/15
Revision Date: 13.04.2023
Print Date: 13.04.2023

IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Reason for Revision: Safety Data Sheet according to Regulation (EU) No. 2015/830. The following sections have been revised: Section 3: Composition / Information on Ingredients. Section 7: Handling and Storage.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--