



flow, stop and go®



CACHÉ® COIN SLOT AERATORS

All sizes, aerated stream

Models with restrictor

Color code	Flow rate	M16.5×1 (TT)	M18.5×1 (TJ)	M21.5×1 (JR)	M24×1 (STD)
	Z 7.5 - 9.0 l/min at 3 bar		432202450	422202450	402202450
	A 13.5 - 15.0 l/min at 3 bar		432203450	422203450	402203450
	B 22.8 - 25.2 l/min at 3 bar		432205450	422205450	402205450
	C 27.0 - 30.0 l/min at 3 bar				402206450
	D 34.8 - 37.8 l/min at 3 bar				402207450
	1.0 gpm max at 60 psi	443231450			403231450
	1.5 gpm max at 60 psi	443232450		423232450	403232450
	T 1.5 gpm max at 60 psi				402210450
	X 2.2 gpm max at 60 psi	443234450	432201450	422201450	402201450
	V optimal performance and aeration from 0.2 to 1 bar	443230450	433230450	423230450	403230450














flow, stop and go®



CACHÉ® COIN SLOT AERATORS


All sizes, aerated stream

PCA® models

Color code	Flow rate	M16.5×1 (TT)	M18.5×1 (TJ)	M21.5×1 (JR)	M24×1 (STD)
	0.5 gpm max.		432259450	422278450	
	1.0 gpm max.	443258450		422258450	402258450
	1.2 gpm max.	443260450			402260450
	5.0 l/min	443251450	432251450	422251450	402251450
	1.5 gpm max.	443256450	432256450	422256450	402256450
	6.0 l/min				402252450
	1.75 gpm max.	443261450	432261450	422261450	402261450
	7.0 l/min	443255450	432255450	422255450	402255450
	2.0 gpm max.	443257450	432257450	422257450	402257450
	2.2 gpm max.	443253450	432253450	422253450	402253450
	8.0 l/min	443254450	432254450	422254450	402254450








flow, stop and go®



CACHÉ® COIN SLOT AERATORS

All sizes, aerated stream

PCA® Dual Core (DC) models

Color code	Flow rate	M18.5×1 (TJ)	M21.5×1 (JR)	M24×1 (STD)
	1.0 gpm max.	433213450	423213450	402213450
	1.2 gpm max.	433214450	423214450	402214450
	1.5 gpm max.	433215450	423215450	402215450
	1.75 gpm max.	433217450	423217450	402217450
	2.1 gpm max.	433216450	423216450	402216450