









CACHÉ® SHORTY AERATORS

M18.5x1 (TJ), aerated stream

PCA® Dual-Core (DC) models

Color code	Flow rate	M18.5x1 (TJ)	M18.5x1 (TJ) with Coin Slot
	1.0 gpm max.	432813010	432813450
	1.2 gpm max.	432814010	432814450
	1.5 gpm max.	432815010	432815450
	1.75 gpm max.	432817010	432817450
	2.1 gpm max.	432816010	432816450

V+ model

Color code	Flow rate	M18.5x1 (TJ)	M18.5x1 (TJ) with Coin Slot
 V	V+ optimal performance and aeration from 0.5 to 1.5 bar	432831010	432831450








flow, stop and go®




CACHÉ® SHORTY AERATORS

M18x1 (SJ), aerated stream

PCA® Dual-Core (DC) models

Color code	Flow rate	M18x1 (TJ)	M18x1 (TJ) with Coin Slot
	1.0 gpm max.	<u>473013002</u>	<u>473013000</u>
	1.2 gpm max.	<u>473014002</u>	<u>473014000</u>
	1.5 gpm max.	<u>473015002</u>	<u>473015000</u>
	1.75 gpm max.	<u>473017002</u>	<u>473017000</u>
	2.1 gpm max.	<u>473016002</u>	<u>473016000</u>

V+ model

Color code	Flow rate	M18x1 (TJ)	M18x1 (TJ) with Coin Slot
 V	V+ optimal performance and aeration from 0.5 to 1.5 bar	<u>473031002</u>	<u>473031000</u>








flow, stop and go®




CACHÉ® SHORTY AERATORS

M16.5x1 (TT), aerated stream

PCA® Dual-Core (DC) models

Color code	Flow rate	M16.5x1 (TJ)	M16.5x1 (TJ) with Coin Slot
	1.0 gpm max.	<u>442813010</u>	<u>442813450</u>
	1.2 gpm max.	<u>442814010</u>	<u>442814450</u>
	1.5 gpm max.	<u>442815010</u>	<u>442815450</u>
	1.75 gpm max.	<u>442817010</u>	<u>442817450</u>
	2.1 gpm max.	<u>442816010</u>	<u>442816450</u>

V+ model

Color code	Flow rate	M16.5x1 (TJ)	M16.5x1 (TJ) with Coin Slot
 V	V+ optimal performance and aeration from 0.5 to 1.5 bar	<u>442831010</u>	<u>442831450</u>








flow, stop and go®




CACHÉ® SHORTY AERATORS

M16x1 (ST), aerated stream

PCA® Dual-Core (DC) models

Color code	Flow rate	M16x1 (TJ)	M16x1 (TJ) with Coin Slot
	1.0 gpm max.	<u>474013001</u>	<u>474013000</u>
	1.2 gpm max.	<u>474014001</u>	<u>474014000</u>
	1.5 gpm max.	<u>474015001</u>	<u>474015000</u>
	1.75 gpm max.	<u>474017001</u>	<u>474017000</u>
	2.1 gpm max.	<u>474016001</u>	<u>474016000</u>

V+ model

Color code	Flow rate	M16x1 (TJ)	M16x1 (TJ) with Coin Slot
 V	V+ optimal performance and aeration from 0.5 to 1.5 bar	<u>474031001</u>	<u>474031000</u>