



(1)

Type Examination Certificate

(2)

Equipment or Protective Systems Intended for Use in Potentially Explosive Atmospheres (Directive 2014/34/EU)

(3) Type Examination Certificate number:

FTZÚ 17 ATEX 0026X

(4) Product: Luminaire type FILA-N-LED; MULTIFILA-N-LED and FILA-N-Em-LED

(5) Manufacturer: VYRTYCH a.s.

(6) Address: Židněves 116, 294 06 Březno, Czech Republic

- (7) This product and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.
- (8) The Physical-Technical Testing Institute certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to Directive 2014/34/EU of the European Parliament and of the Council, dated 26.02.2014.

The examination and test results are recorded in confidential Report number:

17/0026 dated 24.04.2017

(9) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN 60079-0:2012, EN 60079-15:2010, EN 60079-31:2014

- (10) If the sign "X" is placed after the certificate number, it indicates that the product is subject to Specific Conditions of Use specified in the schedule to this certificate.
- (11) This type examination certificate relates only to the design of the specified product and not to specific items of equipment subsequently manufactured.
- (12) The marking of the product shall include the following:

 $\langle \epsilon_{x} \rangle$

II 3G Ex nR IIC T6 Gc



II 3D Ex tc IIIC T63°C Dc

This certificate is valid till: 30.04.2022

Responsible person:

Dipl. Ing. Lukáš Martinák Head of Certification Body STAVA-RADVANICKÝ ZKUSEBALICKÝ Z

Date of issue: 25.04.2017

Page: 1/3



(13)

Schedule

Type Examination Certificate No. FTZÚ 17 ATEX 0026X

(15) Description of Product:

The type FILA-N-LED, FILA-N-Em-LED (non-maintained emergency lighting) and MULTIFILA-N-LED (maintained emergency lighting) luminaire with degree of protection IP 66 is composed of three varnished or stainless steel plate parts: body with exchangeable sealing and light- transmitting cover with glass and reflector with electrical package.

The body and optical cover are connected by hinges and screws. The body is equipped by Ex- cable glands (resp. Ex- blanking elements). Inside of body is installed three-pole terminal block WAGO for connection of power cable with wires to 2,5 mm².

On the reflector are installed connector terminal block ENSTO, LED drivers or emergency units and battery pack type VBA-N.

As the light sources are used LED modules which are fixed on the reflector.

Electrical parameters:

Nominal Voltage:

220-240V AC; 50/60Hz or 110-240V AC; 50/60Hz;

220-240V DC

TYPE CODING OF LUMINAIRE:

Type coding	Туре		
FILA - N- LED - X*YYY*- 4K	A type luminaire - standard lighting		
MULTIFILA – N- LED – X*-YYY*- 4K	A type luminaire - maintained emergency lighting		
FILA- N- Em - LED - X*-YYY*-4K	A type luminaire - non-maintained emergency lighting		

X* - marking of luminous flux (lm)YYY* - marking of type body of luminaire

4K - colour temperature (K)

(16) Report Number .:

17/0026

Responsible person:

Dipl. Ing. Lukáš Martinák Head of Certification Body



Date of issue: 25.04.2017

Page: 2/3

This certificate is granted subject to the general conditions of the FTZÚ, s.p.

This certificate may only be reproduced in its entirety and without any change, schedule included.



(13)

Schedule

Type Examination Certificate No. FTZÚ 17 ATEX 0026X

(17) Specific Conditions of Use:

1. Ambient temperature range: -20°C ≤ Ta ≤ +55°C − FILA-N-LED-X-218-4K

 -20° C \leq Ta \leq +50 $^{\circ}$ C - FILA-N-LED-X-236-4K -20° C \leq Ta \leq +45 $^{\circ}$ C - FILA-N-LED-X-418-4K

-20°C ≤ Ta ≤ +40°C - FILA-N-LED-X-458/258/436-4K

 $0^{\circ}C \le Ta \le +35^{\circ}C - MULTIFILA-N-LED-X-218/418/236/436/258-4K$

 0° C \leq Ta \leq +30 $^{\circ}$ C - MULTIFILA-N-LED-X-458-4K 0° C \leq Ta \leq +35 $^{\circ}$ C - FILA-N-Em-LED-X-236/258-4K.

- 2. The luminaire is intended for fixed installation and must be labelled "Warning potential danger of electrostatic charging." see Technical conditions.
- 3. The power supply cable shall be effectively fixed to prevent pulling or twisting.
- 4. The Technical conditions of maintenance must be complied.

(18) Essential Health and Safety Requirements:

Compliance with the Essential Health and Safety Requirements is covered by standards mentioned in clause (9) of this certificate.

(19) Drawings and Documents:

Number	Issue	Sheets	Date	Description
	00	9	19.04.2017	Technical description
	00	2	19.04.2017	Technical conditions for mounting
Assembly		1	03.03.2017	Drawing
Labels		3	03.03.2017	Drawing

Responsible person:

Dipl. Ing. Lukáš Martinák Head of Certification Body



Date of issue: 25.04.2017

Page: 3/3





Supplementary Type Examination Certificate No. 1 (1)

(2)

Equipment or Protective Systems Intended for Use in Potentially Explosive Atmospheres (Directive 2014/34/EU)

(3) Type Examination Examination Certificate number:

FTZÚ 17 ATEX 0026X

(4) Product:

Luminaire type NORD-N-LED; MULTINORD-N-LED and NORD-N-Em-LED

(5) Manufacturer: VYRTYCH a.s

(6) Address:

Židněves 116, 294 06 Březno, Czech Republic

- (7) This supplementary certificate extends Type Examination Certificate No. FTZÚ 17 ATEX 0026X to apply to products designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.
- (8) The Physical-Technical Testing Institute certifies that this product, as modified by this supplementary certificate, has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive 2014/34/EU of the European Parliament and of the Council, dated 26.02.2014.
- (9) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN 60079-0:2012+A11:2013, EN 60079-15:2010, EN 60079-31:2014

- (10) If the sign "X" is placed after the certificate number, it indicates that the product is subject to Specific Conditions of Use specified in the schedule to this certificate.
- (11) The marking of the product shall include the following:

II 3G Ex nR IIC T6 Gc



II 3D Ex tc IIIC T63°C Dc

(12) This certificate is valid till:

30.04.2022

Responsible person:

Dipl. Ing. Lukáš Martinák Head of Certification Body

Date of issue: 06.06.201

Page: 1/2



(13)

Schedule

Supplementary Type Examination Certificate No. 1 to FTZÚ 17 ATEX 0026X

(15) Description of the variation to the Product:

The subject of this supplementary certificate is:

- Modification of certified apparatus.

This supplementary certificate modifies type marking of product. Primary type marking FILA-N-LED; MULTIFILA-N-LED and FILA-N-Em-LED was changed to NORD-N-LED; MULTINORD-N-LED and NORD-N-Em-LED.

- (16) Report Number .:
- 17/0026/1
- (17) Specific Conditions of Use:

None additional to those listed previously. It applies also for changed type marking.

(18) Essential Health and Safety Requirements:

Compliance with the Essential Health and Safety Requirements is covered by standards mentioned in clause (10) of this supplementary certificate.

(19) Drawings and Documents:

Number	Issue	Sheets	Date	Description
	00	8	02.06.2017	Technical description
	00	2	05.06.2017	Technical conditions for mounting
Assembly			03.06.2017	Drawing
Labels		3	03.06.2017	Drawing

Responsible person:

Dipl. Ing. Lukáš Martinák Head of Certification Body



Date of issue: 06.06.2017

Page: 2/2