

REGULATION

Concerning accessibility for person with disabilities and reduced mobility

> Excerpt form the Decree of August 1, 2006

Decree of August 1, 2006 establishing the provisions for the application of articles R. 111-19 to

R. 111-19-3 and R. 111-19-6 of the French Building and Housing Code relating to accessibility

for persons with disabilities in public-access establishments and facilities open to the public during their construction.

Art. 10. - Provisions relating to doors, gateways, and airlocks.

I. - All doors located along pathways must allow the passage of persons with disabilities

and be operable by individuals with reduced physical abilities, including in cases of complex opening systems.

Doors containing a large glazed surface must be identifiable

by visually impaired persons of all heights and must not create visual discomfort.

Swing doors and automatic doors must be usable safely by persons with disabilities.

The effort required to open a door must be less than or equal to 50 N, whether or not the door is equipped with an automatic closing device

Groom has gone beyond regulatory obligations and has voluntarily had its entire product range tested by the certification laboratory CNPP

These tests resulted in a test report certifying that our entire range meets the requirements imposed by the regulations concerning accessibility for persons with disabilities and reduced mobility (Test report No. SC 11 01 02).

- Door closers GR150 – GR200 – GR300 – GR400 – GR450 – GR500
- Floor pivots GRP100 – GRP300
- Hinges pivots GRL100 – GRL200