



1. Identification

Product identifier: Iso-Tek® 8515

Other means of identification

Recommended restrictions

Recommended use: For industrial use for professional users anti-graffiti coating Surface treatment of porous minerals Treatment of mineral surfaces

Restrictions on use: Not determined.

Manufacturer/Importer/Distributor Information

Company Name : KreteTek Industries, Inc.
66 River Road
Hudson, NH 03051
USA

Telephone : 1(855) 573-8383

:

E-mail : support@ghostshield.com

Emergency telephone number:

24-Hour Health : +1 800 424 9300 (CHEMTREC - US & CANADA)

Emergency : +1 800 681 9531 (CHEMTREC MEXICO)

+1 703 527 3887 (CHEMTREC WORLD)

2. Hazard(s) identification

Hazard Classification

Not classified

Label Elements

Hazard Symbol: No symbol

Signal Word: No signal word.

Hazard Statement: Not applicable

Precautionary Statements

Hazard(s) not otherwise classified (HNOC): None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%) [*]
Ethanol	64-17-5	<2%
methanol	67-56-1	<0.5%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The exact concentration has been withheld as a trade secret.

4. First-aid measures

Description of necessary first-aid measures

Inhalation:	If aerosol or mists are inhaled, take affected persons out into the fresh air. In case of persistent discomfort or other symptoms, consult a physician immediately.
Skin Contact:	Immediately wash skin with soap and plenty of water. Remove contaminated clothing. Obtain medical attention immediately if symptoms occur. Wash clothing before reuse.
Eye contact:	Rinse thoroughly with plenty of water keeping eyelid open. In case of persistent discomfort: Consult an ophthalmologist.
Ingestion:	Have the mouth rinsed with water. After absorbing large amounts of substance / In case of discomfort: Supply with medical care.
Personal Protection for First-aid Responders:	As in any fire, wear self-contained positive-pressure breathing apparatus, (MSHA/NIOSH approved or equivalent) and full protective gear.

Most important symptoms/effects, acute and delayed

Symptoms: None known.

Hazards: None known.

Indication of immediate medical attention and special treatment needed

Treatment: After absorbing large amounts of substance: administration of activated charcoal. Acceleration of gastrointestinal passage

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Water spray jet foam Carbon Dioxide. Dry powder

Unsuitable extinguishing media: High volume water jet

Specific hazards arising from the chemical: Standard procedure for chemical fires. Possible formation of fluorine-containing fumes.

Special protective equipment and precautions for firefighters

Special fire fighting procedures:	Water used to extinguish fire should not enter drainage systems, soil or stretches of water. Ensure there are sufficient retaining facilities for water used to extinguish fire. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Containers can build up pressure if exposed to heat (fire). Cool with water spray. As in any fire, wear self-contained, pressure-demand breathing apparatus (MSHA-NIOSH approved or equivalent) and full protective gear.
Special protective equipment for fire-fighters:	As in any fire, wear self-contained positive-pressure breathing apparatus, (MSHA/NIOSH approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:	Use personal protective equipment. Ensure adequate ventilation.
Accidental release measures:	Remove sources of ignition and ventilate area.
Methods and material for containment and cleaning up:	Ventilate area. Absorb spill with inert material and place in a chemical waste container.
Environmental Precautions:	Obey relevant local, state, provincial and federal laws and regulations. Do not contaminate any lakes, streams, ponds, groundwater or soil.

7. Handling and storage

Handling

Technical measures (e.g. Local and general ventilation):	Provide for good ventilation if vapours/aerosols are formed.
Safe handling advice:	Avoid breathing aerosol. This may cause respiratory complications. Handle in accordance with good industrial hygiene and safety practice. Do not breathe in vapours or aerosols. If workplace exposure limits are exceeded and/or larger amounts are released (leakage, spilling, dust) the indicated respiratory protection should be used. Wear suitable protective equipment. Avoid contact with eyes, skin, and clothing. If there is the possibility of skin/eye contact, the indicated hand/eye/body protection should be used. Please refer to our web site: www.protectosil.com Spray applications in building protection: Please observe our instructions for use in our product information/technical data sheets; available at www.protectosil.com Benefit from our "Technical Training Program" If a product contains this active substance and is resold again, the distributor shall have to assure that this information will be communicated to the subsequent users. Avoid contact with eyes, skin and clothing. Use with adequate ventilation. Avoid breathing vapor or mist. Follow all MSDS/label precautions even after container is emptied because it may retain product residues. Wash thoroughly after handling.
Contact avoidance measures:	No data available.
Hygiene measures:	When using, do not eat, drink or smoke. Wash face and/or hands before break and end of work. Remove contaminated or saturated clothing. Wash contaminated clothing before reuse.
Storage Safe storage conditions:	Keep tightly sealed in original packing. Protect from frost.

Safe packaging materials: No data available.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Ethanol	STEL	1,000 ppm	US. ACGIH Threshold Limit Values (03 2016)
	REL	1,000 ppm 1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
methanol	PEL	1,000 ppm 1,900 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (03 2016)
	TWA	200 ppm	US. ACGIH Threshold Limit Values (03 2016)
	STEL	250 ppm	US. ACGIH Threshold Limit Values (03 2016)
	STEL	250 ppm 325 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	REL	200 ppm 260 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	200 ppm 260 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (03 2016)

Exposure guidelines

methanol	US. ACGIH Threshold Limit Values	Can be absorbed through the skin.
----------	----------------------------------	-----------------------------------

Appropriate Engineering Controls

Provide for good ventilation if vapours/aerosols are formed.

Individual protection measures, such as personal protective equipment

Eye/face protection: Use chemical splash goggles or face shield.

Skin Protection

Hand Protection:

Material: Nitrile rubber.

Break-through time: ≥ 30 min

Material: Fluorinated rubber (Viton)

Break-through time: ≥ 480 min

Additional Information: The above mentioned hand protection is based on knowledge of the chemistry and anticipated uses of this product but it may not be appropriate for all workplaces. A hazard assessment should be conducted prior to use to ensure suitability of gloves for specific work environments and processes prior to use., Selection of protective gloves to meet the requirements of specific workplaces., Suitability for specific workplaces should be clarified with protective glove manufacturers., Use impermeable gloves.

Skin and Body Protection:

Use disposable clothing if appropriate.

Respiratory Protection:

A full face NIOSH-approved respirator with APF of 1000 is required. A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 or applicable federal/provincial requirements must be followed whenever workplace conditions warrant respirator use. NIOSH's "Respirator Decision Logic" may be useful in determining the suitability of various types of respirators.

Hygiene measures:

When using, do not eat, drink or smoke. Wash face and/or hands before break and end of work. Remove contaminated or saturated clothing. Wash contaminated clothing before reuse.

9. Physical and chemical properties

Appearance	
Physical state:	liquid
Form:	liquid
Color:	Yellow, Orange, slightly turbid
Odor:	almost odorless
Odor Threshold:	not determined
pH:	approx. 4 (1,000 g/l, 20 °C)
Freezing point:	-1 °C (ISO 3841)
Boiling Point:	97 °C (1,013 hPa) (ASTM D-1120)
Flash Point:	> 95 °C (DIN EN ISO 2719 (Pensky-Martens, Closed Cup)) No ignition up to the boiling point
Evaporation Rate:	not determined
Flammability (solid, gas):	Not applicable
Explosive limit - upper (%):	not determined
Explosive limit - lower (%):	not determined
Vapor pressure:	23.4 hPa (20 °C) Water.
Vapor density (air=1):	No data available.
Density:	approx. 1.06 g/cm ³ (20 °C) (DIN 51757)
Relative density:	No data available.
Solubility(ies)	
Solubility in Water:	miscible
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	approx. -1.8 (OECD TG 107)
Self Ignition Temperature:	No data available.
Decomposition Temperature:	(DSC analysis) No decomposition in the field of application.
Kinematic viscosity:	No data available.
Dynamic viscosity:	approx. 1.2 mPa.s (20 °C, OECD 114)
Other information	
Explosive properties:	No data available.
Oxidizing properties:	No data available.
Minimum ignition temperature:	575 °C (EC Method A.15)

10. Stability and reactivity

Reactivity:	No dangerous reaction known under conditions of intended use.
Chemical Stability:	Stable under recommended storage conditions.
Possibility of hazardous reactions:	No dangerous reactions known.
Conditions to avoid:	None known.
Incompatible Materials:	None known.
Hazardous Decomposition Products:	None known.

11. Toxicological information

Information on likely routes of exposure

Inhalation: No data available.
Skin Contact: No data available.
Eye contact: No data available.
Ingestion: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available.
Skin Contact: No data available.
Eye contact: No data available.
Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: LD 50 (Rat): > 2,000 mg/kg

Dermal

Product: No data is available on the product itself.

Inhalation

Product: LC 50 (Rat): > 5.5 mg/l Dusts, mists and fumes

Repeated dose toxicity

Product: No toxicological effects relevant to classification

Skin Corrosion/Irritation

Product: Not irritating OECD Test Guideline 404 (Rabbit): Not irritating

Serious Eye Damage/Eye Irritation

Product: Not irritating Rabbit: Not irritating

Respiratory or Skin Sensitization

Product: (Magnusson-Kligman test), OECD Test Guideline 406 (Guinea Pig): Not a skin sensitizer.

Carcinogenicity

Product: No data available.

Components:

Ethanol Not classified
methanol Not classified

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogens present or none present in regulated quantities

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogens present or none present in regulated quantities

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogens present or none present in regulated quantities

Germ Cell Mutagenicity

In vitro

Product: Ames test (OECD TG 471): no evidence of mutagenic effects

In vivo

Product: No data available.

Components:

methanol
Micronucleus test Intraperitoneal (Mouse, male and female): negative
Chromosomal aberration (OECD 474) Intraperitoneal (Mouse, male and female): negative

Reproductive toxicity

Product: No data available.

Components:

Ethanol Not classified
methanol Not classified

Specific Target Organ Toxicity - Single Exposure

Product: Not classified

Specific Target Organ Toxicity - Repeated Exposure

Product: Not classified

Aspiration Hazard

Product: No evidence of aspiration toxicity

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: LC 50 (Brachydanio rerio (zebrafish), 96 h): > 1,000 mg/l
LC0 (Brachydanio rerio (zebrafish), 96 h): >= 1,000 mg/l

Aquatic Invertebrates

Product: No data available.

Components:

methanol EC 50 (Daphnia magna (Water flea), 96 h): 18,260 mg/l literature

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Components:

methanol ErC50 (Selenastrum capricornutum (green algae), 96 h): approx. 22,000 mg/l literature

Persistence and Degradability**Biodegradation**

Product: 62 % (28 d, (CO₂; modif. Sturm test / OECD 301 B))

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential**Bioconcentration Factor (BCF)**

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: Log Kow: approx. -1.8 (OECD TG 107)

Mobility in soil:

Adsorption on the floor: low.

Other adverse effects:

The data we have at our disposal do not necessitate identification concerning environmental hazard.

13. Disposal considerations**Disposal methods:**

Waste must be disposed of in accordance with federal, provincial, state and local regulations. Empty containers must be handled with care due to product residue. **DO NOT HEAT OR CUT THE EMPTY CONTAINER WITH AN ELECTRIC OR GAS TORCH.**

Contaminated Packaging:

Packaging, that can not be reused after cleaning must be disposed or recycled in accordance with all federal, national and local regulations. Incorrect disposal or reuse of this container is illegal and can be dangerous. Other countries: observe the national regulations.

14. Transport information**Domestic regulation****49 CFR**

Not regulated as a dangerous good

Remarks : Not dangerous according to transport regulations.

International Regulations**UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

The proprietary substance is subject to export notification under section 12 (b) of TSCA. The Chemical Nature of this product is, Aqueous formula based on a fluoro-organo-functional polysiloxane, which is Nonhazardous under Classification according to Regulation 29CFR 1910.1200.

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

This product contains a component that is subject to TSCA Significant New Use Rule (SNUR) which limits the application of the substance to surfaces via brush or roller. The US EPA has issued a TSCA 5(e) Consent Order that allows for spray application of the product with a requirement of a respiratory program and a monitoring program. These requirements can be fulfilled in collaboration with Evonik Industries. If a product containing the regulated component is distributed further, the distributor is required to communicate the Consent Order requirements to the downstream users.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Ethanol	100 lbs.
Formic acid	5000 lbs.
methanol	5000 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Not classified

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
--------------------------	------------------------------------

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

Chemical Identity

Formic acid

Reportable quantity

Reportable quantity: 5000 lbs.

US State Regulations

US. California Proposition 65



WARNING: This product can expose you to chemicals including, methanol, which is [are] known to the State of California to cause birth defects or other reproductive harm.

For more information go to www.P65Warnings.ca.gov.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Ethanol

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Ethanol

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.


16. Other information, including date of preparation or last revision

HMIS Hazard ID

Health		1
Flammability		1
Physical Hazards		0
PERSONAL PROTECTION		

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

NFPA Hazard ID



Flammability
Health
Reactivity
Special hazard.

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Issue Date: 04/10/2019

Further Information: No data available.

Revision Information: Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Disclaimer: KreteTek Industries believes, to the best of its knowledge, information and belief, the information contained herein to be accurate and reliable as of the issue date of this Safety Data Sheet (SDS). However, because the conditions of handling, use, and storage of these materials are beyond KreteTek Industries's control, we assume no responsibility or liability for personal injury or property damage incurred by the use of these materials and makes no warranty, expressed or implied, regarding the accuracy or reliability of the data or results obtained from their use. All materials may present unknown hazards and should be used with caution. The information and recommendations contained in the SDS are offered for the users' consideration and examination. It is the responsibility of the user to determine the final suitability of this information and data and to comply with all applicable international, federal, state and local laws and regulations.