#### **APPENDIX C**

#### **Quality Response Template**

#### 1.1 Responding to Evaluation Criteria

This section describes how Bidders should respond to the Evaluation Criteria. The table below details the table layout and the relevance of each section within it.

The template will include the following parts that are identified as such:-

Criterion Weight	WEIGHTING	Criterion Tier	Criterion Name
Evaluation Criterion		Question for Bidders to resp	oond to
Response G Notes	uidance	Guidance from the IPSA that will assist Bidders in providing full and good quality responses.  [The Bidder's response to this question should be limited to no more than [ ] pages of A4 including diagrams and appendices]  [Responses should be typed in [Arial font size 11]]	
Bidder Response		section for completeness suppliers cannot use this please add as a separate question response templat response for the IPSA con Please note that the IPSA	sbmit their responses in this a purposes. In the event is section for their Tender document with a copy of the te at the beginning of each appliance checking purposes. does not expect Bidders to at and that the option is by

#### Overview

Criterion Weight	Weighting 10%	Criterion Tier	Service Overview
Evaluation criterion 1.1		the Services and confirm	erview of how they will provide n that they will provide the h all of the requirements in the
Response Guidance Notes		Bidders are to provide a response that demonstrates their acceptance of the requirement to provide the Services as set out in the Specification, meeting the objectives in section 2.2.1 of the Specification and the ownership of hardware and licences set out in section 2.2.2 of the Specification.	
		The Bidder's response to this question should be limited to no more than 10 pages of A4 including diagrams and appendices	
		Responses should be typed in Arial font size 11	
Bidder Response		section for completeness p cannot use this section for separate document with a template at the beginning compliance checking purp	submit their responses in this purposes. In the event suppliers of their Tender please add as a copy of the question response of each response for the IPSA poses. Please note that the adders to submit in a different is by exception.

Criterion Weight	WEIGHTING 20%	Criterion Tier 3	Data Centre and Server strategy
Evaluation C	riterion 1.2	-	o set out their datacentre and sed on the information in 2.2.1 on.
		Bidders' responses shou relation to:	
		<ul> <li>How they will ass</li> </ul>	e of the current Data Servers; ess and respond to the short bility of the current data centre set up;
Response G	uidance	The strategy for ensuring during the term of the Contract, that the data centres and Data Servers are sufficient to support the work of the IPSA.	
Notes		And with reference to the asset list at Appendix F of the specification.	
		The Bidder's response to limited to no more than 1 diagrams and appendice	0 pages of A4 including
		Responses should be typed in Arial font size 11	
Bidder Resp	oonse	Bidders are required to submit their responses in this section for completeness purposes. In the event suppliers cannot use this section for their Tender please add as a separate document with a copy of the question response template at the beginning of each response for the IPSA compliance checking purposes. Please note that the IPSA does not expect Bidders to submit in a different format and that the option is by exception.	

Criterion Weight	WEIGHTING 60%	Criterion Tier 3	Service provision
Evaluation (	Criterion 1.3	Bidder is to describe the approach to providing each	key points of its proposed element of the service
		Bidders responses should in	nclude as a minimum:
		a. the approach to impleme the current provider to the E implementation plan and ho time available (implementat the Contract);	Bidder shown as an ow it will be achieved in the
		b. the technical approach to required, including the prop network, application and se	
		c. the location(s) of any cen	tral components;
Response G Notes	uidance	d. any dependence of the Bidder's solution on the provision of any existing IPSA assets (Asset List at Appendix F) or facilities;	
		e. any requirement for the IPSA to procure any hardware, software, licences or support services from any third party throughout the duration of the Contract, either as part of planned maintenance or in response to an incident. This should include details of what is expected to be required and when.	
		The Bidder's response to this question should be limited to no more than 15 pages of A4 including diagrams and appendices	
		Responses should be typed in Arial font size 11	
Bidder Response		section for completeness suppliers cannot use this please add as a separate question response templat response for the IPSA con Please note that the IPSA	sbmit their responses in this a purposes. In the event is section for their Tender document with a copy of the te at the beginning of each appliance checking purposes. does not expect Bidders to at and that the option is by

Criterion Weight	WEIGHTING 10%	Criterion Tier 3	Accreditation
Evaluation Criterion 1.4		Bidders to confirm that they are accredited with ISO 27001 (pass/fail) and whether they are accredited with ISO 20000 (scored as follows: 10 for accreditation, 6 for working towards accreditation, 0 for no accreditation)	
Response Guidance Notes		the relevant certification. For a realistic plan should be in accreditation will be achin December 2016	ly accredited please provide or Bidders not yet accredited included to demonstrate how leved by no later than 1 or this question should be
		limited to no more than 5 pages of A4 including diagrams and appendices  Responses should be typed in Arial font size 11	
Bidder Res	ponse	Bidders are required to submit their responses in this section for completeness purposes. In the event suppliers cannot use this section for their Tender please add as a separate document with a copy of the question response template at the beginning of each response for the IPSA compliance checking purposes. Please note that the IPSA does not expect Bidders to submit in a different format and that the option is by exception.	

# Managed Desktop Service

Criterion Weight	WEIGHTING 70%	Criterion Tier	Managed Desktop Overview
		The Bidder shall describe:  a. The proposed approrequired Managed Desktop software	
		<ul><li>preventative</li></ul>	ipport services, including; maintenance, including
Evaluation (	Criterion 2.1	patching; • software and	I firmware upgrades;
		<ul> <li>corrective ma</li> </ul>	aintenance;
		<ul> <li>configuration</li> </ul>	n management;
		c. Whether all of the staff undertaking the maintenance activities will be the Service Provider's employees or by sub-Service Providers.	
		d. how it will ensure the remote access by users	ability for both desktop and
		the IPSA's objectives while set out in this evaluation cri	include how they will meet e meeting the requirements terion and how it will ensure ections 2.3.1 to 2.3.4 of the
Response Guidance Notes		The Bidder's response to this question should be limited to no more than 10 pages of A4 including diagrams and appendices	
		Responses should be typed in Arial font size 11	
Bidder Response		section for completeness suppliers cannot use this please add as a separate of question response template response for the IPSA con Please note that the IPSA	bmit their responses in this purposes. In the event se section for their Tender document with a copy of the se at the beginning of each appliance checking purposes, does not expect Bidders to set and that the option is by

Criterion Weight	WEIGHTING 10	Criterion Tier 3	Managed Desktop Services
Evaluation Criterion 2.2		Bidders to confirm that the Managed Desktop Service will provide the Services set out in section 2.3.5 of the Specification (pass/fail).	
Response G Notes	Bidders to confirm their ability to provide the Managers  Desktop Services below.		ility to provide the Managed
Bidder Response		section for completeness suppliers cannot use this please add as a separate question response template response for the IPSA con Please note that the IPSA	sbmit their responses in this a purposes. In the event is section for their Tender document with a copy of the te at the beginning of each appliance checking purposes. does not expect Bidders to at and that the option is by

Criterion Weight	WEIGHTING 10	Criterion Tier 3	Core and Specialist Applications
Evaluation Criterion 2.3		Bidders to set out how they and specialist applications	will provide additional core
			t their response takes into in section 2.3.6 of the
Response Guidance Notes		The Bidder's response to this question should be limited to no more than 2 pages of A4 including diagrams and appendices	
		Responses should be typed in Arial font size 11	
Bidder Response		section for completeness suppliers cannot use this please add as a separate question response templat response for the IPSA con Please note that the IPSA	bmit their responses in this purposes. In the event se section for their Tender document with a copy of the se at the beginning of each appliance checking purposes, does not expect Bidders to set and that the option is by

Criterion Weight	WEIGHTING 10%	Criterion Tier 3	User Access Devices
Evaluation Criterion 2.4		Bidders are requested to outline their experience in providing environments and application sets for other user access devices, particularly to public sector organisations.	
			how they have provided application sets to users on uch as tablet PCs or
Response Guidance Notes		The Bidder's response to this question should be limited to no more than 4 pages of A4 including diagrams and appendices	
		Responses should be typed	d in Arial font size 11
Bidder Response		section for completeness suppliers cannot use this please add as a separate question response templat response for the IPSA con Please note that the IPSA	sbmit their responses in this purposes. In the event se section for their Tender document with a copy of the te at the beginning of each appliance checking purposes, does not expect Bidders to at and that the option is by

#### **Assets**

Criterion Weight	WEIGHTING 60%	Criterion Tier 3	Assets
Evaluation Criterion 3.1		•	to detail their asset and processes as they would
Response Guidance Notes		Bidders are to describe their asset management and configuration process taking into account the current assets and Bidders are requested to detail their expectations for the remaining service life of the existing equipment, detailing any equipment that is expected to reach end of life within a) 12 months and b) three years of the contract start date and how they would manage the replacement of these assets.  The Bidder's response to this question should be limited to no more than 6 pages of A4 including diagrams and appendices  Responses should be typed in Arial font size 11	
Bidder Res	ponse	Bidders are required to submit their responses in this section for completeness purposes. In the event suppliers cannot use this section for their Tender please add as a separate document with a copy of the question response template at the beginning of each response for the IPSA compliance checking purposes. Please note that the IPSA does not expect Bidders to submit in a different format and that the option is by exception.	

Criterion Weight	WEIGHTING 40%	Criterion Tier 3	Asset procurement
Evaluation Criterion 3.2		Bidders are requested to give details of how they would procure ICT assets for the IPSA	
		<u>.</u>	include a description of the rement routes open to the any discounting available.
Response Guidance Notes		The Bidder's response to this question should be limited to no more than 2 pages of A4 including diagrams and appendices	
		Responses should be typed in Arial font size 11	
Bidders are required to submit their responses in section for completeness purposes. In the suppliers cannot use this section for their Teplease add as a separate document with a copy of question response template at the beginning of response for the IPSA compliance checking purpopers please note that the IPSA does not expect Bidder submit in a different format and that the option exception.		s purposes. In the event s section for their Tender document with a copy of the te at the beginning of each apliance checking purposes. does not expect Bidders to	

## **Network Management**

Criterion Weight	WEIGHTING 100%	Criterion Tier 3	Network Management
Evaluation (	Criterion 4.1		s proposed approach to the upport of the data network, dth management.
Response Guidance Notes		Bidders' responses should ensure that they are able to comply with the requirements in section 2.5 of the Specification in particular how the Bidder will respond to a requirement from the IPSA to a) increase and b) decrease the number of users on the network from section 2.8.1 of the specification and how to ensure a smooth and easy to understand access procedure for all users.  The Bidder's response to this question should be limited to no more than 4 pages of A4 including diagrams and appendices  Responses should be typed in Arial font size 11	
Bidder Res	ponse	Bidders are required to submit their responses in this section for completeness purposes. In the event suppliers cannot use this section for their Tender please add as a separate document with a copy of the question response template at the beginning of each response for the IPSA compliance checking purposes. Please note that the IPSA does not expect Bidders to submit in a different format and that the option is by exception.	

## **Support Services**

Criterion Weight	WEIGHTING 20%	Criterion Tier 3	Help Desk Service
Evaluation Criterion 5.1		Bidders to detail how they will provide the Help Desk Services	
Response Guidance Notes		Bidders' responses should cover all the requirements set out in section 2.6.1 of the Specification  The Bidder's response to this question should be limited to no more than 10 pages of A4 including diagrams and appendices  Responses should be typed in Arial font size 11	
Bidder Response		section for completeness suppliers cannot use this please add as a separate question response templat response for the IPSA con Please note that the IPSA	bmit their responses in this purposes. In the event is section for their Tender document with a copy of the reat the beginning of each appliance checking purposes. does not expect Bidders to at and that the option is by

Criterion Weight	WEIGHTING 10%	Criterion Tier 3	Documentation Services
Evaluation Criterion 5.2		Bidders to confirm how they will comply with the requirements in section 2.6.2 of the Specification	
		•	describe the documentation juired and how it would hold
Response Guidance Notes		The Bidder's response to this question should be limited to no more than 2 pages of A4 including diagrams and appendices	
		Responses should be typed	d in Arial font size 11
Bidder Response		section for completeness suppliers cannot use this please add as a separate question response template response for the IPSA con Please note that the IPSA	sbmit their responses in this is purposes. In the event is section for their Tender document with a copy of the te at the beginning of each appliance checking purposes. does not expect Bidders to at and that the option is by

Criterion Weight	WEIGHTING 20%	Criterion Tier 3	Licence Management
Evaluation Criterion 5.3		Bidders to set out how they will manage, maintain and acquire licences on behalf of IPSA	
			include a description of the rement routes open to the any discounting available.
Response Guidance Notes		The Bidder's response to this question should be limited to no more than 2 pages of A4 including diagrams and appendices	
		Responses should be typed	d in Arial font size 11
Bidder Response		section for completeness suppliers cannot use this please add as a separate question response templat response for the IPSA con Please note that the IPSA	sbmit their responses in this purposes. In the event se section for their Tender document with a copy of the te at the beginning of each appliance checking purposes. does not expect Bidders to at and that the option is by

Criterion Weight	WEIGHTING 10%	Criterion Tier 3	Capacity Management
Evaluation Criterion 5.4		Bidders to set out how they will ensure that the appropriate level of resource is available to provide the Services in accordance with the Specification	
			ensure that they show how t in section 2.6.4(a) of the
Response Guidance Notes		The Bidder's response to this question should be limited to no more than 2 pages of A4 including diagrams and appendices	
		Responses should be typed	d in Arial font size 11
Bidder Response		section for completeness suppliers cannot use this please add as a separate of question response templat response for the IPSA con Please note that the IPSA	sbmit their responses in this purposes. In the event se section for their Tender document with a copy of the te at the beginning of each appliance checking purposes, does not expect Bidders to at and that the option is by

Criterion Weight	WEIGHTING 20%	Criterion Tier 3	Security Management Services
Evaluation Criterion 5.5		The Bidder should describe:  a. A plan for helping the IPSA with achieving and maintaining ISO 27001 accreditation;  b. What it understands the key security risks and issues to be;  c. How it proposes to manage and mitigate against the key security risks and issues;  d. Whether it currently provides services to other clients Accredited for use at OFFICIAL - SENSITIVE.  e. Any training it will supply to IPSA's and its own staff	
Response Guidance Notes		Bidders' responses should ensure that they meet as a minimum the requirements set out in section 2.6.5 of the Specification.  The Bidder's response to this question should be limited to no more than 10 pages of A4 including diagrams and appendices  Responses should be typed in Arial font size 11	
Bidder Response		section for completeness suppliers cannot use this please add as a separate of question response template response for the IPSA complease note that the IPSA	bmit their responses in this purposes. In the event is section for their Tender document with a copy of the re at the beginning of each appliance checking purposes. does not expect Bidders to at and that the option is by

Criterion Weight	WEIGHTING 20%	Criterion Tier 3	Continuous Service Improvement
Evaluation Criterion 5.6		Bidders are to set out how a continuous service improvement plan would be established, implemented and maintained	
Response Guidance Notes		Bidders' responses should ensure that they meet the requirements of section 2.6.6(a) of the Specification  The Bidder's response to this question should be limited to no more than 10 pages of A4 including diagrams and appendices  Responses should be typed in Arial font size 11	
Bidder Response		section for completeness suppliers cannot use this please add as a separate question response templat response for the IPSA con Please note that the IPSA	bmit their responses in this purposes. In the event seed section for their Tender document with a copy of the seed the beginning of each appliance checking purposes, does not expect Bidders to set and that the option is by

## **Service Management**

Criterion Weight	WEIGHTING 20%	Criterion Tier 3	Service Governance
Evaluation Criterion 6.1		The Bidder shall provide details of the proposed service governance arrangements in its proposal, including as a minimum:  a. The position of the Project Manager and the Client Manager within the Bidder's organisation  b. The relevant skills and experience of the Service Manager and of the Senior Manager.	
Response Guidance Notes		Bidders' responses should ensure that they can meet the requirements set out in section 2.7.1 of the Specification and provide a CV for its Project Manager and 2 references from other customers where the Project Manager's role and responsibilities were the same as for these Services.  The Bidder's response to this question should be limited to no more than 10 pages of A4 including diagrams and appendices  Responses should be typed in Arial font size 11	
Bidder Response		section for completeness suppliers cannot use this please add as a separate question response templat response for the IPSA con Please note that the IPSA	sbmit their responses in this a purposes. In the event is section for their Tender document with a copy of the te at the beginning of each appliance checking purposes. does not expect Bidders to at and that the option is by

Criterion Weight	WEIGHTING 60%	Criterion Tier 3	Service Reporting
Evaluation Criterion 6.2		Bidders are requested to monitoring of the Services t	provide information on the hat they would put in place
Response Guidance Notes		Bidders' responses should show how they will meet the requirements set out in section 2.7.2 of the Specification.  This information should include details on the Management Information provided by monitoring tools that would be available to the IPSA.  The Bidder's response to this question should be limited to no more than 4 pages of A4 including diagrams and appendices  Responses should be typed in Arial font size 11	
Bidder Response		section for completeness suppliers cannot use this please add as a separate question response templat response for the IPSA con Please note that the IPSA	sbmit their responses in this purposes. In the event so section for their Tender document with a copy of the tent at the beginning of each appliance checking purposes, does not expect Bidders to at and that the option is by

Criterion Weight	WEIGHTING 20%	Criterion Tier 3	Service Handbook
Evaluation Criterion 6.3		Bidders shall set out how they will produce and maintain an appropriate Service Handbook	
		Bidders' responses sh demonstrate an ability to me section 2.7.5 of the Specific	eet all of the requirements in
Response Guidance Notes		The Bidder's response to this question should be limited to no more than 2 pages of A4 including diagrams and appendices	
		Responses should be typed	d in Arial font size 11
Bidder Response		section for completeness suppliers cannot use this please add as a separate question response template response for the IPSA con Please note that the IPSA	sbmit their responses in this is purposes. In the event is section for their Tender document with a copy of the ite at the beginning of each appliance checking purposes. does not expect Bidders to at and that the option is by

## Non-functional requirements

Criterion Weight	WEIGHTING 15%	Criterion Tier 3	Scaling
Evaluation Criterion 7.1		Bidders are requested to explain the changes required to their proposed solution to scale it to support larger numbers of users.	
			their response proposals to as stated in section 2.8.1 of
Response Guidance Notes		The Bidder's response to this question should be limited to no more than 4 pages of A4 including diagrams and appendices	
		Responses should be typed	d in Arial font size 11
Bidder Response		section for completeness suppliers cannot use this please add as a separate of question response template response for the IPSA confilease note that the IPSA	sbmit their responses in this purposes. In the event se section for their Tender document with a copy of the se at the beginning of each appliance checking purposes, does not expect Bidders to set and that the option is by

Criterion Weight	WEIGHTING 15%	Criterion Tier 3	Performance
Evaluation Criterion 7.2		Bidders should set out ho parties to optimise application	ow they will work with third on performance
			er will manage relationships ugh their own arrangements the IPSA.
Response Guidance Notes		The Bidder's response to this question should be limited to no more than 2 pages of A4 including diagrams and appendices	
		Responses should be typed	d in Arial font size 11
Bidder Response		section for completeness suppliers cannot use this please add as a separate question response templat response for the IPSA con Please note that the IPSA	sbmit their responses in this a purposes. In the event is section for their Tender document with a copy of the te at the beginning of each appliance checking purposes. does not expect Bidders to at and that the option is by

Criterion Weight	WEIGHTING 30%	Criterion Tier 3	Business Continuity and Disaster Recovery
Evaluation Criterion 7.3		The Bidder shall describe in its proposal:  a. the Bidder's general approach to disaster recovery including a description of how the Bidder would respond to a disaster or major incident;  b. the extent and duration of any disruption to the Services if any of the events described in section 2.8.3(b) of the Specification occur;  c. the reduction in the price of meeting these disaster recovery requirements if the maximum period of loss of service is increased to:  1. 1 working day;  2. 2 working days;  3. 5 working days;  4. 2 weeks.	
Response Guidance Notes		with all requirements i Specification.  Bidders should include a explain how that plan woul of the contract period.  The Bidder's response to	d ensure that they comply n section 2.8.3 of the n outline BCDR plan and do be developed at the start of this question should be 20 pages of A4 including
Bidder Response		section for completeness suppliers cannot use this please add as a separate question response templat response for the IPSA con Please note that the IPSA	Ibmit their responses in this a purposes. In the event is section for their Tender document with a copy of the de at the beginning of each appliance checking purposes. I does not expect Bidders to at and that the option is by

Criterion Weight	WEIGHTING 30%	Criterion Tier 3	Back up and archive
Evaluation Criterion 7.4		Bidders are requested to provide details of their backup processes for all devices and data	
		•	nclude in their response an ng between differing backup
Response Guidance Notes		The Bidder's response to this question should be limited to no more than 6 pages of A4 including diagrams and appendices	
		Responses should be typed	d in Arial font size 11
Bidder Response		section for completeness suppliers cannot use this please add as a separate question response templat response for the IPSA con Please note that the IPSA	sbmit their responses in this purposes. In the event se section for their Tender document with a copy of the te at the beginning of each appliance checking purposes, does not expect Bidders to at and that the option is by

Criterion Weight	WEIGHTING 5%	Criterion Tier 3	Contract Exit
Evaluation Criterion 7.5		Bidders shall state their contract exit strategy to allow a smooth handover of all network services and documentation to the new Service Provider.	
Response Guidance Notes			.6 of the Specification  o this question should be 4 pages of A4 including
Bidder Response		section for completeness suppliers cannot use this please add as a separate question response templat response for the IPSA con Please note that the IPSA	bmit their responses in this purposes. In the event seetion for their Tender document with a copy of the te at the beginning of each appliance checking purposes. does not expect Bidders to at and that the option is by

Criterion Weight	WEIGHTING 5%	Criterion Tier 3	Contract Terms
Evaluation Criterion 7.6		Bidders are to confirm their acceptance of the terms and conditions set out in the Draft Contract (pass/fail)	
Response Guidance Notes		Bidders to confirm their acceptance or rejection below.	
Bidder Response		Bidders are required to submit their responses in this section for completeness purposes. In the event suppliers cannot use this section for their Tender please add as a separate document with a copy of the question response template at the beginning of each response for the IPSA compliance checking purposes. Please note that the IPSA does not expect Bidders to submit in a different format and that the option is by exception.	

## **Change Management**

Criterion Weight	WEIGHTING 10%	Criterion Tier 3	Change request
Evaluation Criterion 8.1		Bidders shall detail their processes for controlling changes to any services supplied under this contract.	
Response Guidance Notes		requirements and the di envisaged in the requirem Specification. Include pro-fo allows for the different level Specification The Bidder's response to	Id take into account the ifferent types of changes nents in section 3.2 of the orma request for change that its of change identified in the other than the o
Bidder Res	ponse	Bidders are required to submit their responses in this section for completeness purposes. In the event suppliers cannot use this section for their Tender please add as a separate document with a copy of the question response template at the beginning of each response for the IPSA compliance checking purposes. Please note that the IPSA does not expect Bidders to submit in a different format and that the option is by exception.	

Criterion Weight	WEIGHTING 5%	Criterion Tier 3	Emergency changes
Evaluation Criterion 8.2		Bidders are requested to state how they would fulfil the requirement for emergency changes.	
		Bidders' responses should include details of the working relationship with the IPSA, in particular where the IPSA needs to undertake immediate changes.	
Response Guidance Notes		The Bidder's response to this question should be limited to no more than 2 pages of A4 including diagrams and appendices	
		Responses should be typed	d in Arial font size 11
Bidder Response		section for completeness suppliers cannot use this please add as a separate question response template response for the IPSA con Please note that the IPSA	sbmit their responses in this a purposes. In the event is section for their Tender document with a copy of the te at the beginning of each appliance checking purposes. does not expect Bidders to at and that the option is by

Criterion Weight	WEIGHTING 15%	Criterion Tier 3	Projects and consultancy
Evaluation Criterion 8.3		Bidders are requested to detail their project management processes and how these will support the IPSA in making changes to their ICT services.	
Response Guidance Notes		requirements in section 3.3 <u>The Bidder's response to the section 3.3</u>	this question should be 10 pages of A4 including
Bidder Response		section for completeness suppliers cannot use this please add as a separate of question response template response for the IPSA complease note that the IPSA	bmit their responses in this purposes. In the event se section for their Tender document with a copy of the fee at the beginning of each appliance checking purposes. does not expect Bidders to at and that the option is by

Criterion Weight	WEIGHTING 5%	Criterion Tier 3	Pre-purchased consultancy
Evaluation Criterion 8.4		Bidders are requested to outline their process for managing the use of pre-purchased project management and consultancy days including:  a. Management of unused days:  b. The scope of services covered	
Response Guidance Notes		The Bidder's response to limited to no more than diagrams and appendices  Responses should be typed	
Bidder Response		section for completeness suppliers cannot use this please add as a separate of question response templat response for the IPSA com Please note that the IPSA	bmit their responses in this purposes. In the event section for their Tender document with a copy of the eat the beginning of each appliance checking purposes. does not expect Bidders to at and that the option is by

Criterion Weight	WEIGHTING 35%	Criterion Tier 3	Service Improvement Process
Evaluation Criterion 8.5		Bidders are to provide up to three relevant examples of where it has proposed and implemented changes that have improved the service delivered to a public sector client	
Response Guidance Notes		Bidders should include examples of where the changes to service delivery have increased the value for money to the client and demonstrate how experience from these projects will be utilised to deliver improvement to the Services that increase value for money	
		The Bidder's response to limited to no more than diagrams and appendices	o this question should be 6 pages of A4 including
		Responses should be typed	d in Arial font size 11
Bidder Response		section for completeness suppliers cannot use this please add as a separate question response templat response for the IPSA con Please note that the IPSA	sbmit their responses in this purposes. In the event se section for their Tender document with a copy of the te at the beginning of each appliance checking purposes, does not expect Bidders to at and that the option is by

Criterion Weight	WEIGHTING 10%	Criterion Tier 3	Partial Termination
Evaluation Criterion 8.6		Bidders are requested to outline their approach to termination of individual elements of the services provided under this contract, including the potential financial impact on the IPSA.	
Response Guidance Notes		Bidders should take account of sections 3.5.1 and 3.5.2 of the Specification. Bidders will score 0 marks for agreeing to 5% of the annual value of the Services to be terminated and will score upwards from there (to a maximum of 10) for each percentage point above 5 that the Bidder agrees can be terminated without penalty.  The Bidder's response to this question should be limited to no more than 4 pages of A4 including diagrams and appendices  Responses should be typed in Arial font size 11	
Bidder Res	ponse	Bidders are required to submit their responses in this section for completeness purposes. In the event suppliers cannot use this section for their Tender please add as a separate document with a copy of the question response template at the beginning of each response for the IPSA compliance checking purposes. Please note that the IPSA does not expect Bidders to submit in a different format and that the option is by exception.	

Criterion Weight	WEIGHTING 15%	Criterion Tier 3	Future Changes
Evaluation Criterion 8.7		Bidders to provide examples of their experience of delivering services set out in section 5.2.3 of the Specification and how this was achieved	
		Bidders should in particular focus on the services listed in (d), (f), (g), (h) (l) and (j) of 5.2.3 of the Specification in particular for a public sector organisation holding personal sensitive data accredited to Official Sensitive	
Response Guidance Notes		The Bidder's response to this question should be limited to no more than 10 pages of A4 including diagrams and appendices	
		Responses should be typed	d in Arial font size 11
Bidder Response		section for completeness suppliers cannot use this please add as a separate question response templat response for the IPSA con Please note that the IPSA	sbmit their responses in this purposes. In the event se section for their Tender document with a copy of the te at the beginning of each appliance checking purposes, does not expect Bidders to at and that the option is by