E\/H

EVHGEAR.COM 2020 CATALOG

THIS IS WHAT I USE

BATTLE-TESTED

Since its launch in 2007, the EVH® brand has had one mission – to take the tools Eddie Van Halen uses to create his groundbreaking guitar work and place them unmodified in your hands.

The guitars are tweaked-out for high-speed playing and the amps are hot-rodded for gloriously saturated tone. Every piece of EVH gear, from the highly-defined speaker cabinets to the unique pickups, picks, strings and straps, are the real deal – designed, perfected and approved by the man himself.

"I am involved in every phase because I am not endorsing a product – this is my company," he said.

Refining and adjusting components and specs until they're up to his exacting standards, no piece – no matter how large or small – is produced until he personally signs off on it, reflecting his commitment to quality and his personal connection to the gear that bears his name.

And nothing gets his approval unless it's been battle-tested by Eddie where the rubber meets the road – in front of an arena full of screaming fans.

"I don't let anything out unless I've taken it on tour."

Raised onstage, these instruments, amps and accessories are as innovative as Eddie's playing.

"I don't want to fight with it," he said, with regard to his equipment.

"I want to speak to it and have it deliver my message – and it works with me."

The same equipment he's created and continued to evolve for over four decades is now available to work with you. Plug in and make your own mark with EVH gear – it's what he uses.

"A GUITAR IS A VERY PERSONAL EXTENSION OF THE PERSON PLAYING IT. YOU HAVE TO BE EMOTIONALLY AND SPIRITUALLY CONNECTED TO YOUR INSTRUMENT."

-EDDIE VAN HALEN
























THIS IS WHAT WE USE




























































































OVER FOUR DECADES OF INNOVATION AND EXPERIENCE ARE INJECTED INTO THE CREATION OF THE EVH WOLFGANG GUITARS. A NATURAL BORN INNOVATOR IN GUITAR-BUILDING AND PLAYING, EDDIE VAN HALEN CONTINUES TO EVOLVE THE LINE.

"WE'RE ALWAYS PUSHING THE ENVELOPE — KIND OF LIKE A RACE TEAM," HE SAID. "WE TRY TO GET FASTER AND BETTER, AND AT THE SAME TIME, OFFER MORE VALUE AND MORE BANG FOR YOUR BUCK."



WOLFGANG US

PUSHING THE ENVELOPE

BODY: Basswood with Big-Leaf Maple Top

BODY SHAPE: Wolfgang

BODY FINISH: Satin Urethane (Stealth) or Gloss Urethane (Ivory)

BODY BINDING: 5-Ply FRETS: 22

FRET SIZE: Vintage Stainless Steel

POSITION INLAYS: Block (Ivory) or Dot (Stealth)

FINGERBOARD RADIUS: 12"-16" Compound Radius (304.8 mm to 406.4 mm)

FINGERBOARD: Ebony

NECK MATERIAL: Quartersawn Maple

NECK CONSTRUCTION: Bolt-on with Graphite Reinforcement

NECK FINISH: Hand-Rubbed Satin Urethane

NUT WIDTH: 1.650" (42 mm)

SCALE LENGTH: 25.5" (648 mm)

HEADSTOCK: Black Wolfgang with 5-Ply Binding

TRUSS RDD: Heel-Mount Spoke Wheel Adjustment

PICKUP CONFIGURATION: H/H

PICKUPS: Direct Mount Custom-Wound EVH Wolfgang Humbucking (Bridge),
Direct Mount Custom-Wound EVH Wolfgang AL3 Humbucking (Neck)

PICKUP SWITCHING: EVH Reverse-Style 3-Position Toggle Switching: Position 1. Neck Pickup, Position 2. Bridge and Neck Pickups, Position 3. Bridge Pickup

CONTROLS: Volume (500K EVH BI Tech HPU Low Friction Pot) with Treble Bleed Circuit, Tone (250K EVH Bourns® High Friction Pot)

HARDWARE: Chrome (Ivory) or Chrome with Black Retainer Nut and Black Tuning

BRIDGE: EVH-Branded Floyd Rose® Locking Tremolo with EVH D-Tuna®

STRING NUT: Floyd Rose R2 Locking

STRINGS: EVH Nickel Plated Steel (.009-.042 Gauges)

ACCESSORIES: EVH Striped SKB® Hardshell Case and EVH Leather Strap Included

UNIQUE FEATURES: Schaller® String Retainer, Screw-Eye Hook Strap Buttons

TWEAKED TO MATCH HIS LATEST AND EXACTING PREFERENCES, THE WOLFGANG USA EDWARD VAN HALEN SIGNATURE BOASTS BEHEMOTH SOUND, NO-HOLDS-BARRED PEDAL-TO-THE-METAL PERFORMANCE AND SPOTLIGHT-READY STYLE.



PART NUMBER DESCRIPTION

5107921849 Ivory, Ebony Fingerboard

Stealth, Ebony Fingerboard





BODY: Basswood with Big-Leaf Maple Top or 5A Flame Maple Top (820, 858 only)

BODY SHAPE: Wolfgang

BODY FINISH: Gloss Urethane or Satin Urethane (Stealth models only)

BODY BINDING: 5-Ply

FRETS: 22

FRET SIZE: Vintage Stainless Steel

POSITION INLAYS: Block or Dot (868, 886 only)

FINGERBOARD RADIUS: 12"-16" Compound Radius (304.8 mm to 406.4 mm)

FINGERBOARD: Ebony or Maple (Vintage White only)

NECK MATERIAL: Quartersawn Maple

NECK CONSTRUCTION: Bolt-on with Graphite Reinforcement

NECK FINISH: Hand-Rubbed Satin Urethane

NIIT WINTH: 1.625" (41.30 mm)

SCALE LENGTH: 25.5" (648 mm)

HEADSTOCK: Color Matched Wolfgang with 5-Ply Binding

TRUSS RDD: Heel-Mount Spoke Wheel Adjustment

PICKUP CONFIGURATION: H/H

PICKUPS: Direct Mount EVH Wolfgang USA Humbucking

PICKUP SWITCHING: EVH Reverse-Style 3-Position Toggle Switching: Position 1. Neck Pickup, Position 2. Bridge and Neck Pickups, Position 3. Bridge Pickup

CONTROLS: Volume (500K EVH Bourns Low Friction Pot) with Treble Bleed Circuit, Tone (250K EVH Bourns High Friction Pot)

HARDWARE: Black or Chrome (Trans Finishes and Ivory)

BRIDGE: EVH-Branded Floyd Rose Locking Tremolo with EVH D-Tuna

STRING NUT: Floyd Rose R2 Locking Nut

STRINGS: EVH Nickel Plated Steel (.009-.042 Gauges) **ACCESSORIES:** EVH Striped SKB Hardshell Case Included

UNIQUE FEATURES: Schaller String Retainer

THE ORIGINAL GUITAR THAT LAUNCHED THE LINE, THE WOLFGANG USA UNLEASHES PURE, UNADULTERATED ROCK 'N' ROLL POWER. EXPERIENCE ULTRA-SPEEDY PLAYABILITY, COLOSSAL SOUND AND CLASSIC LOOKS.

PART NUMBER DESCRIPTION 5107920849 Ivory, Ebony Fingerboard Silver, Ebony Fingerboard 5107920821 Stealth Black, Ebony Fingerboard Stealth Gray, Ebony Fingerboard 5107920822 5107920820 3-Tone Burst, 5A Flame Maple Top, Ebony Fingerboard Natural, 5A Flame Maple Top, Ebony Fingerboard Left-Hand, Stealth Black, Ebony Fingerboard Left-Hand, Vintage White, Maple Fingerboard Left-Hand, 3-Tone Burst, 5A Flame Maple Top, Ebony Fingerboard



WOLFGANG SPECIAL STRIPED

ICONIC STRIPED STYL

BODY SHAPE: Wolfgang
BODY FINISH: Gloss Urethane

FRETS: 22
FRET SIZE: Jumbo

POSITION INLAYS: White Dot

FINGERBOARD RADIUS: 12"-16" Compound Radius (304.8 mm to 406.4 mm)

FINGERBOARD: Ebony

NECK MATERIAL: Quartersawn Maple

 ${\color{red}\textbf{NECK CONSTRUCTION:}}\ \, \textbf{Bolt-on with Graphite Reinforcement}$

NECK FINISH: Hand-Rubbed Satin Urethane
NUT WIDTH: 1.625" (41.30 mm)

SCALE LENGTH: 25.5" (64.8 cm)

HEADSTOCK: Black Wolfgang

TRUSS RDD: Heel-Mount Spoke Wheel Adjustment

PICKUP CONFIGURATION: H/H

PICKUPS: Direct Mount EVH Wolfgang Humbucking

PICKUP SWITCHING: 3-Position Toggle Switching: Position 1. Bridge Pickup, Position 2. Bridge and Neck Pickup, Position 3. Neck Pickup

CONTROLS: Volume (500K EVH Bourns Low Friction Pot) with Treble Bleed Circuit, Tone (250K EVH Bourns High Friction Pot)

HARDWARE: Chrome

BRIDGE: EVH-Branded Floyd Rose Locking Tremolo with EVH D-Tuna

STRING NUT: Floyd Rose R2 Locking

STRINGS: EVH Nickel Plated Steel (.009-.042 Gauges)

OPTIONAL CASE/GIG BAG: 0090916000/0221512006

LOADED WITH PLAYER-ORIENTED FEATURES AND ICONIC STYLE, THE WOLFGANG SPECIAL STRIPED IS A HIGHLY-RESPONSIVE AND HUGE-SOUNDING INSTRUMENT THAT WAS BORN TO CRANK OUT SOME SERIOUS ROCK.





WOLFGANG SPECIAL

BODY: Basswood **BODY SHAPE:** Wolfgang BODY FINISH: Satin Urethane (525, 566, 568) or Gloss Urethane (510, 513, 549,

BODY BINDING: Cream (513, 549, 552, 568, 573, 585) or Black (510, 525, 566)

FRETS: 22 FRET SIZE: Jumbo

POSITION INLAYS: Black Dot on Maple Fingerboard or Pearloid Dot on Ebony Fingerboard

FINGERBOARD RADIUS: 12"-16" Compound Radius (304.8 mm to 406.4 mm)

FINGERBOARD: Ebony or Maple **NECK MATERIAL:** Quartersawn Maple

NECK CONSTRUCTION: Bolt-on with Graphite Reinforcement

NECK FINISH: Hand-Rubbed Satin Urethane

NUT WIDTH: 1.625" (41.30 mm)

SCALE LENGTH: 25.5" (64.8 cm)

HEADSTOCK: Color Matched Wolfgang

TRUSS ROD: Heel-Mount Spoke Wheel Adjustment

PICKUP CONFIGURATION: H/H

PICKUPS: Direct Mount EVH Wolfgang Humbucking

PICKUP SWITCHING: 3-Position Toggle Switching: Position 1. Bridge Pickup, Position 2.
Bridge and Neck Pickups, Position 3. Neck Pickup

CONTROLS: Volume (500K EVH Bourns Low Friction Pot) with Treble Bleed Circuit, Tone (250K EVH Bourns High Friction Pot)

HARDWARE: Black or Chrome (513, 549, 552 only)

BRIDGE: EVH-Branded Floyd Rose Locking Tremolo with EVH D-Tuna

STRING NUT: Floyd Rose R2 Locking Nut

STRINGS: EVH Nickel Plated Steel (.009-.042 Gauges)

OPTIONAL CASE/GIG BAG: 0090916000/0221512006

ROAD-TESTED IN ARENAS AROUND THE WORLD, THE WOLFGANG SPECIAL IS A PUREBRED MUSIC-MAKING MACHINE, DESIGNED WITH STUNNING STYLE, GIANT SOUND AND HIGH-SPEED PLAYABILITY.

	SWATCH	PART NUMBER	DESCRIPTION
EW		5107701566	Burgundy Mist Metallic, Ebony Fingerboard
EW		5107701552	Deep Purple Metallic, Ebony Fingerboard
EW		5107701513	Ice Blue Metallic, Ebony Fingerboard
		5107701549	Ivory, Ebony Fingerboard
		5107701525	Satin Primer Gray, Ebony Fingerboard
		5107701568	Stealth Black, Ebony Fingerboard
		5107711568	LH Stealth Black, Ebony Fingerboard
		5107701585	Gloss Black, Maple Fingerboard
		5107701573	Metallic Blue, Maple Fingerboard
		5107701510	Polar White, Maple Fingerboard



WOLFGANG WG STANDARD

BODY: Basswood
BODY SHAPE: Wolfgang

BODY FINISH: Gloss Urethane or Satin Urethane (520 only)

FRETS: 22
FRET SIZE: Jumbo

POSITION INLAYS: Black Dot

FINGERBOARD RADIUS: 12"-16" Compound Radius (304.8 mm to 406.4 mm)

FINGERBOARD: Baked Maple
NECK MATERIAL: Baked Maple

NECK CONSTRUCTION: Bolt-on with Graphite Reinforcement

NECK FINISH: Oiled

NUT WIDTH: 1.625" (41.30 mm)
SCALE LENGTH: 25.5" (64.8 cm)
HEADSTOCK: Black Wolfgang

TRUSS RDD: Heel-Mount Spoke Wheel Adjustment

PICKUP CONFIGURATION: H/H

PICKUPS: Direct Mount EVH Wolfgang Humbucking

PICKUP SWITCHING: 3-Position Toggle Switching: Position 1. Bridge Pickup, Position 2. Bridge and Neck Pickup, Position 3. Neck Pickup

CONTROLS: Volume with Treble Bleed Circuit, Tone

HARDWARE: Black or Black Chrome (Gloss Black only)

BRIDGE: EVH-Branded Floyd Rose Special Locking Tremolo

STRING NUT: Floyd Rose R2 Locking

STRINGS: Nickel Plated Steel (.009-.042 Gauges)

OPTIONAL CASE/GIG BAG: 0090916000009/ 0221512006

OUR TRIED AND TRUE MODELS JUST GOT BETTER WITH ALL-NEW STRIKING FINISHES PLUS BAKED MAPLE NECKS AND FINGERBOARDS.





WOLFGANG WG STANDARD QM

TESTED WHERE IT COUNTS

BODY: Basswood with Quilt Maple Top

BODY SHAPE: Wolfgang
BODY FINISH: Gloss Urethane

BODY BINDING: Taped-off Faux Natural

FRETS: 22

FRET SIZE: Jumbo

POSITION INLAYS: Black Dot

FINGERBOARD RADIUS: 12"-16" Compound Radius (304.8 mm to 406.4 mm)

FINGERBOARD: Baked Maple
NECK MATERIAL: Baked Maple

NECK CONSTRUCTION: Bolt-on with Graphite Reinforcement

NECK FINISH: Oiled

NUT WIDTH: 1.625" (41.30 mm)
SCALE LENGTH: 25.5" (64.8 cm)
HEADSTOCK: Black Wolfgang

TRUSS ROD: Heel-Mount Spoke Wheel Adjustment

PICKUP CONFIGURATION: H/H

PICKUPS: Direct Mount EVH Wolfgang Humbucking

PICKUP SWITCHING: 3-Position Toggle Switching: Position 1. Bridge Pickup, Position 2. Bridge and Neck Pickups, Position 3. Neck Pickup

CONTROLS: Volume with Treble Bleed Circuit, Tone

HARDWARE: Black Chrome

BRIDGE: EVH-Branded Floyd Rose Special Locking Tremolo

STRING NUT: Floyd Rose R2 Locking

STRINGS: Nickel Plated Steel (.009-.042 Gauges)

OPTIONAL CASE/GIG BAG: 0090916000009/ 0221512006

THE SAME STYLE AND MASSIVE SOUND EDDIE VAN HALEN CREATED AT A PRICE THE EVERYDAY MUSICIAN CAN AFFORD. TESTED WHERE IT COUNTS — LIVE ONSTAGE — THE WOLFGANG STANDARD WG IS DECKED OUT FOR PLAYING PERFORMANCE AND COMFORT.

	SWATCH	PART NUMBER	DESCRIPTION
NEW	MAY.	5107004524	Black Fade
NEW	Million	5107004599	Chlorine Burst
NEW	STATE OF THE PARTY	5107004592	Northern Lights
NEW	1,400	5107004523	Tahiti Night
IEW	PAY	5107004558	Transparent Amber



WOLFGANG WG STANDARD EXOTIC

BODY: Basswood with Exotic Wood Top **BODY SHAPE:** Wolfgang BDDY FINISH: Gloss Urethane (512, 522) or Satin Urethane (510) **BODY BINDING:** Taped-off Faux Natural FRETS: 22 FRET SIZE: Jumbo POSITION INLAYS: Black Dot FINGERBOARD RADIUS: 12"-16" Compound Radius (304.8 mm to 406.4 mm) FINGERBOARD: Baked Maple **NECK MATERIAL:** Baked Maple NECK CONSTRUCTION: Bolt-on with Graphite Reinforcement NECK FINISH: Oiled **NUT WIDTH:** 1.625" (41.30 mm) **SCALE LENGTH:** 25.5" (64.8 cm) **HEADSTOCK:** Black Wolfgang TRUSS ROD: Heel-Mount Spoke Wheel Adjustment PICKUP CONFIGURATION: H/H PICKUPS: Direct Mount EVH Wolfgang Humbucking PICKUP SWITCHING: 3-Position Toggle Switching: Position 1. Bridge Pickup, Position 2. Bridge and Neck Pickup, Position 3. Neck Pickup CONTROLS: Volume with Treble Bleed Circuit, Tone HARDWARF: Black Chrome **BRIDGE:** EVH-Branded Floyd Rose Special Locking Tremolo STRING NUT: Floyd Rose R2 Locking Nut

STRINGS: Nickel Plated Steel (.009-.042 Gauges)

OPTIONAL CASE/GIG BAG: 0090916000009/ 022151200

BOASTING THE UNIQUE STYLE AND MASSIVE SOUND EDDIE VAN HALEN IS KNOWN FOR, THE WG STANDARD EXOTIC FEATURES ALL-NEW EXOTIC WOOD OPTIONS FOR PLAYERS WITH DISTINGUISHED TASTE.

PART NUMBER DESCRIPTION



NEW

5107002512 Midnight Sunset, Poplar Burl 5107002510 Natural, Spalted Maple 5107002522 Natural, Ziricote





ENGINEERED FOR SPEED, COMFORT
AND FULL-THROTTLE ATTITUDE, THE
REIMAGINED 5150 SERIES STANDARD
IS AN ICONIC BLAST FROM THE PAST
THAT BLENDS BOTH THROWBACK AND
MODERNIZED FEATURES.

BODY: Basswood

BODY SHAPE: 5150

BDDY FINISH: Gloss Urethane (537) or Satin Urethane (520, 525)

FRETS: 22
FRET SIZE: Jumbo

POSITION INLAYS: Black Dot

FINGERBOARD RADIUS: 12"-16" Compound Radius (304.8 mm to 406.4 mm)

FINGERBOARD: Maple

NECK MATERIAL: Quartersawn Maple

NECK CONSTRUCTION: Bolt-on with Graphite Reinforcement

NECK FINISH: Hand-Rubbed Satin Urethane

NUT WIDTH: 1.685" (42.8 mm) SCALE LENGTH: 25.5" (64.8 cm)

HEADSTOCK: Color Matched Hockey Stick
TRUSS ROD: Heel-Mount Spoke Wheel Adjustment

PICKUP CONFIGURATION: H/H

PICKUPS: Direct Mount EVH Wolfgang Humbucking

PICKUP SWITCHING: 3-Position Toggle Switching: Position 1. Bridge Pickup, Position 2. Bridge and Neck Pickups, Position 3. Neck Pickup

CONTROLS: Volume (500K EVH Bourns Low Friction Pot) with Treble Bleed Circuit, Tone (250K EVH Bourns High Friction Pot)

ARDWARE: Chrome

BRIDGE: EVH-Branded Floyd Rose Locking Tremolo with EVH D-Tuna

STRING NUT: Floyd Rose R3 Locking Nut

STRINGS: EVH Nickel Plated Steel (.009-.042 Gauges)

OPTIONAL HARDSHELL/GIG BAG: 0226100506/ 0221512006





THE REIMAGINED 5150 SERIES DELUXE SPORTS A GORGEOUS QUILT MAPLE TOP FINISH WITH EBONY FINGERBOARD.

BODY: Basswood with Quilt Maple Top

BODY SHAPE: 5150

BDDY FINISH: Gloss Urethane

FRETS: 22 FRET SIZE: Jumbo

POSITION INLAYS: White Dot

FINGERBOARD RADIUS: 12"-16" Compound Radius (304.8 mm to 406.4 mm)

FINGERBOARD: Ebony

NECK MATERIAL: Quartersawn Maple

NECK CONSTRUCTION: Bolt-on with Graphite Reinforcement

NECK FINISH: Hand-Rubbed Satin Urethane

NUT WIDTH: 1.685" (42.8 mm)

SCALE LENGTH: 25.5" (64.8 cm)

HEADSTOCK: Color Matched Hockey Stick

TRUSS ROD: Heel-Mount Spoke Wheel Adjustment

PICKUP CONFIGURATION: H/H

PICKUPS: Direct Mount EVH Wolfgang Humbucking

PICKUP SWITCHING: 3-Position Toggle Switching: Position 1. Bridge Pickup, Position 2. Bridge and Neck Pickups, Position 3. Neck Pickup

CONTROLS: Volume (500K EVH Bourns Low Friction Pot) with Treble Bleed Circuit, Tone (250K EVH Bourns High Friction Pot)

HARDWARE: Chrome

BRIDGE: EVH-Branded Floyd Rose Locking Tremolo with EVH D-Tuna

STRING NUT: Floyd Rose R3 Locking Nut

STRINGS: EVH Nickel Plated Steel (.009-.042 Gauges)

OPTIONAL HARDSHELL/GIG BAG: 0226100506/ 0221512006

PART NUMBER DESCRIPTION

5108000593 Tobacco Sunburst

5108000579 Transparent Blue Burst





WITH A CAREER OF BEING COPIED, THE STRIPED SERIES
GUITARS PUT EDDIE'S HISTORIC AND AUTHENTIC STYLE
IN YOUR HANDS ... HIGH-POWERED, HIGH-PERFORMANCE
MACHINES AS KICKASS TO LOOK AT AS THEY ARE TO PLAY.

BODY: Basswood

BODY FINISH: Gloss Urethane
FRETS: 22
FRET SIZE: Jumbo
POSITION INLAYS: Black Dot
FINGERBOARD RADIUS: 12"-16" Compound Radius (304.8 mm to 406.4 mm)
FINGERBOARD: Maple
NECK MATERIAL: Quartersawn Maple
NECK GONSTRUCTION: Bolt-on with Graphite Reinforcement
NECK FINISH: Hand-Rubbed Satin Urethane
NUT WIDTH: 1.6875" (43 mm)
SCALE LENGTH: 25.5" (648 mm)
HEADSTOCK: Licensed Fender® Stratocaster®

HEADSTOCK: Licensed Fender® Stratocaster®
TRUSS RDD: Heel-Mount Spoke Wheel Adjustment
NECK PLATE: 4-Bolt Standard

PICKUP CONFIGURATION: H

PICKUPS: Direct Mount EVH Wolfgang Humbucking

CONTROLS: Volume (Labeled Tone with 500K EVH Bourns Low Friction Pot) with Treble Bleed Circuit

HARDWARE: Chrome

BRIDGE: EVH-Branded Floyd Rose Locking Tremolo with EVH D-Tuna

STRING NUT: Floyd Rose R3 Locking

STRINGS: EVH Nickel Plated Steel (.009-.042 Gauges)

UNIQUE FEATURES: Bar String Retainer, Vintage Strap Buttons; Single-Ply Black Pickguard and Top-Mount Output Jack (576 Only)

Top-Mount Output Jack (576 Only OPTIONAL HARDSHELL/GIG BAG: 0226100506/ 0221512006

STRIPED SERIES HISTORIC AND ICONIC STYLE

FRANKIE

BODY: Basswood **BODY FINISH: Lacquer**

FRETS: 22

FRET SIZE: Jumbo POSITION INLAYS: Black Dot

FINGERBOARD RADIUS: 12"-16" Compound Radius (304.8 mm to 406.4 mm)

FINGERBOARD: Maple

NECK MATERIAL: Quartersawn Maple

NECK CONSTRUCTION: Bolt-on with Graphite Reinforcement

NECK FINISH: Oiled

NUT WIDTH: 1.685" (42.8 mm) **SCALE LENGTH:** 25.5" (648 mm)

HEADSTOCK: Licensed Fender Stratocaster

TRUSS RDD: Heel-Mount Spoke Wheel Adjustment

NECK PLATE: 4-Bolt Standard

PICKUP CONFIGURATION: H/S/S

PICKUPS: EVH Wolfgang Humbucking (bridge), Dummy Strat® (neck) and Dummy Five-Way Blade

PICKUP SWITCHING: Dummy Five-Way Blade

CONTROLS: Volume (Labeled Tone)

HARDWARE: Reliced Chrome

BRIDGE: EVH-Branded Floyd Rose Locking Tremolo

with EVH D-Tuna STRING NUT: Floyd Rose R3 Locking

STRINGS: EVH Nickel Plated Steel (.009-.042 Gauges)

UNIQUE FEATURES: Black Custom Frankie Pickguard

OPTIONAL HARDSHELL/GIG BAG: 0226100506/0221512006



5150

BODY: Basswood

BODY FINISH: Satin Urethane

FRETS: 22

FRET SIZE: Jumbo

POSITION INLAYS: Black Dot

FINGERBOARD RADIUS: 12"-16" Compound Radius (304.8 mm to 406.4 mm)

FINGERBOARD: Maple

NECK MATERIAL: Quartersawn Maple

NECK CONSTRUCTION: Bolt-on with Graphite Reinforcement

NECK FINISH: Hand-Rubbed Satin Urethane

NUT WIDTH: 1.685" (42.8 mm) **SCALE LENGTH:** 25.5" (648 mm)

HEADSTOCK: Color Matched Hockey Stick

TRUSS ROD: Heel-Mount Spoke Wheel Adjustment

NECK PLATE: 4-Bolt Standard

PICKUP CONFIGURATION: H

PICKUPS: Direct Mount EVH Wolfgang Humbucking

CONTROLS: Volume (500K EVH Bourns Low Friction Pot) with Treble Bleed

HARDWARE: Chrome

BRIDGE: EVH-Branded Floyd Rose Locking Tremolo with EVH D-Tuna

STRING NUT: Floyd Rose R3 Locking

STRINGS: EVH Nickel Plated Steel (.009-.042 Gauges)

UNIQUE FEATURES: Red 5150 Hologram Numbers and Star Decals, Modified Strat

Body Shape

OPTIONAL HARDSHELL/GIG BAG: 0226100506/ 0221512006







"I'VE ALWAYS EVOLVED IN MY CHASING AND MAKING OF TONE AND I WILL CONTINUE TO DO SO. IT'S JUST PART OF MY DNA."

-EDDIE VAN HALEN



5150IIIS 100-WATT EL34 HEAD

LIGHT LIP THE SK



WATTAGE: 100 Watts

EFFECTS LOOP: 1/4" (Send/Return)

INPUTS: 1/4"

DUTPUTS: Two 1/4" Speaker Jacks Wired Parallel, 1/4" Preamp Out

EXTENSION: 1/4" Parallel Speaker Outputs **CHANNELS:** Three (Clean, Crunch and Lead)

CONTROLS: Gain, Low, Mid, High, Volume, Channel Select, Presence and Resonance for Each Channel

CABINET: White Birch

INDICATOR: Red LED Jewel

HANDLE: Molded Plastic Strap with Nickel-Plated Caps (1 Top & 2 Sides)
FRONT PANEL: Black EVH Striped Steel on Gold Anodized Perf Panel

COVER: Black Textured Vinyl

DUTPUT IMPEDANCE: 4. 8 or 16 ohms (Selectable)

DEPTH: 12" (30.5 cm)

WIDTH: 30" (76.2 cm)
HEIGHT: 11" (28 cm)

WEIGHT: 58 lb. (26.4 kg)

PREAMP TUBES: Eight JJ ECC83S

POWER TUBES: Four JJ EL34 Matched
UNIQUE FEATURES: EVH Tour Mods, 100S Circuit, Crystal Clear and Compressed Channel One, Channel

Two and Three Now Possess Even More Compression and Saturation, Bias Ports and Adjustable Trim Pots

ACCESSORIES: Four-Button Footswitch with Seven-Pin Cable Input

OPTIONAL COVER: 0073406000

IN 1978 EDDIE VAN HALEN STARTED A REVOLUTION ON A QUARTET OF EL34'S ... TODAY THAT REVOLUTION CONTINUES WITH THE 5150IIIS EL34. EXPERIENCE LETHAL LOOKS AND FEROCIOUS EL34 TONE.





NOT JUST DRESSED IN A SEDUCTIVELY DARK FINISH, THE 5150III 100-WATT STEALTH HEAD ROARS WITH ITS OWN UNIQUE VOICE — TWEAKED WITH ADDED FEATURES SPECIFICALLY TO MEET EDDIE VAN HALEN'S TOURING REQUIREMENTS.



WATTAGE: 100 Watts

EFFECTS LOOP: 1/4" (Send/Return)

INPUTS: 1/4"

EXTENSION: 1/4" Parallel Speaker Outputs CHANNELS: Three (Clean, Crunch and Lead)

CONTROLS: Gain, Low, Mid, High, Volume, Channel Select, Presence and Resonance for Each Channel

CABINET: White Birch

INDICATOR: Red LED Jewel

HANDLE: Molded Plastic Strap with Black Powder Coated Caps

COVER: Black Textured Vinyl

DUTPUT IMPEDANCE: 4, 8 or 16 ohms (Selectable)

DEPTH: 12" (30.5 cm)

WIDTH: 30" (76.2 cm)

HEIGHT: 11" (28 cm) **WEIGHT:** 55 lb. (25 kg)

PREAMP TUBES: Eight JJ ECC83S POWER TUBES: Four Shuguang 6L6 Matched

UNIQUE FEATURES: EVH Tour Mods, Increased Gain for Greater Sustain on Channels Two and Three, Re-Voiced for Improved Low-Mid Frequency Definition, Stealth Black Chicken Head Control Knobs, Bias Ports and Adjustable Trim Pot

ACCESSORIES: Four-Button Footswitch with Seven-Pin Cable Input

OPTIONAL COVER: 0073406000

BEST OF BOTH WORLDS

2251000000 - Black



2251000400 - Ivory



WATTAGE: 100 Watts

EFFECTS LOOP: 1/4" (Send/Return)

DUTPUTS: Two 1/4" Speaker Jacks Wired Parallel, 1/4" Stereo Headphone Jack, 1/4"

CHANNELS: Three (Clean, Crunch and Lead)

CONTROLS: Gain, Low, Mid, High, Volume, Channel Select and Presence for Each Channel; Also Global Resonance

CABINET: White Birch

INDICATOR: Red LED Jewel

HANDLE: Molded Plastic Strap with Nickel-Plated Caps (1 Top & 2 Side)

COVER: Black or Ivory Textured Vinyl

DUTPUT IMPEDANCE: 4, 8 or 16 ohms (Selectable)

DEPTH: 12" (30.5 cm)

WIDTH: 30" (76.2 cm) **HEIGHT:** 11" (28 cm)

WEIGHT: 55 lb. (25 kg)

PREAMP TUBES: Eight JJ ECC83S (12AX7)


POWER TUBES: Four JJ 6L6 Matching UNIQUE FEATURES: Ultra-Fast Switching

ACCESSORIES: Four-Button Footswitch with Seven-Pin Cable Input, 5-Foot Heavy-Duty Speaker Cable

OPTIONAL COVER: 0073406000

AN AMP FOR ALL OCCASIONS, THE 5150III 100-WATT HEAD IS IDEAL FOR ALMOST ANY PLAYING STYLE YOU CAN THINK OF. FROM RICH CLEAN TONES TO RAW RHYTHMS AND SOARING HIGH GAIN LEADS, IT DOES IT ALL AT DRUMMER-BEATING VOLUME.





INDEPENDENT VOLUME AND GAIN CONTROL FOR ALL THREE CHANNELS HAS ARRIVED WITH THE 5150III 50-WATT EL34 HEAD. EXPERIENCE TOTAL CONTROL, ALONG WITH THE SAME LETHAL LOOKS AND FEROCIOUS EL34 TONE OF THE 100-WATT.

WATTAGE: 50 Watts

EFFECTS LOOP: 1/4" (Send/Return)

INPUTS: 1/4", MIDI (Rear Panel)

DUTPUTS: Two 1/4" Speaker Jacks Wired Parallel, 1/4" Stereo Headphone Jack, 1/4" Preamp Out

CHANNELS: Three (Clean, Crunch and Lead)

CONTROLS: Channels 1 and 2: Independent Gain and Volume with a Shared Low, Mid and High EQ; Channel 3: Gain, Low, Mid, High and Volume; Also Global Presence and

Global Resonance

CABINET: White Birch INDICATOR: Red LED Jewel

HANDLE: Molded Plastic Strap with Black Powder Coated Caps FRONT PANEL: Black EVH Striped Steel on Gold Anodized Perf Panel

COVER: Black Textured Vinyl

DUTPUT IMPEDANCE: 4, 8 or 16 ohms (Selectable)

DEPTH: 12" (30.4 cm) WIDTH: 20" (50.8 cm)

HEIGHT: 8.5" (21.6 cm) **WEIGHT:** 35 lb. (15.9 kg)

PREAMP TUBES: Seven JJ ECC83S (12AX7)

POWER TUBES: Two JJ EL34 with APEX Matching

UNIQUE FEATURES: Ultra-Fast Switching

ACCESSORIES: Four-Button Footswitch with 1/4" Cable Input, 5-Foot Heavy-Duty Speaker Cable

OPTIONAL COVER: 0079197000



DUAL CONCENTRIC GAIN Inside Chicken Head Knob Ch2 Gain, Outer Knob Ch1 Clean Gain



Inside Chicken Head Knob Ch2

Volume, Outer Knob Ch1

Clean Volume





THE STEALTH HAS LANDED



THE PERFECT AMP FOR PLAYERS WHO WANT ED VAN HALEN'S TOURING TONE, ARENA VOLUME AND PERFORMANCE IN A COMPACT PACKAGE.

WATTAGE: 50 Watts

EFFECTS LOOP: 1/4" (Send/Return) INPUTS: 1/4", MIDI (Rear)

DUTPUTS: Two 1/4" Speaker Jacks Wired Parallel, 1/4" Stereo Headphone Jack, 1/4" Preamp Out

CHANNELS: Three (Clean, Crunch and Lead)

CONTROLS: Channels 1 and 2: Independent Gain and Volume with a Shared Low, Mid and High EQ; Channel 3: Gain, Low, Mid, High and Volume; Also Global Presence and Global Resonance

CABINET: White Birch

INDICATOR: Red LED Jewel

HANDLE: Molded Plastic Strap with Nickel-Plated Caps

COVER: Black Textured Vinyl

DUTPUT IMPEDANCE: 4, 8 or 16 ohms (Selectable)

DEPTH: 12" (30.4 cm) WIDTH: 20" (50.8 cm)

HEIGHT: 8.5" (21.6 cm) **WEIGHT:** 36 lb. (16.4 kg)


PREAMP TUBES: Seven JJ ECC83S (12AX7)

POWER TUBES: Two Shuguang 6L6 Matched

UNIQUE FEATURES: EVH Tour Mods, Increased Gain for Greater Sustain on Channel Two, Stealth Black Chicken Head Control Knobs, Bias Ports and Adjustable Trim Pots, Ultra-Fast Switching

ACCESSORIES: Four-Button Footswitch with 1/4" Cable Input, 5-Foot Heavy-Duty Speaker Cable

OPTIONAL COVER: 0079197000



DUAL CONCENTRIC GAIN Inside Chicken Head Knob Ch2 Gain. Outer Knob Ch1 Clean Gain



DUAL CONCENTRIC VOLUME Inside Chicken Head Knob Ch2 Volume. Outer Knob Ch1 Clean Volume





5150111 50-WATT 6L6 HEAD

FILL SPECTRUM OF TON

2253010010 - Black



2253010410 - Ivory



WATTAGE: 50 Watts EFFECTS LOOP: 1/4" (Send/Return) INPUTS: 1/4", MIDI (rear) **DUTPUTS:** Two 1/4" Speaker Jacks Wired Parallel, 1/4" Stereo Headphone Jack, 1/4" CHANNELS: Three (Clean, Crunch and Lead) CONTROLS: Channels 1 and 2: Independent Gain and Volume with a Shared Low, Mid and High EQ; Channel 3: Gain, Low, Mid, High and Volume; Also Global Presence and Global Resonance CABINET: White Birch INDICATOR: Red LED Jewel **HANDLE:** Molded Plastic Strap with Nickel-Plated Caps FRONT PANEL: White **COVER:** Black or Ivory Textured Vinyl **DUTPUT IMPEDANCE:** 4, 8 or 16 ohms (Selectable) **DEPTH:** 12" (30.4 cm) WIDTH: 20" (50.8 cm) HFIGHT: 8.5" (21.6 cm) **WEIGHT:** 33 lb. (15 kg) PREAMP TUBES: Seven JJ ECC83S (12AX7) POWER TUBES: Two JJ 6L6 Matched **UNIQUE FEATURES:** Ultra-Fast Switching ACCESSORIES: Four-Button Footswitch with 1/4" Cable Input, 5-Foot Heavy-Duty Speaker Cable

OPTIONAL COVER: 0079197000

AN AMP FOR ALL OCCASIONS, THE 5150III 100-WATT HEAD IS IDEAL FOR ALMOST ANY PLAYING STYLE YOU CAN THINK OF. FROM RICH CLEAN TONES TO RAW RHYTHMS AND SOARING HIGH GAIN LEADS, IT DOES IT ALL AT DRUMMER-BEATING VOLUME.



5150111 15-WATT LBX HEAD

BIG SOUND, EASY TRANSPORT

WATTAGE: 15 Watts (Full Power) — 4 Watts (1/4 Power Switch)

EFFECTS LOOP: 1/4" Effects Send and Return Jacks

INPIITS: One 1/4"

CHANNELS: Two (Blue/Crunch and Red/Full Burn)

CONTROLS: Shared Gain, Low, Mid, High, Volume, Presence and Rear Resonance

CABINET: Aluminum/Steel Chassis

INDICATOR: Red LED Jewel

HANDLE: Vinyl with Metal Insert and Black End Caps

COVER: Black

DEPTH: 6" (15.3 cm)

WIDTH: 12.5" (31.2 cm)

HEIGHT: 7.0" (17.8 cm)

WEIGHT: 15 lb. (6.8 kg)

PREAMP TUBES: Five JJ EECC83S

POWER TUBES: Two JJ EL84 Matched

ACCESSORIES: Single-Button Footswitch with 1/4" Cable Input Included for Channel Select

(Overrides Front Panel Selection

OPTIONAL COVER: 0221600006





PACKED TO THE GILLS WITH MONSTER SOUND, THE 5150III LBX IS 15 WATTS OF PURE RAUNCH 'N' ROLL POWER FEATURING THE FAMOUS BLUE AND RED CHANNELS. CRUNCH AWAY ON RHYTHM OR BURN IT UP ON LEAD WITH THE ULTIMATE IN HIGH GAIN TONE.





THIS 2.0 VERSION OF OUR DIMINUTIVE EASY-TO-CARRY "LUNCHBOX" HEAD FEATURES THE FAMOUS GREEN AND BLUE CHANNELS, DELIVERING SPARKLING CLEAN TONE AND PUNCHY GAIN TO INSPIRE UNLIMITED ARTISTIC EXPRESSION.

WATTAGE: 15 Watts (Full Power) — 4 Watts (1/4 Power Switch)

EFFECTS LOOP: 1/4" Effects Send and Return Jacks

INPUTS: One 1/4"

CHANNELS: Two (Green/Clean and Blue/Crunch)

CONTROLS: Dual Gain, Low, Mid, High, Dual Volume, Presence and Resonance

CABINET: Aluminum/Steel Chassis

INDICATOR: Red LED Jewel

HANDLE: Vinyl with Metal Insert and Black End Caps

COVER: White

DEPTH: 6" (15.3 cm)

WIDTH: 12.5" (31.2 cm)

HEIGHT: 7.0" (17.8 cm)

WEIGHT: 15 lb. (6.8 kg)

PREAMP TUBES: Four JJ ECC83S

POWER TUBES: Two JJ EL84 Matched

ACCESSORIES: Single-Button Footswitch with 1/4" Cable Input Included for Channel Select (Overrides Front Panel Select)

OPTIONAL COVER: 0221600006





5150111 50-WATT EL34 COMBOS

REVOLUTIONARY ROAR



THE 50-WATT EL34 TUBE COMBO

AMPS DELIVER SIGNATURE HARMONIC

OVERTONES WITH INCREASED DYNAMIC

COMPRESSION AND SATURATION TO EVOKE

A MORE MODERN "BRITISH" SOUND, ALL

WITH THE SUSTAIN AND VERSATILITY

EXPECTED FROM AN AMP BEARING EDDIE

VAN HALEN'S NAME.

2X12 50W EL34 COMBO

WATTAGE: 1 to 50 Watts (Continuously Variable with Power Level Control)

EFFECTS LOOP: 1/4" (Send/Return)
INPUTS: 1/4", MIDI (Rear Panel)

EXTENSION: 1/4" Stereo Headphone Jack and Two 1/4" Parallel POWER HANDLING: Adjustable (50 Watts RMS Max Down to 1 Watt)

CHANNELS: Three (Clean, Crunch and Lead)

CONTROLS: Channel 1 and 2: Independent Gain and Volume with Shared Low, Mid and High; Channel 3: Independent Gain, Volume, Low, Mid and High; Also Power Level, Reverb, Global Presence and Global Resonance

FFFFCTS: Reverb

CABINET: 7-Ply 3/4" Birch Maple INDICATOR: Red LED Jewel

HANDLES: Two Spring-Loaded Side Handles and One Molded Plastic Top Handle

COVER: Black Textured Vinyl

DUTPUT IMPEDANCE: 4, 8 or 16 ohms (Selectable)

DEPTH: 12" (30.4 cm) **WIDTH:** 27.5" (70 cm) **HEIGHT:** 25" (63.5 cm) **WEIGHT:** 90 lb. (40.9 kg)

SPEAKER: Two 12" Celestion EVH G12H 30W Anniversary Series

IMPEDANCE: 16 ohms (Selectable)
PREAMP TUBES: Seven JJ ECC83S (12AX7)
POWER TUBES: Two JJ EL34 Matched
UNIQUE FEATURES: Reverb Switchable

ACCESSORIES: Four-Button Footswitch with Cable, Pop-Out Casters

OPTIONAL COVER: 0082061000

2255020000 - Black & Gold Motif



1X12 50W EL34 COMBO

WATTAGE: 1 to 50 Watts (Continuously Variable with Power Level Control)

EFFECTS LOOP: 1/4" (Send/Return)
INPUTS: 1/4", MIDI (Rear Panel)

EXTENSION: 1/4" Stereo Headphone Jack and Two 1/4" Parallel POWER HANDLING: Adjustable (50 Watts RMS Max Down to 1 Watt)

CHANNELS: Three (Clean, Crunch and Lead)

CONTROLS: Channel 1 and 2: Independent Gain and Volume with Shared Low, Mid and High; Channel 3: Independent Gain, Volume, Low, Mid and High; Also Power Level, Reverb, Global Presence and Global Resonance

FFFFCTS: Reverb

CABINET: 7-Ply 3/4" Birch Maple

INDICATOR: Red LED Jewel

HANDLES: Two Spring-Loaded Side Handles and One Molded Plastic Top Handle

COVER: Black Textured Vinyl

DUTPUT IMPEDANCE: 4, 8 or 16 ohms (Selectable)

DEPTH: 12" (30.4 cm)
WIDTH: 24.5" (62.2 cm)
HEIGHT: 22.5" (57.15 cm)
WEIGHT: 65 lb. (29.5 kg)

SPEAKER: One 12" Celestion EVH G12H 30W Anniversary Series

IMPEDANCE: 16 ohms (Selectable)
PREAMP TUBES: Seven JJ ECC83S (12AX7)
POWER TUBES: Two JJ EL34 Matched
UNIQUE FEATURES: Reverb Switchable

ACCESSORIES: Four-Button Footswitch with Cable, Pop-Out Casters

OPTIONAL COVER: 7706016000

2255010000 - Black & Gold Motif



5150111 50-WATT 6L6 COMBOS

ARENA-SIZED SOUND IN A COMPACT PACKAGE



REDESIGNED WITH VERSATILE,
ALL-NEW INDEPENDENT DUALCONCENTRIC CONTROLS THAT
ALLOW FOR GAIN AND VOLUME LEVEL
MATCHING, OUR 50-WATT 6L6
TUBE COMBO AMPS OFFER ARENASIZED SOUND IN AN EVH CELESTION
POWERED COMPACT PACKAGE FOR
MORE CONVENIENT TRANSPORT.

2X12 50W 6L6 COMBO

WATTAGE: 1 to 50 Watts (Continuously Variable with Power Level Control)

EFFECTS LOOP: 1/4" (Send/Return)
INPUTS: 1/4". MIDI (Rear Panel)

EXTENSION: 1/4" Stereo Headphone Jack and Two 1/4" Parallel

POWER HANDLING: Adjustable (50 Watts RMS Max Down to 1 Watt)

CHANNELS: Three (Clean, Crunch and Lead)

CONTROLS: Channel 1 and 2: Independent Gain and Volume with Shared Low, Mid and High; Channel
3: Independent Gain, Volume, Low, Mid and High; Also Power Level, Reverb, Global
Presence and Global Resonance

EFFECTS: Reverb

CABINET: 7-Ply 3/4" Birch Maple

INDICATOR: Red LED Jewel

HANDLES: Two Spring-Loaded Side Handles and One Molded Plastic Top Handle

COVER: Black or Ivory Textured Vinyl

DUTPUT IMPEDANCE: 4, 8 or 16 ohms (Selectable)

DEPTH: 12" (30.4 cm) **WINTH:** 27.5" (70 cm)

HEIGHT: 25" (63.5 cm)

WEIGHT: 86 lb. (39.1 kg)

SPEAKER: Two 12" Celestion EVH G12H 30W Anniversary Series

IMPEDANCE: 16 ohms (Selectable)
PREAMP TUBES: Seven JJ ECC83S (12AX7)

POWER TUBES: Two JJ 6L6 Matched UNIQUE FEATURES: Reverb Switchable

ACCESSORIES: Four-Button Footswitch with Cable, Pop-Out Casters

OPTIONAL COVER: 0082061000





1X12 50W 6L6 COMBO

WATTAGE: 1 to 50 Watts (Continuously Variable with Power Level Control)

EFFECTS LOOP: 1/4" (Send/Return)
INPUTS: 1/4", MIDI (Rear Panel)

EXTENSION: 1/4" Stereo Headphone Jack and Two 1/4" Parallel
POWER HANDLING: Adjustable (50 Watts RMS Max Down to 1 Watt)

CHANNELS: Three (Clean, Crunch and Lead)

CONTROLS: Channel 1 and 2: Independent Gain and Volume with Shared Low, Mid and High; Channel 3: Independent Gain, Volume, Low, Mid and High; Also Power Level, Reverb, Global Presence and Global Resonance

FFFFCTS: Reverb

CABINET: 7-Ply 3/4" Birch Maple

INDICATOR: Red LED Jewel

HANDLES: Two Spring-Loaded Side Handles and One Molded Plastic Top Handle

COVER: Black or Ivory Textured Vinyl

DUTPUT IMPEDANCE: 4, 8 or 16 ohms (Selectable)

DEPTH: 12" (30.4 cm) **WIDTH:** 24.5" (62.2 cm)

HEIGHT: 22.5" (57.15 cm) **WEIGHT:** 62 lb. (28.2 kg)

SPEAKER: One 12" Celestion EVH G12H 30W Anniversary Series

IMPEDANCE: 16 ohms (Selectable)
PREAMP TUBES: Seven JJ ECC83S (12AX7)
POWER TUBES: Two JJ 6L6 Matched
UNIQUE FEATURES: Reverb Switchable


ACCESSORIES: Four-Button Footswitch with Cable, Pop-Out Casters

OPTIONAL COVER: 7706016000

2255010010 - Black



5150III **CABINETS**THE ULTIMATE IN POWER AND PERFORMANCE



NOTHING LOOKS COOLER THAN A STACK OF SPEAKER CABINETS PULSING WITH POWER ON STAGE. USE THESE EXTENSION CABINETS — LOADED WITH 12" CUSTOM SPECIAL DESIGNED EVH CELESTION SPEAKERS — TO ENHANCE AND REFINE BOTH YOUR SOUND AND YOUR STYLE.

5150111S EL34 4X12 CABINET

MATERIAL: 7-Ply5/8" Birch Pine

HANDLE: Two Recessed Side-Mounted Steel Bars **SPERKER:** Four 12" Celestion G12 EVH 20W

IMPEDANCE: 16 ohms

POWER: 100 Watts at 16 ohms

DEPTH: 14" (35.6 cm)

WIDTH: 30" (76.2 cm)
HEIGHT: 30" (76.2 cm)

WEIGHT 88 lb. (40 kg)

......

CASTERS: Included

OPTIONAL COVER: 0073253000

5150III EL34 2X12 CABINET

MATERIAL: 7-Plv5/8" Birch Pine

HANDLE: Molded Plastic Strap with Black Powder Coated Caps SPERKER: Two 12" Celestion EVH G12H 30W Anniversary Series

PEHKER: IWO IZ GEIESHOH EVA GIZA 30W AHIIVEISAN

IMPEDANCE: 16 ohms

POWER: 50 Watts at 16 ohms

DEPTH: 14" (35.6 cm) **WIDTH:** 30" (76.2 cm) **HEIGHT:** 16.5" (41.91 cm)

WEIGHT 60 lb. (27.3 kg)
CASTERS: Included

OPTIONAL COVER: 0082026000

5150III 100S 4X12 CABINET

MATERIAL 7-Ply5/8" Birch Pine

HANDLE: Two Recessed Side-Mounted Steel Bars

SPERKER: Four 12" Celestion G12 EVH 20W

IMPEDANCE: 16 ohms

POWER: 100 Watts at 16 ohms

DEPTH: 14" (35.6 cm) **WIDTH:** 30" (76.2 cm) **HEIGHT:** 30" (76.2 cm)

WEIGHT 88 lb. (40 kg)
CASTERS Included

OPTIONAL COVER: 0073253000

NEW! 5150111 50S 2X12 CABINET

MATERIAL 7-Ply 5/8" Birch Pine

HANDLE: Molded Plastic Strap with Black Powder Coated Caps

SPERKER: Two 12" Celestion EVH G12H 30W Anniversary Series

IMPEDANCE: 16 ohms

POWER: 60 Watts at 16 ohms

DEPTH: 14" (35.6 cm) **WIDTH:** 30" (76.2 cm)

FIDIN: 30 (70.2 CIII) FIDUT: 16 5" (71 01 o

HEIGHT: 16.5" (41.91 cm)

WEIGHT 60 lb. (27.3 kg) **CASTERS:** Included

OPTIONAL COVER: 0082026000







/1018627





5150111 4X12 CABINET

MATERIAL: 7-Ply 5/8" Birch Pine

HANDLE: Two Recessed Side-Mounted Steel Bars
SPERKER: Four 12" Celestion G12 EVH 20W

IMPEDANCE: 16 ohms

POWER: 100 Watts at 16 ohms

DEPTH: 14" (35.6 cm) **WIDTH:** 30" (76.2 cm) **HEIGHT:** 30" (76.2 cm) **WEIGHT** 88 lb. (40 kg)

CASTERS: Included OPTIONAL COVER: 0073253000

NET 5150111 2X12 CABINET

MATERIAL: 7-Ply 5/8" Birch Pine

HANDLE: Molded Plastic Strap with Black Powder Coated Caps SPERKER: Two 12" Celestion EVH G12H 30W Anniversary Series

IMPEDANCE: 16 ohms

POWER: 60 Watts at 16 ohms

DEPTH: 14" (35.6 cm) **WIDTH:** 30" (76.2 cm) **HEIGHT:** 16.5" (41.91 cm) **WEIGHT** 60 lb. (27.3 kg)

CASTERS: Included

OPTIONAL COVER: 0082026000

5150III 1X12 CABINET

MATERIAL: 7-Ply 5/8" Birch Pine

HANDLE: Molded Plastic Strap with Black Powder Coated Caps SPERKER: One 12" Celestion EVH G12H 30W Anniversary Series

IMPEDANCE: 16 ohms

POWER: 30 Watts at 16 ohms **DEPTH:** 12" (30.5 cm)

WIDTH: 20" (50.8 cm) HEIGHT: 16.5" (41.91 cm)

WEIGHT 36 lb. (16.3 kg)

CASTERS: N/A
OPTIONAL COVER: 0079198000





WHEN COUPLING THE 2X12 CAB WITH AN EVH 5150111 50W HEAD, THE 50-WATT HEAD CAN BE LOCKED SECURELY Into Place, allowing for desired angle tilt.





































0221005100













CUSTOM POTENTIOMETERS

0220831000	EVH Low-Friction Pot (250k)
0220835000	EVH Low-Friction Pot (500k)
0220836000	EVH High-Friction Pot (250k)

0222139002 EVH Wolfgang Bridge Pickup, Chrome

PREMIUM GUITAR CABLES

0220100000	EVH Premium Cable 1' S to S
0220140000	EVH Premium Cable 14' S to S
0220200000	EVH Premium Cable 20' S to S
0220600000	EVH Premium Cable 6' S to S

FOOTSWITCHES & CABLES

0091166000	50-Watt Head 4 Button
0096467000	50-Watt Combo 4 Button
0071225000	7 Pin DIN 25' Cable

STRAPS

0220660006	EVH Premium Strap - 56"
0220660007	EVH Premium Strap - 42"
0220667007	EVH Nylon Strap - 42"
0220667006	EVH Nylon Strap - 56"

STRAP CLASPS WITH EYE HOOKS

0220928000 Strap Clasps with Eye Hooks

PREMIUM STRINGS

0220150042	EVH Premium Strings (.009042
0220150046	EVH Premium Strings (.009046
0220150052	EVH Premium Strings (.010050
0220150146	EVH Premium Strings (.010046

0223283002 EVH ECC83/12AX7 Tubes

EVH ACCESSORIES

SIGNATURE PICKS

D-TUNA

5550121466 EVH D-Tuna. Red

5550121467 EVH D-Tuna, Black

5550121468 EVH D-Tuna, Chrome 5550121469 EVH D-Tuna, Gold

AMPLIFIER/ENCLOSURE COVERS

0220351001 Premium Pick Tin, 12 Pack

221351202 EVH Signature Picks Red/Black, 6 Pack, .60	
21351203 EVH Signature Picks Red/Black, 6 Pack, .73	
21351204 EVH Signature Picks Red/Black, 6 Pack, .88 0090916000 EVH Wolfgang Hardshell	Case, Black
21351205 EVH Signature Picks Red/Black, 6 Pack, 1.00 0229653000 Left-Hand Wolfgang Hard	dshell Case, Black
21351402 EVH Signature Picks Black/White, 6 Pack, .60 0221512006 EVH Gig Bag, Black With	Red Interior
21351403 EVH Signature Picks Black/White, 6 Pack, .73 0221511006 EVH Star Gig Bag, Black V	With Red Interior
21351404 EVH Signature Picks Black/White, 6 Pack, .88	
21351405 EVH Signature Picks Black/White, 6 Pack, 1.00 COLLECTIBLES	
21351602 EVH Signature Picks Gray/Black, 6 Pack, .60 0225150100 EVH 5150 Decal	
21351603 EVH Signature Picks Gray/Black, 6 Pack, .73 0221005100 EVH Micro Stack, Stealth	Black
21351604 EVH Signature Picks Gray/Black, 6 Pack, .88 0223534100 5150III EL34 Micro Stack,	, Black and Gold

9123004000 EVH Logo, 24" Barstool 9123005000 EVH Logo, 36" Barstool 0225150024 EVH 5150, 24" Barstool

CLOTHING

0225150030 EVH 5150, 30" Barstool NEW 0227528100 EVH 5150 Skateboard, Red with White and Black Stripes

0221351605 EVH Signature Picks Gray/Black, 6 Pack, 1.00

0221351802 EVH Signature Picks White/Black, 6 Pack, .60

0221351803 EVH Signature Picks White/Black, 6 Pack, .73

0221351804 EVH Signature Picks White/Black, 6 Pack, .88

0221351805 EVH Signature Picks White/Black, 6 Pack, 1.00

0073406000 5150III 100-Watt Head Amplifier Cover, Black

0079197000 5150III 50-Watt Head Amplifier Cover, Black

0221600006 5150III LBX Head Gig Bag, Black

0082061000 5150III 212 Combo Cover, Black

7706016000 5150III 112 Combo Cover, Black

0079198000 5150III 1x12 Cabinet Cover, Black

0082026000 5150III 2x12 Cabinet Cover, Black

0073253000 5150III 4x12 Cabinet Cover, Black

NEW 0227475100 Striped Series Shark Hardshell Case, Black with

9129653306	EVH Wolfgang T-Shirt, Black, S
9129653406	EVH Wolfgang T-Shirt, Black, M
9129653506	EVH Wolfgang T-Shirt, Black, L
9129653606	EVH Wolfgang T-Shirt, Black, XL
9129653706	EVH Wolfgang T-Shirt, Black, XXL
9122001306	EVH Logo T-Shirt, Black, S

9122001406 EVH Logo T-Shirt, Black, M 9122001506 EVH Logo T-Shirt, Black, L

9122001606 EVH Logo T-Shirt, Black, XL 9122001806 EVH Logo T-Shirt, Black, XXL

9122015406 EVH Woven Shirt, Black, M 9122015506 EVH Woven Shirt, Black, L

9122015606 EVH Woven Shirt, Black, XL 9122015806 EVH Woven Shirt, Black, XXL

9123002000 EVH Knitted Beanie, Black

9123003000 EVH Baseball Hat, Black

Various Assortment









5550121467

0226100506 Striped Series Hardshell Case, Black

CASES AND GIG BAGS

EVHGEAR.COM © 2020 FMIC. EVH, the EVH logo, 5150, 5150III, D-Tuna, Frankenstein, Wolfgang and the unique headstock design of this guitar are registered trademarks of ELVH, Inc. All rights reserved. Specifications are subject to change.