



# Guide to ScienceDirect Usage Reports

Version: December 2025

# Contents

<b>COUNTER REPORTS .....</b>	<b>2</b>
1.1    General information .....	2
1.1.1    Platforms included .....	2
1.1.2    Available months .....	2
1.1.3    COUNTER report retrieval .....	2
1.2    Platform and Title Reports .....	3
1.2.1    PR – Platform Report .....	3
1.2.2    PR_P1 – Platform Usage .....	3
1.2.3    TR – Title Report .....	3
1.2.4    TR_B1 – Book Requests (Controlled) .....	3
1.2.5    TR_B2 – Book Access Denied .....	3
1.2.6    TR_B3 – Book Usage by Access Type .....	3
1.2.7    TR_J1 – Journal Requests (Controlled) .....	3
1.2.8    TR_J2 – Journal Access Denied .....	3
1.2.9    TR_J3 – Journal Usage by Access Type .....	3
1.2.10    TR_J4 – Journal Requests by YOP (Controlled) .....	3
1.3    Glossary for COUNTER .....	4
1.3.1    COUNTER metrics .....	4
1.3.2    Attributes .....	5
<b>SUPPLEMENTARY REPORTS .....</b>	<b>5</b>
1.4    General information .....	5
1.5    Report: SD_Supplementary Reports by Platform and Access Type .....	5
1.5.1    Overview .....	6
1.5.2    sciencedirect TR_SJ1 Total Item Requests by Platform .....	6
1.5.3    sciencedirect TR_SJ2 Unique Item Requests by Platform .....	6
1.5.4    sciencedirect TR_SJ3 Total Item Investigations by Platform .....	6
1.5.5    sciencedirect TR_SJ4 Total Item Requests by Access Type .....	6
1.5.6    sciencedirect TR_SJ5 Unique Item Requests by Access Type .....	6
1.5.7    sciencedirect TR_SJ6 Total Item Investigations by Access Type .....	6
1.6    COUNTER COP5 TR and PR reporting parameters .....	7
1.7    Elsevier Product Insights for Customers (E-PIC) .....	7
1.8    Glossary for Supplementary Reports .....	7

# COUNTER REPORTS

Starting in 2025, Elsevier usage reports comply with the COUNTER Code of Practice (COP) Release 5.1. COUNTER prescribes two types of reports in this Code of Practice: customizable reports and standard views. The customizable reports can be customized by the user, who can determine which metrics and attributes should be in the report, and how the report should be filtered. To help with the most prominent use cases, COUNTER defined standard views, which are pre-filtered views of the customizable reports.

## 1.1 General information

### 1.1.1 Platforms included

*Customizable Reports:* The ScienceDirect customizable reports (PR and TR) collate the usage of ScienceDirect-entitled content and the usage of Elsevier content that was collected via the DUL protocol.

The platform name “ScienceDirect entitled content” includes usage from the ScienceDirect.com website, the Journal Branded Sites (e.g. theLancet.com), and via API (mainly text and data mining: TDM).

These reports will also include full text usage of Elsevier-owned content on other platforms, collected via Distributed Usage Logging (DUL) protocol. This usage will be reported under the platform name where the usage occurred (e.g. Mendeley). For more information on DUL, please refer to the [COUNTER](#) website.

*Standard views:* The standard views have been pre-filtered according to the COUNTER guidelines, which means that TDM and DUL usage is not included in these views.

### 1.1.2 Available months

The metrics are the same between COP5.0 and COP5.1. Only the format of the reports, and the values for Access\_Type and Data\_Type have changed.

As an additional service, we have backfilled selected metrics for previous years before January 2025. The new values for Data\_Type and Access\_Type will not be applied before January 2025. These fields will reflect the COP5.0 values except for access\_type OA\_Gold which will be replaced by Open.

### 1.1.3 COUNTER report retrieval

COUNTER reports can be retrieved via the COUNTER API (formerly SUSHI) or via a web interface. For information on the COUNTER API, please refer to <https://www.elsevier.com/librarians/usage-reports>

In the web interface, after selecting the product, one of the reports applicable to the product can be chosen. Select the “from” and “to” dates and the export format (TSV is a tab delimited file which can be opened with Excel or similar programs; JSON is the COUNTER API compliant format). After clicking “Execute”, the report will be run in the background.

If you select a Customizable Report (PR or TR), the selections for the metrics, filters and attributes applicable to the report will appear. Check the tick box if you want the attribute to appear in the report as a column and click the dropdown menu if you want to filter on the attribute.

You can check the status of the report under “Requested report status”. Reports will be available for a couple of days. A report can be exported or opened by clicking on the status icon.

#### Requested report status (COP5)

Customer Id	Report name	Product	Format	Status	Date submitted (mm/dd/yyyy)	Expiring date (mm/dd/yyyy)
CO000000	PR_P1	SD	TSV			

## 1.2 Platform and Title Reports

ScienceDirect has as COUNTER host types E-Journal and eBook, and thus needs to supply Platform Reports (PR, PR\_P1) and Title Reports (TR, TR\_B1 to B3, TR\_J1 to J4). For official descriptions of the reports, please refer to [COUNTER website](#). A summary of the new metrics is available in the [Glossary for COUNTER](#).

### 1.2.1 PR – Platform Report

A customizable report that summarizes activity across the platform and allows the user to customize columns, metrics, attributes and filters as desired. The user can include searches, requests, investigations and access denied metrics.

### 1.2.2 PR\_P1 – Platform Usage

A standard view of the Platform Master Report offering platform-level usage summarized by metric type. The report includes the metrics searches\_platform, total\_item\_requests, unique\_item\_requests and unique\_title\_requests.

### 1.2.3 TR – Title Report

This customizable report provides comprehensive information about activity at the title level for both books and journals. The report includes all metrics and attributes relevant to any of the Title Standard Views. This is a flexible report that allows the user to customize columns, metrics, attributes and filters as desired. Metrics that can be included are the different types of request, investigation and access denied metrics.

Elsevier has added a couple of additional reports based on the Title Report. Descriptions of these reports can be found in the section “Supplementary Reports”.

### 1.2.4 TR\_B1 – Book Requests (Controlled)

This standard view reports on full text activity for books and reference works excluding Open and Free\_To\_Read content as total\_item\_requests and unique\_title\_requests. The unique\_title\_requests provides usage that can be compared across book platforms, whether the download happened per chapter or as a whole book. The total\_item\_requests shows overall activity. On ScienceDirect, an item is defined as a chapter.

### 1.2.5 TR\_B2 – Book Access Denied

A standard view that reports on access denied activity for books where users were denied access because their institution did not have a license for the book.

### 1.2.6 TR\_B3 – Book Usage by Access Type

TR\_B3 reports on book usage showing all applicable metric types broken down by access\_type (Controlled, Open and Free\_To\_Read).

### 1.2.7 TR\_J1 – Journal Requests (Controlled)

This journal report gives the usage of journal content for articles, excluding Open and Free\_To\_Read, as total\_item\_requests and unique\_item\_requests.

Unique item requests measure usage independent of the content format and user interface (i.e. an HTML and a pdf download of the same article in the same user session count as a single unique\_item\_request). The total\_item\_requests shows overall activity.

### 1.2.8 TR\_J2 – Journal Access Denied

This standard view reports on access denied activity for journal content where users were denied access because their institution did not have a license for the title.

### 1.2.9 TR\_J3 – Journal Usage by Access Type

TR\_J3 reports on usage of journal content for all metric types broken down by access\_type (Controlled, Open and Free\_To\_Read).

### 1.2.10 TR\_J4 – Journal Requests by YOP (Controlled)

This report breaks down the usage of journal content, excluding Open and Free\_To\_Read content, by year of publication (YOP), providing counts for total\_item\_requests and unique\_item\_requests.

Provides the details necessary to analyze usage of backfiles content or content covered by perpetual-access agreement. Note: COUNTER reports do not provide access model or perpetual access rights details.

## 1.3 Glossary for COUNTER

### 1.3.1 COUNTER metrics

For official definitions of the metrics and attributes, please refer to [COUNTER website](#)

Note: Unique item metrics apply to both journals and books. Unique title metrics only apply to books. Unique metrics are calculated within a user-session: A single user connects to the service or database and ends by terminating activity that is either explicit (by leaving the service through exit or logout) or implicit (timeout due to user inactivity).

Metric name	Description	Platform-specific notes
<b>Searches</b>	<b>A user-driven intellectual query. A user action that results in a result list or a change to the existing result list</b>	
Searches_Platform	Searches conducted by users and captured at the platform level	
<b>Requests</b>	<b>Requests relate to the usage of full text in any format (e.g. HTML, PDF, XML)</b>	
Total_Item_Requests	Total number of times a content item was requested	On ScienceDirect an item is an article or a chapter
Unique_Item_Requests	Number of unique content items requested in a user-session	Multiple requests for an item are consolidated within a user-session in unique item requests
Unique_Title_Requests	Number of unique titles requested in a user-session	Multiple requests for items within a book title are consolidated within a user-session in unique title requests
<b>Investigations</b>	<b>Investigations include Requests (see above), abstract views, abstract previews and use of article-related multimedia content and article related research data sets</b>	
Total_Item_Investigations	Total number of times a content item or information related to a content item was accessed	On ScienceDirect an item is an article or a chapter
Unique_Item_Investigations	Number of unique content items investigated in a user-session.	Multiple investigations of an item are consolidated within a user-session in unique item investigations
Unique_Title_Investigations	Number of unique titles investigated in a user-session.	Multiple investigations for items within a book title are consolidated within a user-session in unique item investigations
<b>Access Denied Metrics</b>		
Limit_exceeded	Number of times access was denied because the licensed simultaneous-user limit for the user's institution was exceeded.	ScienceDirect does not have a simultaneous user limit
No_License	Number of times access was denied because the user's institution did not have	Counts redirects to abstract when user is not entitled to the full text

	a license to the content.	
--	---------------------------	--

### 1.3.2 Attributes

Attribute name	Description	Values applicable to ScienceDirect reports
Access_method	This attribute indicates whether the usage was generated by a human user browsing and searching a website (“Regular”) or by Text and Data Mining processes (“TDM”)	Regular; TDM
Access_type	This attribute is used to report on the nature of access control restrictions, if any, placed on the content item at the time when the content item was accessed. If the item was not freely accessible by all because access is restricted to authorized users, the access_type is “Controlled”; “Open” indicates that the content item is openly available for all users and will be permanently available. Free_To_Read is used for content that is freely accessible, but is not permanently available.	Controlled; Open; Free_To_Read
Data_type	The field identifying type of content.	Journal; Book; Reference Work
DUL	Distributed Usage Logging is an initiative sponsored by CrossRef that provides a framework for publishers to capture usage of DOI-identified content items that occurs on other web sites, such as aggregators, repositories, and scholarly information-sharing sites.	
YOP	Calendar year in which an article, item, issue, or volume is published. For ScienceDirect, the cover date of the print issue is used. Article in Press is assigned the value “9999”, while “0001” indicates that the year of publication is unknown.	YYYY; 0001; 9999

## SUPPLEMENTARY REPORTS

### 1.4 General information

In addition to the required COUNTER reports, ScienceDirect supplies a set of additional reports to give more detailed insights into the usage.

### 1.5 Report: SD\_Supplementary Reports by Platform and Access Type

These reports are based on the COUNTER Title report and show the total Regular usage of Elsevier journal content on the Elsevier platforms and usage collected via DUL. Each report contains a single metric and shows usage per journal.

### 1.5.1 Overview

This report gives a short description of the reports. It also includes a summary of the Total Item Requests per platform.

COUNTER COP5 Reports [?](#)  
Standard, Master and Custom usage reports as per COUNTER Code of Practice Release 5 can be downloaded on-demand in E-PIC.  
To automate the download of these COUNTER reports please refer to our [SUSHI Elsevier developer portal](#).

Retrieve reports

\*Required fields

Science Direct

Choose report\*

- sciedirect:TR\_SJ1 - Total Item Requests by Platform
- sciedirect:TR\_SJ2 - Unique Item Requests by Platform
- sciedirect:TR\_SJ3 - Total Item Investigations by Platform
- sciedirect:TR\_SJ4 - Total Item Requests by Access Type
- sciedirect:TR\_SJ5 - Unique Item Requests by Access Type
- sciedirect:TR\_SJ6 - Total Item Investigations by Access Type

### 1.5.2 sciedirect TR\_SJ1 Total Item Requests by Platform

This report shows the Total Item Requests per journal from January 2017 onwards, via the Regular access method on the Elsevier platforms and via DUL. The report includes a period total for the platform Elsevier Licensed Content and a period total for the usage collected via DUL.

### 1.5.3 sciedirect TR\_SJ2 Unique Item Requests by Platform

This report shows the Unique Item Requests per journal from January 2019 onwards, via the Regular access method on the Elsevier platforms and via DUL. The report includes a period total for the platform Elsevier Licensed Content and a period total for the usage collected via DUL.

### 1.5.4 sciedirect TR\_SJ3 Total Item Investigations by Platform

This report shows the Total Item Investigations per journal from January 2019 onwards, via the Regular access method on the Elsevier platforms and via DUL. The report includes a period total for the platform Elsevier Licensed Content and a period total for the usage collected via DUL.

### 1.5.5 sciedirect TR\_SJ4 Total Item Requests by Access Type

This report shows the Total Item Requests per journal from January 2017 onwards, via the Regular access method on the Elsevier platforms and via DUL. The report includes a period total for Access Types Controlled, Open and Free\_To\_Read.

### 1.5.6 sciedirect TR\_SJ5 Unique Item Requests by Access Type

This report shows the Unique Item Requests per journal from January 2019 onwards, via the Regular access method on the Elsevier platforms and via DUL. The report includes a period total for Access Types Controlled, Open and Free\_To\_Read.

### 1.5.7 sciedirect TR\_SJ6 Total Item Investigations by Access Type

This report shows the Total Item Investigations per journal from January 2019 onwards, via the Regular access method on the Elsevier platforms and via DUL. The report includes a period total for Access Types Controlled, Open and Free\_To\_Read.

## 1.6 COUNTER COP5 TR and PR reporting parameters

TR and PR COP5 Reports provide some parameters that allow you to get more insights into your COP5 reports by breaking down the COP5 metrics by additional attributes.

- **Sciencedirect:Group** (for accounts only): Group attribute that enables Counter usage reporting per Group (organizational unit) for ScienceDirect customers. The groups are flexible and customizable through Admin Tool
- **sciencedirect:SAML\_Analytics\_Tag**: [SAML](#) attribute that enables granular usage reporting for ScienceDirect customers using Federated Authentication. Its end-to-end flow with ScienceDirect is available to all ScienceDirect customers via E-PIC
- Consortium Members **Institution\_Name and Customer\_ID** (for Consortia only): These additional attributes offer you the ability to download detailed reports that show total usage for all members of the consortium, and which can be broken down by institution

## 1.7 Elsevier Product Insights for Customers ([E-PIC](#))

E-PIC platform offers additional reports and visualizations based mostly on COP5 usage:

- ScienceDirect Usage widget
- Journal Demand widget
- Journal Turnaways widget
- Book Turnaways widget
- Journal Value Beyond Downloads widget
- Popular Publications widget
- Remote Usage widget
- API usage widget

All documentation about these supplementary reports and visualizations are available by clicking on question marks right side of the title at the top of the report.

## 1.8 Glossary for Supplementary Reports

API types		
API name	Platform	Example
Article Retrieval API	ScienceDirect	Returns an article or abstract of an article, depending on the user's entitlements, given a document identifier. Article Retrieval API response includes links to various resources or objects associated with an article. Can be used for text and data mining purposes.
ScienceDirect Query API	ScienceDirect	Allows user to search ScienceDirect content based on specified search criteria.
Full-Text Entitlement API	ScienceDirect	Returns a usage report based on the account's ScienceDirect holdings. Data is delivered in the Knowledge Base and Related Tools (KBART) format.
Object Retrieval API	ScienceDirect	Returns objects associated with a full-text article.

Scopus Query API	Scopus	Allows user to search Scopus abstracts based on a specified search criteria.
Abstract Retrieval API	Scopus	Scopus abstract for a specified document(s), which includes links to various resources associated with an abstract, such as author and affiliation profiles.
Author Retrieval API	Scopus	Author Retrieval: Scopus author profile for a specified author(s).
Abstract Citation Count Metadata API	Scopus	Scopus cited-by count image for a specified Scopus document(s).
Author Search API	Scopus	Allows user to search Scopus author profiles based on specified search criteria.
Abstract Citation Count API	Scopus	Scopus cited-by count image for a specified Scopus document(s).
Affiliation Retrieval API	Scopus	Scopus affiliation profile for a specified affiliation(s).