

# Collomix CMG 1700



**Absolute NEW  
1700 watt  
motor power**



**Grind in the Champion  
class:  
the new concrete  
grinder with the  
outstanding and  
convincing performance.**


# Concrete grinder CMG 1700

## NEW TECHNOLOGY AND OUTSTANDING PERFORMANCE FOR THE ABSOLUTE BEST RESULTS

To grind down glue and adhesive residuals from tile and floor coverings; to polish concrete and screed surfaces; to remove formwork seams, coatings, and paint; to wear down and polish mineral surfaces.



Practical sliding protection guard, for easy grinding close to border and edges



Protective cover with vacuum cleaner connection and lamellar ring



reliable performance.

- Modern technics for a convincing performance and durability in this grinder size.
- A 1700 watt motor for a new dimension of performance: benchmark in torque, output and overload capacity; for a quick working progress.
- High abrasive rate on concrete thanks to high quality diamond discs; for a quick working progress
- Optimized cooling concept: optimized air flow motor cooling, air outlet aside from the grip zone; optical warning display indicator.
- Protective cover with vacuum cleaner connection
- Sliding protection guard, for easy grinding close to border and edges
- Safety rubber lamellar ring with sealing function for a high constant dust suction performance.
- Adjustable handle makes the grinder easy to steer for every user.
- The spindle lock permits to change the disc in almost no time
- Full wave electronics; soft starting, starting current limitation, start up and overload protection; shut off carbon brushes
- 2 years warranty

MADE IN  
GERMANY







Brand new motor concept for better performance  
High-quality diamond cup-wheel for a strong result



Cup wheel BST 125




Concrete



Tile adhesive




Screed



Cup wheel PKD



Paintings



Bitumen



Carpet scraps

#### Technical data

Output:	1700 watts
Voltage:	230 V / 50 Hz
rpm (no load):	9600 min <sup>-1</sup>
Ø cup wheel:	125 mm, Ø 22,2 mm, h: 22 mm
Weight (without cup):	3,0 kg
Power cord:	4,0 m; H 07 RN-F 2 x 1mm
Ø vacuum connector:	Ø 35 mm
Accessory:	Cup wheel BST 125 (f. concrete)
Equipped:	case, pin type socket wrench
Item no.:	19200
EAN:	4011024192004
Item no. lamellar ring:	



# Concrete grinder CMG 1700

Because your health is important to us:

## Deduster VAC 35 M



**High suction performance vacuum cleaner for concrete grinder CMG 1700; fine dust filter for a clean and healthy working process**

- Constant working process without interruptions becomes possible thanks to a 2 filter system.
- Automatic cleaning of the filter while operating
- High air flow rate for a clean and dust free working process BGIA certification for dust class M
- Automatic switch on
- Compact and stable
- Practical storage place for accessories
- Intuitive operating elements for an easy handling

### Technical data

Output:	1400 watts
Air volume:	61 l/s
low-pressure:	248 mbar
chamber volume gross/net:	35L/25L
dust classification:	"M" resp. DIN EN 60335-2-69
Power cord:	8 meter
Weight:	14,8 kg
Hose connector:	Ø 35 mm
Hose lenght:	5 m
Item no.:	19007
EAN:	4011024190079