





Index

So good to be bad	5
Unique and unmistakeable	7
The engine is king	8
No compromise	9
Unique and distinctive style	11
Safety as standard	12
Endless excitement	13
Always by your side	15
More value to your passion	17
Technical data and equipment	18
Accessories	28
	3



So good to be bad

Powerful, muscular, yet also agile for maximum riding pleasure. The new Diavel 1260 combines the performance of a maxi-naked with the ergonomics of a muscle cruiser. Its design reinterprets Diavel style, giving it a contemporary twist with a line that is both imposing and agile, and which perfectly integrates the 159 HP Testastretta DVT 1262 engine, the beating heart of the new Diavel 1260: a bike bold in character with which you will finally feel free to express your personality on the road.



Unique and unmistakeable

The muscular lines and imposing front end give the Diavel 1260 its unique character and personality, while the wide air vents and trellis frame enclose the engine. The rear end, agile and slender, stands out for its unmistakeable 240 mm rear tyre. The character of the new Diavel 1260 is paramount with the S version, thanks to Öhlins suspension that emphasises the design and enhances the level of performance and riding comfort. Every rider will play a starring role with the new Diavel 1260.





The engine is king

The Testastretta DVT 1262 engine: "The engine is king", as per Ducati tradition. Its 159 HP makes for breath-taking acceleration, while the torque curve, flat and constant already at low revs, ensures continuous and rich delivery that reaches a peak of 13.1 kgm at 7,500 rpm. The advanced electronics ensure maximum riding pleasure in all conditions, while engine character and response can be personalised at any time with the Ride by Wire control combined with the three Power Modes. Active safety is maximised thanks to Ducati Wheelie Control Evo and the Ducati Safety Pack, which includes Bosch Cornering ABS Evo and Ducati Traction Control Evo. The Ducati Quick Shift, as standard on the S version, allows for extremely rapid up and downshifting.

No compromise

The new Diavel 1260 is a coming together of personality, sportiness and comfort. The trellis frame offers lightness and rigidity, while the fully adjustable 50 mm fork guarantees comfort and precision during sports riding. The combination of a wide handlebar, low seat and central footpegs makes for a low centre of gravity and a comfortable position, facilitating the ride whatever the conditions. The seat, wide and comfortable, easily accommodates two. And on the S version, enjoyment and performance are heightened to the max thanks to Öhlins suspension, with a 48 mm front fork and single rear shock, both fully adjustable, which further enhance the riding experience.

When riding the new Diavel 1260, Ducati proposes the Black Rider leather jacket paired with Company jeans, the Black Steel helmet, Downtown technical boots and Logo gloves.

Ducati Apparel Collection designed by **Drudi Performance**





Unique and distinctive style

On the S version, special components and sophisticated details enhance the unique style of the new Diavel 1260. Its design is enriched with a dedicated seat, complete with insert bearing the name of the bike, and exclusive wheel rims, cast and machine-processed. The Brembo M50 radial calliper at the front, fully adjustable Öhlins suspension with unmistakeable gold finish, and the Ducati Quick Shift up/ down all emphasise its sporty nature, while the full LED headlight with Daytime Running Light system ensures the new Diavel 1260 S is recognisable at first glance. Also featuring the Ducati Multimedia System for the safe management of calls and music on your smartphone.

Safety as standard



The continuous work that Ducati carries out in terms of design, research and development serves to ensure cutting edge bikes characterised by maximum active safety levels. A commitment that involves the

definition of increasingly advanced technological systems to increase the rider's level of control, such as the Ducati Safety Pack (DSP) that, for Diavel 1260, includes Bosch ABS Cornering Evo and Ducati Traction Control (DTC).




Endless excitement

In designing each bike, Ducati constantly strives to ensure maximum reliability while reducing service costs. A commitment that has seen the intervals for the main Desmo Service, in which valve clearance is checked and adjusted if necessary, to be extended to 30,000 km for the Diavel 1260. Even the simplest of checks, such as the Oil Service, are extended to 15,000 km or 12 months. A considerable interval for such high performance engines, which only confirms the high quality standards adopted in terms of material selection and R&D processes. Ducati continuously invests in the technical training of its dealers. The specific skills offered by the official Ducati Service network ensure that all those operations needed to keep every Ducati in perfect condition are thoroughly executed, while advanced equipment such as the Ducati Diagnosis System allows the software on each Ducati to be updated with the latest releases, ensuring that the electronics continue to perform at the maximum level.



*Equal to 18,000 miles



Always by your side



One of Ducati's main goals is to offer every Ducatista the chance to enjoy unlimited and safe travel all over the world. To achieve this aim, Ducati offers a "fast delivery" original spares service, with delivery in 24/48 hours

across 85% of the areas in which it operates. With a distribution network that covers more than 91 countries, thanks to 732 official Dealers and Service Points*, choosing a Ducati means you can travel worry free and in total freedom, wherever the road may take you, and count on support from our extensive Dealer network that ensures Ducati quality and professionalism is always close at hand.



More value to your passion

Ever Red


Extended Warranty

With Ever Red, the quality and reliability of the Ducati brand remain your inseparable travelling companions over time. Ever Red is the exclusive Ducati warranty extension programme. With its activation you can continue to feel protected for 12 or 24 months beyond the expiration of the Ducati Warranty (24 months). Ever Red includes roadside assistance for the entire coverage period and no mileage limits. In this way you can ride for all the kilometres you want, even abroad, enjoying your Ducati without any worries.

To find out if the Ever Red extension is available in your country and for further information contact your Ducati dealer or visit ducati.com.

Technical data and equipment





	Engine
Engine	Ducati Testastretta DVT 1262, L-Twin cylinder, 4 valves per cylinder, Dual Spark, Liquid cooled, Desmodromic Variable Timing
Displacement	1,262 cc (77.0 cu in)
Bore X stroke	106 x 71.5 mm
Compression ratio	13.0 : 1
Maximum power	159 hp (117 kW) @ 9,500 rpm
Maximum torque	95 lb-ft (129 Nm, 13.1 kgm) @ 7,500 rpm
Fuel injection	Bosch electronic fuel injection system, Øeq 56 mm elliptical throttle bodies with Ride-by- Wire system
Exhaust	Stainless steel pipes and single muffler with twin tail pipes, Catalytic converter and 2 lambda probes
	Transmission
Gearbox	6 speed
Primary drive	Straight cut gears, Ratio 1.84:1
Ratio	1=37/15, 2=30/17, 3=27/20, 4=24/22, 5=23/24, 6=22/25
Final drive	Chain, Front sprocket Z15, Rear sprocket Z43
Clutch	Slipper and self-servo wet multiplate clutch with hydraulic control

	Chassis	Dime	nsions and Weights		Maintenance
Frame	Tubular steel trellis frame	Dry weight	218 kg (481 lb)	Valve clearance adjustment	30,000 km (18,000 miles)
Front suspension	Ø 50 mm adjustable usd fork	Kerb weight	244 kg (538 lb)	-	ons & Consumption*
Front wheel	Light alloy cast 3.5"x17"	Seat height	780 mm (30.7 in)	Standard	Euro 4
Front tyre	Pirelli Diablo Rosso III 120/70 ZR17	Wheelbase	1,600 mm (63.0 in)	Stallualu	
Thome type		Rake	27°	CO ₂ Emissions	128 g/km
Rear suspension	Monoshock, preload and rebound adjustable, Aluminium casted single-sided swingarm	Front wheel wtrail	120 mm (4.7 in)	Consumption	5.4 l/100 km
		Fuel tank capacity	17 l (4.5 US Gal)		
Rear wheel	Light alloy cast 8.0"x17"	Number of seats	2		
Rear tyre	Pirelli Diablo Rosso III 240/45 ZR17	Riding Modes, F (Bosch Cornering	ndard Equipment Power Modes, Ducati Safety Pack gABS Evo, Ducati Traction Control		
Wheel travel (front/rear)	120 mm / 130 mm (4.7 in / 5.1 in)	Cruise control, Hands-Free, Ba	ati Wheelie Control Evo (DWC), Ducati Power Launch Evo (DPL), acklit handlebar switches, 3.5"		
Front brake	2 x Ø 320 mm semi-floating discs, Radially mounted Brembo monobloc 4-piston M4.32 callipers, PR18/19 radial master	TFT colour display, Full LED lighting system, Self cancelling turn indicators. Ready for:Ducati Quick Shift up/down Evo (DQS), Ducati Multimedia System (DMS), Antitheft system			
	cylinder, Bosch Cornering ABS		Warranty		
Ø265mmdisc,2-pistonBrembo floating calliper,BoschCornering ABS Evo		24 months, Unlimited mileage		DESMO SERVICE	
			Maintenance	Squal to	o 18,000 miles.
Instrumentation	3.5" TFT colour display and dedicated warning light display	Mainteinance service intervals	15,000 km (9,000 miles) / 12 months	maximum power is 15	Nexico fuel tank capacity is 16 l (4.2 US gal) and 7 hp (116 kW) @ 9,250 rpm. here the Euro 4 standard applies.



	Diavel 1260	Diavel 1260 S
Front Suspension	Ø 50 mm fully adjustable usd fork	Ø 48 mm Öhlins fully adjustable usd fork, TiN treatment
Rear Suspension	Monoshock, preload and rebound adjustable	Öhlins fully adjustable monoshock,
Seat	Standard	Premium
Front Brake	Radially mounted Brembo monobloc 4-piston M4.32 callipers, PR18/19 radial master cylinder	Radially mounted Brembo monobloc 4-piston M50 callipers, PR16/19 radial master cylinder
Wheels	Cast	Cast and machined
Daytime Running Light (DRL)	_	Standard*
Ducati Quick Shift up/down (DQS)	Accessory	Standard
Ducati Multimedia System (DMS)	Accessory	Standard

* Please contact your dealer for information on availability.



1 Fully adjustable front and rear Öhlins suspension with golden finish





2 Exclusive cast and machine-processed rims

3 Premium seat with Diavel insert



Bodywork: Sandstone Grey Frame: Charcoal Black





DUGUSI

-


Bodywork: Sandstone Grey Frame: Charcoal Black



Accessories

To enhance riding pleasure, numerous accessories have been created, all embodying that blend of sportiness, elegance and comfort for which this bike stands out. To express the various facets of its personality, Ducati has designed and created three packages: Sport, Touring and Urban. Machined from solid aluminium and carbon details come together in the Sport package, which aims to enhance the powerful and muscular character of the Diavel 1260. For those who want to travel in comfort, whether alone or in two, the Touring package allows you to fully enjoy the bike's cruiser skills and be comfortable even when not riding. The Urban package boasts a strong and refined style, thanks to precious machined from solid aluminium details that highlight a unique and irreverent elegance.





💿 🛕 💆 🛛 2 Carbon front mudguard









1 Billet aluminium rearview mirrors



OK A Premium seat

Other accessories for your Diavel

Endcaps for type-approved silencers	A
Carbon front mudguard	Μ
Smoked Sport Headlight Fairing	F
RH aluminium rear-view mirror	ок
LH aluminium rear-view mirror	ок
Set of 2 adapters for rear-view mirrors	A
LH aluminium rear-view mirror	ок
RH aluminium rear-view mirror	ок
Billet aluminium clutch cover	A
Billet aluminium frame plugs	A
Forged aluminum rims	A
Brake lever	A
Clutch lever	
Front fork slider	A
Ducati Quick Shift	

Heated handgrips.
Ducati Multimedia System
Heated handgrips
Comfort seat
Lowered seat
Magnetic tank bag
Set of semi-rigid side panniers
Rear bag
Passenger rear backrest
Passenger rear backrest
Diavel 1260 Sport accessory package
Diavel 1260 Toruing accessory package
Diavel 1260 Urban accessory package

Key to symbols

For racing use only - The product marked with this symbol can only be used on competition vehicles. Use outside a competition track of motorcycles equipped with this product is prohibited by law. Verify any further restrictions with the relevant race course. Motorcycles equipped with this accessory are prohibited from operating on public roads.





- **OK** This accessory is approved for road circulation in Europe
- This accessory cannot be used/sold in Japan





For more information about the Ducati Performance range, tech specs and instructions, refer to a Ducati Dealer or visit the Accessories section of the ducati.com website





ducati.com

Riding a motorcycle is the most exciting way to enjoy the road, and offering the utmost safety to the motorcyclist is Ducati's commitment. Ducati bikes are increasingly easy to handle, reliable and better equipped to guarantee maximum safety and enhance riding pleasure. Technical clothing is made with more and more advanced materials for adequate protection and increased visibility. The safety of motorcyclists is Ducati's commitment. For more information visit the safety section of the Ducati site (www.ducati.com).

Warning: The photos and technical information in this catalogue may refer to prototypes subject to modifications during production and are purely for illustration and reference purposes, and are therefore not binding on Ducati Motor Holding S.p.A. Sole Shareholder Company - Company subject to the direction and coordination of AUDI AG ("Ducati"). Ducati cannot be held responsible for any print and/or translation errors. This catalogue is transnational and therefore some products may not be available and/or their features may vary in accordance with local laws. Not all colours and versions are available in each country. Ducati reserves the right to make changes and improvements to any product without obligation of prior notice or to make such changes to products already sold. Further characteristics of the products are contained in the pertinent owner's manuals. The products represented are not definitive versions and are therefore subject to significant changes at Ducati's discretion without prior notice. The photographs published in this catalogue show only professional riders under controlled street conditions. Do not attempt to imitate such riding behaviour as it could be dangerous for you or other people on the road. This catalogue, including but not limited to the trademarks, logos, texts, images, graphics and table of contents herein, constitute Ducati intellectual property, or in any event Ducati has the right to reproduce it; any reproduction, modification or other whole or partial use of the catalogue or its contents, including publication on the Internet without the prior written consent of Ducati, is prohibited.

Actual fuel consumption may vary based on many factors, including but not limited to riding style, maintenance performed, weather conditions, surface characteristics, tyre pressure, load, weight of the rider and the passenger, accessories.

Ducati indicates the dry weight of the motorcycle excluding battery, lubricants and coolants for liquid-cooled models. The weights in running order are considered with all operating fluids, standard equipment and the fuel tank filled to 90% of its useful capacity (UE regulation no. 168/2013). For more information visit www.ducati.com. Printed in February 2019



MANCE Technical partner