HONDA
The Power of Dreams

How we move you.
CREATE ▸ TRANSCEND, AUGMENT



SPECIFICATION

	ROADSYNC TYPE	STANDARD TYPE
ENGINE TYPE	4-STROKE, 4-VALVE, SOHC, LIQUID-COOLED, ESP+	4-STROKE, 4-VALVE, SOHC, LIQUID-COOLED, ESP+
DISPLACEMENT	157 CC	157 CC
BORE & STROKE	60.0 X 55.5 MM	60.0 X 55.5 MM
COMPRESSION RATIO	12.0 : 1	12.0 : 1
MAXIMUM POWER	11.8 KW @ 8,500 RPM	11.8 KW @ 8,500 RPM
MAXIMUM TORQUE	14.7 NM @ 6,500 RPM	14.7 NM @ 6,500 RPM
STARTING SYSTEM	ELECTRIC	ELECTRIC
ENGINE OIL CAPACITY	0.9 L	0.9 L
FUEL SYSTEM	PGM-FI	PGM-FI
FUEL CONSUMPTION (WMTC)	46.0 KM/L	46.0 KM/L
TRANSMISSION TYPE	AUTOMATIC	AUTOMATIC
SUSPENSION TYPE (FRONT)	TELESCOPIC	TELESCOPIC
SUSPENSION TYPE (REAR)	TWIN SHOCK	TWIN SHOCK
BRAKE TYPE (FRONT)	HYDRAULIC DISK	HYDRAULIC DISK
BRAKE TYPE (REAR)	HYDRAULIC DISK	HYDRAULIC DISK
TIRE SIZE & TYPE (FRONT)	110/70 – 14MC 50P (TUBELESS)	110/70 – 14MC 50P (TUBELESS)
TIRE SIZE & TYPE (REAR)	130/70 – 13MC 63P (TUBELESS)	130/70 – 13MC 63P (TUBELESS)
WHEEL TYPE	CAST WHEEL	CAST WHEEL
OVERALL DIMENSIONS (L X W X H)	1,936 X 742 X 1,123 (MM)	1,936 X 742 X 1,123 (MM)
CURB WEIGHT	133 KG	132 KG
SEAT HEIGHT	764 MM	764 MM
WHEELBASE	1,313 MM	1,313 MM
GROUND CLEARANCE	134 MM	134 MM
FUEL TANK CAPACITY	8.1 L	8.1 L
IGNITION TYPE	FULL TRANSISTERIZED	FULL TRANSISTERIZED
BATTERY TYPE	12V - 5AH (MF-WET)	12V - 5AH (MF-WET)

FEATURES

*Actual unit may vary.



NEW ALL-LED LIGHTING DESIGN



NEW HANDLE COVER



NEW HONDA ROADSYNC
*Available in RoadSync Type only



NEW 5-INCH TFT METER PANEL
*Available in RoadSync Type only



NEW MULTI-FUNCTION SWITCH
*Available in RoadSync Type only



NEW SUBTANK REAR SUSPENSION
*Available in RoadSync Type only



NEW PASSING LIGHT SWITCH
*Available in RoadSync Type only



MORE COMFORTABLE FOOT AREA



USB TYPE-C CHARGER



HONDA SMART KEY SYSTEM



ANTI-LOCK BRAKING SYSTEM (ABS)
*Available in RoadSync Type only



HONDA SELECTABLE TORQUE CONTROL (HSTC)
*Available in RoadSync Type only



30L LARGE LUGGAGE BOX



IDLING STOP SYSTEM (ISS) & HAZARD LAMP SWITCH

COLOR VARIANTS:

ROADSYNC TYPE



MATTE GUNPOWDER BLACK METALLIC

PEARL FADELESS WHITE

STANDARD TYPE



VORTEX RED METALLIC



PEARL FADELESS WHITE



MATTE BULLET SILVER





esp+
ENHANCED SMART POWER

157CC, 4-VALVE, LIQUID-COOLED, ESP+ ENGINE

Authorized Dealer

USE ONLY:
HONDA
GENUINE PARTS

Pro Honda

PGM FI FUEL INJECTION

Customer Care Hotline:
PLDT : 1-800-10HONDAPH-4663274
Email : customerservice@hondaph.com

www.hondaph.com
Honda Philippines, Inc.
Hondaph_mc
Honda Philippines, Inc.
HondaPhilippines_Motorcycle

SAFETY-PHILIPPINES

SPECIFICATION

	ROADSYNC TYPE	STANDARD TYPE
ENGINE TYPE	4-STROKE, 4-VALVE, SOHC, LIQUID-COOLED, ESP+	4-STROKE, 4-VALVE, SOHC, LIQUID-COOLED, ESP+
DISPLACEMENT	157 CC	157 CC
BORE & STROKE	60.0 X 55.5 MM	60.0 X 55.5 MM
COMPRESSION RATIO	12.0 : 1	12.0 : 1
MAXIMUM POWER	11.8 KW @ 8,500 RPM	11.8 KW @ 8,500 RPM
MAXIMUM TORQUE	14.7 NM @ 6,500 RPM	14.7 NM @ 6,500 RPM
STARTING SYSTEM	ELECTRIC	ELECTRIC
ENGINE OIL CAPACITY	0.9 L	0.9 L
FUEL SYSTEM	PGM-FI	PGM-FI
FUEL CONSUMPTION (WMTC)	46.0 KM/L	46.0 KM/L
TRANSMISSION TYPE	AUTOMATIC	AUTOMATIC
SUSPENSION TYPE (FRONT)	TELESCOPIC	TELESCOPIC
SUSPENSION TYPE (REAR)	TWIN SHOCK	TWIN SHOCK
BRAKE TYPE (FRONT)	HYDRAULIC DISK	HYDRAULIC DISK
BRAKE TYPE (REAR)	HYDRAULIC DISK	HYDRAULIC DISK
TIRE SIZE & TYPE (FRONT)	110/70 – 14MC 50P (TUBELESS)	110/70 – 14MC 50P (TUBELESS)
TIRE SIZE & TYPE (REAR)	130/70 – 13MC 63P (TUBELESS)	130/70 – 13MC 63P (TUBELESS)
WHEEL TYPE	CAST WHEEL	CAST WHEEL
OVERALL DIMENSIONS (L X W X H)	1,936 X 742 X 1,123 (MM)	1,936 X 742 X 1,123 (MM)
CURB WEIGHT	133 KG	132 KG
SEAT HEIGHT	764 MM	764 MM
WHEELBASE	1,313 MM	1,313 MM
GROUND CLEARANCE	134 MM	134 MM
FUEL TANK CAPACITY	8.1 L	8.1 L
IGNITION TYPE	FULL TRANSISTERIZED	FULL TRANSISTERIZED
BATTERY TYPE	12V - 5AH (MF-WET)	12V - 5AH (MF-WET)

COLOR VARIANTS:

ROADSYNC TYPE

Honda RoadSync



MATTE GUNPOWDER BLACK METALLIC



PEARL FADELESS WHITE

STANDARD TYPE



VORTEX RED METALLIC



PEARL FADELESS WHITE



MATTE BULLET SILVER

*Actual units may vary.

Authorized Dealer

Customer Care Hotline:
PLDT : 1-800-10HONDAPH-4663274
Email : customerservice@hondaph.com

USE ONLY:
HONDA GENUINE PARTS

Pro Honda

PGM-FI FUEL INJECTION

www.hondaph.com
Honda Philippines, Inc.
Hondaph_mc
Honda Philippines, Inc.
HondaPhilippines_Motorcycle

SAFETY-PHILIPPINES

HONDA
The Power of Dreams

How we move you.
CREATE ▸ TRANSCEND, AUGMENT

THE ALL-NEW
PCX160
TRULY EXCEPTIONAL



THE ALL-NEW

PCX160

TRULY EXCEPTIONAL



EXCEPTIONAL PERFORMANCE

Drive with the powerful performance of the 157cc eSP+ engine and the Honda Selectable Torque Control feature that prevents loss of tire traction when passing through various terrains.

FEATURES

*Actual unit may vary.



NEW ALL-LED LIGHTING DESIGN

ROADSYNC TYPE



STANDARD TYPE



NEW HANDLE COVER



NEW 5-INCH TFT METER PANEL

*Available in RoadSync Type only



NEW MULTI-FUNCTION SWITCH

*Available in RoadSync Type only



NEW SUBTANK REAR SUSPENSION

*Available in RoadSync Type only



NEW PASSING LIGHT SWITCH

*Available in RoadSync Type only



MORE COMFORTABLE FOOT AREA



USB TYPE-C CHARGER



HONDA SMART KEY SYSTEM



ANTI-LOCK BRAKING SYSTEM (ABS)

*Available in RoadSync Type only



HONDA SELECTABLE TORQUE CONTROL (HSTC)

*Available in RoadSync Type only



30L LARGE LUGGAGE BOX



IDLING STOP SYSTEM (ISS) & HAZARD LAMP SWITCH

EXCEPTIONAL TECHNOLOGY

Honda RoadSync



Honda RoadSync can be downloaded on Google PlayStore or AppleAppStore

*Available in RoadSync Type only

HIGH ENGINE PERFORMANCE



157cc, 4-valve, Liquid-Cooled, eSP+ Engine

POWERFUL & EFFICIENT

46.0 Km/L
BASED ON WMTC TEST METHOD

Honda smart TECHNOLOGY · ABS · LIQUID-COOLED ENGINE · SMART KEY SYSTEM · USB CHARGER · HSTC