
HONDA
HONDA
Honda BigBike



GOLD WING



GOLD WING

The New Gold Wing (2024 Year Model) is powered by a 1,833 cc Liquid-Cooled, 4-Stroke, 24-Valve, SOHC Flat 6 engine and is Euro 5 emission compliant. The New Gold Wing (2024 Year Model) is equipped with a 7-inch Full-Color TFT LCD Screen with Apple CarPlay, Android Auto, and has enhanced audio system for improved, clear sound. Materials for the dual seats have a more relaxed ergonomic design of the backrest to ensure riding comfort. Trunk capacity has 61 liters on rear end and 60 liters on the side, giving more room for your personal belongings. The engine delivers a maximum power output of 93 kW at 5,000 rpm and torque of 169 Nm at 4,500 rpm. It also maintains other key features including Honda Smart Key, Throttle-By-Wire (TBW), Riding Modes, Hill Start Assist, Idling Stop System (ISS), Cruise Control, and USB Port.









Navigation System will not function in the Philippines

Actual unit may vary

CRF1100L
AFRICA TWIN



CRF1100L (MT)
AFRICA TWIN

Enter the wild and discover your life's greatest ride. Seek the uncharted paths and wander into no man's land. This is what The New CRF1100L Africa Twin (2024 Year Model) has been design to withstand. It beckons you to ignite your life's most prized adventures in the most unfamiliar territories. Through the mountains or swaths of vast lands, there is always a place that is waiting to be discovered by your curious mind. Let this legend take your spirit to the wilderness with a 6-speed transmission and a 1,0833cc 4-stroke transmission engine. This is Honda's embodiment of a thrilling all-terrain experience.





Actual unit may vary

CRF1100L
AFRICA TWIN ADVENTURE SPORTS



CRF1100L (DCT/ES)
AFRICA TWIN ADVENTURE SPORTS

Built to conquer the uncharted and outlast any competition The New CRF1100L Africa Twin Adventure Sports (2024 Year Model) truly elevates the thrill in every off-road expedition. With a heritage of dominating rally races, this iconic dual-sport endurance bike makes a comeback in earth-shaking style. Nimble as it is powerful, this tank on two wheels now sports a 1,083cc parallel-twin engine and Honda's automatic Dual Clutch Transmission (DCT) and Electronically-controlled Suspension (ES), all encased in a reinforced body that lets you take the wrath of the great outdoors in complete confidence. Ready for whatever adventure, The New CRF1100L Africa Twin Adventure Sports (2024 Year Model) will take you to where you have never dared to go before.





Actual unit may vary





X-ADV



X-ADV

Here's a standout innovation that perfectly blends the urban and off-road experience. With the balance and stability of a scooter and the toughness of an off-road motorcycle, The New X-ADV (2024 Year Model) is a unique crossover performer that captures the essence of modern adventure. Apart from its strong tubular-steel chassis with 745cc twin-cylinder engine and Dual Clutch Transmission (DCT), this model is equipped with a 5-inch Thin Film Transistor (TFT) Full-LCD Digital Meter Panel that paves the way for the Honda Smartphone Voice Control (HSVCS) which links the rider to their smartphone while on the move, allowing voice management of weather, navigation, telephone, message, music, and volume.









Actual unit may vary

XL750
TRANSALP



XL750
TRANSALP

Adventure is out there and waiting for you. Face it with XL750, the perfect companion to every new experience. Built for both urban landscapes and rough mountain trails, its sporty build is built to go the distance, providing you both power and comfort for long rides.

Look unfazed as you ride in style with a tough yet aerodynamic bike for life's best escapades. Ride high with your own XL750 today.









Actual unit may vary

CL 500



CL 500

Get a Big Bike that defines your lifestyle — enjoyable, exciting, and easy. Ride in undeniable style and stability with CL500. Feel its freedom and show off your personality through a bike with an iconic and slick look that also gives you the pleasure of smooth and easy rides.

Enjoy a bike that evolves every experience. From life's simplest joys to its biggest moments, let everything fall perfectly into place when you ride with CL500 — your dream bike come to life.









Actual unit may vary



CBR500R



CBR500R

From street to sport, the 471 cc engine of The CBR500R (2022 Year Model) displays sheer power in a glorified body. It's a middleweight sports bike style motorcycle that packs all the necessary goods, from the aerodynamic fairing and specially designed air ducts all the way to the two-channel ABS and 41 mm inverted fork. Just by hearing its engine roar, you'll get a good sense of how its technology complements every bit of energy that goes through all of its sophisticated form.





Actual unit may vary

CBR650R



CBR650R

Life has taught us to never settle. We always crave for change and for something cooler so we can taste a newer experience. The All-New CBR650R (2024 Year Model) will give you exactly that cool new experience - with impressive sporty ability that is designed to trail the highways with impressive look and power that suit your hunger to go for more.

This super sports bike is the best option for your daily ride. With high quality and stunning looks, The All-New CBR650R (2024 Year Model) lets you be always ready for new things ahead. Ride your very own CBR650R now.





Actual unit may vary

CBR1000RR-R
FIREBLADE SP



CBR1000RR-R
FIREBLADE SP

At the highest stage of the race, the key to victory is not just speed but the ability to take control. Light and powerful, The All-New CBR1000RR-R Fireblade SP (2024 Year Model) is Honda's fiercest creation that carries the true spirit of its MotoGP racing DNA. Powered by 1,000cc liquid-cooled inline four-cylinder, it's a force to be reckoned with on the track. It has been engineered with utmost precision as evidenced by its upgraded Honda Selectable Torque Control, Selectable Engine Brake, ABS Brakes, upgraded Quick Shifter, Riding Mode Select System, Power Selector and Ohlins Smart-EC Suspension. All amounting to superior handling and an excellent ride, whre you are in a complete and total control.









Actual unit may vary

REBEL

REBEL

Have it your way. You call the shots. You make the rules. The New Rebel 500 (2024 Year Model) is all about real freedom. The fusion of tradition and modern technology lives on with the Rebel's strong 471cc liquid-cooled, parallel-twin cylinder engine that is nearly tucked in a low chassis. With low-slung seats, blacked-out style with matte touches, it's sexy, tough, and rides like a dream. It's a cruiser that has the looks, style, and attitude – truly expressing authenticity and individuality. Here's the motorcycle that tells you to just be yourself.











Actual unit may vary



REBEL 1100



REBEL 1100

Life doesn't have to be boring. Redefine it with a bike that breaks the mold of a tradition cruiser --- The New Rebel1100 (2024 Year Model). It provides a powerful Performance that makes you further, but the calm and smooth ride lets you sit back and enjoy the ride as you coolly make your way through every destination.

Find this bike at the intersection of style and substance. Whether you're cruising down an open highway or riding through the busy city, feel tough and in control with The New Rebel1100 (2024 Year Model).









Actual unit may vary





HORNET 500



HORNET 500

Ready for the riding buzz? You need The All-New CB500 Hornet - aggressive, streetfighter style with big Hornet DNA coursing through it. Loaded with a responsive friendly twin-cylinder engine and agile, high-quality chassis, it's built to whip through the city or twisting backroads. With premium tech – including full colour 5-inch TFT display, Honda RoadSync with on-screen turn-by-turn navigation – and HSTC rear grip management keeps you entertained, connected, and safe.



Actual unit may vary

CB650R



CB650R

Walls and barricades mean nothing to you. With The All-New CB650R (2024 Year Model), the concrete junglebecomes you living and breathing playground whereLimitless potential for adventure and creativity await. Fromits bold naked street styling to its deep roaring enginesound, there is no mistaking that this bike was meant tomake a statement for what it is and what you want it to be.Running on a monstrous 649cc liquid-cooled inlinefourcylinderengine with a superior suspension system tomatch, there is no stopping you when you are on or evenoff the road. Experience the rush of raw power that onlyThe All-New CB650R (2024 Year Model) can give.



Actual unit may vary

CB1000R



CB1000R

Never settling and always challenging the norm, Honda shakes up the sports bike category with an aggressive yet sophisticated modern icon that transcends eras – The CB1000R (2021 Year Model). Bringing together heritage and innovation, Honda takes its design philosophy to an entirely new level by building an elegant retro café racer-inspired bike that has all the cutting-edge Honda engineering technology at its very core. Boasting of a powerful 998cc DOHC four-cylinder engine, the best in the class suspension system, and state-of-the-art electronics, this piece of engineering brilliance is undoubtedly a legend in the making. The CB1000R (2021 Year Model) is refined redefined.









Actual unit may vary



NX500



NX500

Where to? Your choice. The compact, versatile new NX500offers perfect city agility and off-road ability. It'scomfortable too, with an aggressive, rally-style fairing andlarge screen shaped for wind protection. High specificationtechnology includes 5-inch TFT screen with HondaRoadSyncsmartphone connectivity. And its A2-complianttwin-cylinder engine delivers flexible – hugely enjoyable – performance with HSTC traction management. Theadventure begins.









Actual unit may vary

SPECIFICATIONS



The New CRF1100L Africa Twin

ENGINE	
Type	Liquid-Cooled OHC, 4-stroke, 8-Valve Parallel Twin with 270˚ Crank and Uni-cam
Displacement (cc)	1,083 cc
Bore & Stroke (mm)	92.0 x 81.5 (mm)
Compression Ratio	10.5 : 1
Max. Power Output	75 kW @ 7,500 rpm
Max. Torque	112 Nm @ 5,500 rpm
FUEL SYSTEM	
Fuel Tank Capacity (L)	18.8 L
Fuel Consumption (WMTC)	20.5 Km/L
DRIVE TRAIN	
Clutch Type	Wet, Multiplate with Coil Spring
Transmission Type	6-Speed Constant Mesh
Final Drive	Chain
FRAME	
Type / Material	Semi Double Cradle / Steel
CHASSIS	
Dimensions L x W x H (mm)	2,328 x 958 x 1,538 (mm)
Wheelbase (mm)	1,574 mm
Caster Angle	27° 30'
Trail (mm)	113 mm
Seat Height (mm) Low seat	850 mm
High seat	870 mm
Ground Clearance (mm)	250 mm
Curb Weight (Kg)	231 Kg
Turning Radius (m)	2.6 m

SUSPENSION	
Front Type	Showa 45 mm Cartridge-Type Inverted Telescopic Fork with Dial Style Preload adjuster and DF adjustments
Rear Type	Pro-Link (Showa)
WHEELS	
Front Tire	90/90 - 21 MC (Tubeless)
Rear Tire	150/70 - 18 MC (Tubeless)
BRAKES	
ABS Type	2-Channel with IMU Selectable ABS MODE with On-road and Off-road
Front Type	Hydraulic, Double Discs (310 mm)
Rear Type	Hydraulic, Disc (256 mm), 2-Channel with rear ABS off mode
INSTRUMENTS & ELECTRICS	
Instruments	LCD Meter, TFT 6.5-inch Touch Panel, Multi-Information Display
Security System	Immobiliser
Headlight	LED
Taillight	LED

COLOR CHART

GRAND PRIX RED

PHP 950,000*

*Honda Philippines, Inc. reserves the right to change or modify the price and specs at any time without prior notice.

SPECIFICATIONS



The New CRF1100L Africa Twin ADVENTURE SPORTS

ENGINE	
Type	Liquid-Cooled OHC, 4-stroke, 8-Valve Parallel Twin with 270˚ Crank and Uni-cam
Displacement (cc)	1,083 cc
Bore & Stroke (mm)	92.0 x 81.5 (mm)
Compression Ratio	10.5 : 1
Max. Power Output	75 kW @ 7,500 rpm
Max. Torque	112 Nm @ 5,500 rpm
FUEL SYSTEM	
Fuel Tank Capacity (L)	24.8 L
Fuel Consumption (WMTC)	20.5 Km/L
DRIVE TRAIN	
Clutch Type	Wet, Multiplate with Coil Spring
Transmission Type	Dual Clutch Transmission
Final Drive	Chain
FRAME	
Type / Material	Semi Double Cradle / Steel
CHASSIS	
Dimensions L x W x H (mm)	2,304 x 963 x 1,475 (mm)
Wheelbase (mm)	1,570 mm
Caster Angle	27° 30'
Trail (mm)	106 mm
Seat Height (mm) Low Seat	820 mm
High Seat	840 mm
Ground Clearance (mm)	220 mm
Curb Weight (Kg)	253 Kg
Turning Radius (m)	2.6 m

SUSPENSION	
Front Type	Showa Telescopic Inverted Fork with an Inner Tube Diameter of 45mm, and an Electric Controled unit (SHOWA EERA) with Compresion and Rebound Dumping Adjustements, 210mm Stroke
Rear Type	Pro-Link (Showa)
WHEELS	
Front Tire	110/80 - 19 MC (Tubeless)
Rear Tire	150/70 - 18 MC (Tubeless)
BRAKES	
ABS Type	2-channel with IMU selectable ABS MODE with On-road and Off-road
Front Type	Hydraulic, Double Discs (310 mm)
Rear Type	Hydraulic Disc (256mm) with 2-Piston Caliper, 2-Channel with Rear ABS off mode
INSTRUMENTS & ELECTRICS	
Instruments	LCD Meter, TFT 6.5-inch Touch Panel, Multi-Information Display
Security System	Immobiliser
Headlight	LED
Taillight	LED

COLOR CHART

PEARL GLARE WHITE

MATTE BALLISTIC BLACK METALLIC

PHP 1,170,000*

*Honda Philippines, Inc. reserves the right to change or modify the price and specs at any time without prior notice.

SPECIFICATIONS



The New X-ADV

ENGINE	
Type	Liquid-Cooled, 4-Stroke, 8-Valve, SOHC, Parallel 2-Cylinder
Displacement (cc)	745 cc
Bore & Stroke (mm)	77.0 x 80.0 (mm)
Compression Ratio	10.7 : 1
Max. Power Output	43.1 kW @ 6,750 rpm
Max. Torque	69 Nm @ 4,750 rpm
FUEL SYSTEM	
Fuel Tank Capacity (L)	13.4 L
Fuel Consumption (WMTC)	28.3 Km/L
DRIVE TRAIN	
Clutch Type	Wet, Multiplate Hydraulic 2-Clutch
Transmission Type	6-Speed, Dual Clutch Transmission
Final Drive	Chain
FRAME	
Type / Material	Diamond / Steel
CHASSIS	
Dimensions L x W x H (mm)	2,213 x 940 x 1,370 (mm)
Wheelbase (mm)	1,588 mm
Caster Angle	27°
Trail (mm)	104 mm
Seat Height (mm)	820 mm
Ground Clearance (mm)	162 mm
Curb Weight (Kg)	237 Kg
Turning Radius (m)	2.8 m

SUSPENSION	
Front Type	41 mm Inverted Fork (Showa), 153.5 mm Stroke
Rear Type	Monoshock Damper, Pro-Link Swingarm, 150 mm Travel
WHEELS	
Front Tire	120 / 70 R17 MC 58H
Rear Tire	160 / 60 R15 MC 67H
BRAKES	
ABS Type	2-Channel
Front Type	296 mm Double Hydraulic Discs with Radial 4-Piston Caliper
Rear Type	240 mm Single Hydraulic Disc with 1-Piston Caliper
INSTRUMENTS & ELECTRICS	
Instruments	5-inch TFT Full LCD Digital Meter with Honda Smartphone Voice Control system (HSVCS)
Security System	Smart Key with Electronic Steering Lock (ESL)
Headlight & Taillight	LED

COLOR CHART

MATTE BALLISTIC BLACK METALLIC

IRIDIUM GRAY METALLIC

PUCO BLUE

PHP 839,000*

*Honda Philippines, Inc. reserves the right to change or modify the price and specs at any time without prior notice.

SPECIFICATIONS



The All-New NX500

ENGINE	
Type	Liquid-Cooled, 4-Stroke, DOHC, Parallel Twin Engine
Displacement (cc)	471 cc
Bore & Stroke (mm)	67.0 x 66.8 (mm)
Compression Ratio	10.7:1
Max. Power Output	37.1 kW @ 8,500 rpm
Max. Torque	44.7 Nm @ 6,600 rpm
FUEL SYSTEM	
Fuel Tank Capacity (L)	17.7 L
Fuel Consumption (WMTC)	29.9 Km/L
DRIVE TRAIN	
Clutch Type	Wet, Multiplate Clutch
Transmission Type	6-Speed, Manual Clutch
Final Drive	Chain
FRAME	
Type / Material	Diamond / Steel
CHASSIS	
Dimensions L x W x H (mm)	2,163 x 830 x 1,417 (mm)
Wheelbase (mm)	1,443 (mm)
Caster Angle	27° 27'
Trail (mm)	108 mm
Seat Height (mm)	834 mm
Ground Clearance (mm)	181 mm
Curb Weight (Kg)	196 Kg
Turning Radius (m)	2.4 m

SUSPENSION	
Front Type	Showa 41 mm SFF-BP USD forks
Rear Type	Prolink Mono with 5 Stage Pre-load Adjuster, Steel Hollow Cross Swingarm
WHEELS	
Front Tire	110/80 - 19 MC (Tubeless)
Rear Tire	160/60 - 17 MC (Tubeless)
BRAKES	
ABS Type	2-Channel
Front Type	Dual 296 mm x 4 mm Disc with Nissin Axial-Mount Two Piston Calipers
Rear Type	Single 240 mm x 5 mm Disc with Single Piston Caliper
INSTRUMENTS & ELECTRICS	
Instruments	TFT Meter Display
Security System	Honda Ignition Security System (HISS)
Headlight	LED
Taillight	LED

COLOR CHART

PEARL HORIZON WHITE

MATTE GUNPOWDER BLACK METALLIC

PHP 409,000*

*Honda Philippines, Inc. reserves the right to change or modify the price and specs at any time without prior notice.

SPECIFICATIONS



Actual unit may vary

The All-New CBR FIREBLADE

ENGINE	
Type	Liquid-Cooled, 4-Stroke, DOHC, 4-Valve, Inline 4-Cylinder
Displacement (cc)	1,000 cc
Bore & Stroke (mm)	81.0 x 48.5 (mm)
Compression Ratio	13.6:1
Max. Power Output	160 kW @ 14,500 rpm
Max. Torque	113 Nm @ 12,500 rpm
FUEL SYSTEM	
Fuel Tank Capacity (L)	16.5 L
Fuel Consumption (WMTC)	14.9 Km/L
DRIVE TRAIN	
Clutch Type	Wet, Multiplate Clutch
Transmission Type	6-Speed Manual
Final Drive	Chain
FRAME	
Type / Material	Diamond / Aluminum
CHASSIS	
Dimensions L x W x H (mm)	2,105 X 751 X 1,143 (mm)
Wheelbase (mm)	1,454 mm
Caster Angle	24°
Trail (mm)	102 mm
Seat Height (mm)	831 mm
Ground Clearance (mm)	128 mm
Curb Weight (Kg)	201 Kg
Turning Radius (m)	3.8 m

SUSPENSION	
Front Type	43 mm Öhlins NPX Inverted Fork with S-EC System, Multi-Adjustable, 125 mm Travel
Rear Type	Unit Pro-Link System, Öhlins TTX36 Shock Absorber with S-EC System, Multi-Adjustable, Wheel Travel 143 mm
WHEELS	
Front Tire	120/70 - 17 MC (Tubeless)
Rear Tire	200/55 - 17 MC (Tubeless)
BRAKES	
ABS Type	2-Channel w/ IMU
Front Type	330 mm Double Disc with Radial Mount Brembo 4-Piston Caliper
Rear Type	220 mm Disc with Brembo 2-Piston Caliper
INSTRUMENTS & ELECTRICS	
Instruments	5-inch Full Color TFT LCD
Security System	Smart Key System
Headlight	LED
Taillight	LED

COLOR CHART

GRAND PRIX RED

MATTE PEARL MORION BLACK

PHP 1,699,000*

*Honda Philippines, Inc. reserves the right to change or modify the price and specs at any time without prior notice.

SPECIFICATIONS



Actual unit may vary

CBR 500R

ENGINE	
Type	Liquid-Cooled, 4-Stroke, DOHC, Parallel Twin Engine
Displacement (cc)	471 cc
Bore & Stroke (mm)	67.0 x 66.8 (mm)
Compression Ratio	10.7 : 1
Max. Power Output	35.0 kW @ 8,500 rpm
Max. Torque	43.2 Nm @ 6,500 rpm
FUEL SYSTEM	
Fuel Tank Capacity (L)	17.1 L
Fuel Consumption (WMTC)	28.6 Km/L
DRIVE TRAIN	
Clutch Type	Wet, multiplate
Transmission Type	6-Speed, Manual Clutch
Final Drive	Chain
FRAME	
Type / Material	Diamond / Steel
CHASSIS	
Dimensions L x W x H (mm)	2,081 x 765 x 1,145 (mm)
Wheelbase (mm)	1,409 mm
Caster Angle	25° 30'
Trail (mm)	101 mm
Seat Height (mm)	789 mm
Ground Clearance (mm)	130 mm
Curb Weight (Kg)	192 Kg
Turning Radius (m)	2.9 m

SUSPENSION	
Front Type	Showa 41 mm SFF-BP Inverted Fork
Rear Type	Pro-Link Mono with 5-Stage Preload Adjuster, Steel Square Pipe Swing Arm
WHEELS	
Front Tire	120 / 70 - 17 MC (Tubeless)
Rear Tire	160 / 60 - 17 MC (Tubeless)
BRAKES	
ABS Type	2-channel
Front Type	Dual 296 mm x 4 mm Disc with Nissin Radial-Mount Four Piston Calipers
Rear Type	Single 240 mm x 5 mm Disc with Single Piston Caliper
INSTRUMENTS & ELECTRICS	
Instruments	Negative-Display LCD Meter
Security System	Honda Ignition Security System (HISS)
Headlight	LED
Taillight	LED

COLOR CHART

GRAND PRIX RED

MATTE GUNPOWDER BLACK METALLIC

PHP 389,000*

*Honda Philippines, Inc. reserves the right to change or modify the price and specs at any time without prior notice.

SPECIFICATIONS



Actual unit may vary

The All-New CBR 650R

ENGINE	
Type	Liquid-Cooled, 4-Stroke, 16-Valve, DOHC, Inline 4-Cylinder
Displacement (cc)	649 cc
Bore & Stroke (mm)	67.0 x 46.0 (mm)
Compression Ratio	11.6:1
Max. Power Output	70.0 kW @ 12,000 rpm
Max. Torque	63.0 Nm @ 9,500 rpm
FUEL SYSTEM	
Fuel Tank Capacity (L)	15.4 L
Fuel Consumption (WMTC)	20.9 Km/L
DRIVE TRAIN	
Clutch Type	Wet, Multiplate Clutch
Transmission Type	6-Speed / Manual Clutch
Final Drive	Chain
FRAME	
Type / Material	Diamond / Steel
CHASSIS	
Dimensions L x W x H (mm)	2,128 X 749 X 1,146 (mm)
Wheelbase (mm)	1,449 mm
Caster Angle	25° 30'
Trail (mm)	101 mm
Seat Height (mm)	810 mm
Ground Clearance (mm)	130 mm
Curb Weight (Kg)	208 Kg
Turning Radius (m)	3.0 m

SUSPENSION	
Front Type	41 mm SFF-BP USD Fork (Showa)
Rear Type	Mono with 10-Stage Pre-load Adjuster, Aluminum Cast Swingarm
WHEELS	
Front Tire	120 / 70ZR - 17 MC (Tubeless)
Rear Tire	180 / 55ZR - 17 MC (Tubeless)
BRAKES	
ABS Type	2-Channel
Front Type	Dual 310 mm x 4.5 mm Disc with Nissin Radial-Mount Four Piston Calipers
Rear Type	Single 240 mm x 5 mm Disc with Single Piston Caliper
INSTRUMENTS & ELECTRICS	
Instruments	TFT Meter Display
Security System	Honda Ignition Security System (HISS)
Headlight & Taillight	LED

COLOR CHART

STANDARD TYPE	E-CLUTCH TYPE
MATTE GUNPOWDER BLACK METALLIC	GRAND PRIX RED
GRAND PRIX RED (STANDARD)	

PHP 549,000*

*Honda Philippines, Inc. reserves the right to change or modify the price and specs at any time without prior notice.STAND

SPECIFICATIONS



Actual unit may vary

The New GOLDWING

ENGINE	
Type	Liquid-Cooled, 4-Stroke, 24-Valve, SOHC Flat 6
Displacement (cc)	1,833 cc
Bore & Stroke (mm)	73.0 x 73.0 mm
Compression Ratio	10.5:1
Max. Power Output	93 kW @ 5,500 rpm
Max. Torque	169 N.m @ 4,500 rpm
FUEL SYSTEM	
Fuel Tank Capacity (L)	21.0 L
Fuel Consumption (WMTC)	18.5 Km/L
DRIVE TRAIN	
Clutch Type	Hydraulic, Wet, Multiplate with Oil Pressure
Transmission Type	7-Speed Forward and Reverse DCT
Final Drive	Shaft Type
FRAME	
Type / Material	Diamond Twin Tube / Steel
CHASSIS	
Dimensions L x W x H (mm)	2,614 x 905 x 1,432 mm
Wheelbase (mm)	1,698 mm
Caster Angle	30° 30'
Trail (mm)	110 mm
Seat Height (mm)	745 mm
Ground Clearance (mm)	129 mm
Curb Weight (Kg)	388 Kg
Turning Radius (m)	3.4m

SUSPENSION	
Front Type	Double Wishbone
Rear Type	Pro-Link
WHEELS	
Front Tire	130 / 70 R18 MC (Tubeless)
Rear Tire	200 / 55 R16 MC (Tubeless)
BRAKES	
ABS Type	Electronically-Controlled Combined ABS
Front Type	320 mm x 4.5 mm Dual Hydraulic Disc with 6-Piston Caliper, Floating Rotors and Sintered Metal Pads
Rear Type	316 mm x 11 mm Ventilated Disc with 3-Piston Caliper and Sintered Metal Pads
INSTRUMENTS & ELECTRICS	
Instruments	7-inch Full-Color TFT Liquid Crystal Display Screen
Security System	Honda Smart Key System
Headlight	LED
Taillight	LED

COLOR CHART

HEAVY GRAY METALLIC

PEARL GLARE WHITE

PHP 2,000,000*

*Honda Philippines, Inc. reserves the right to change or modify the price and specs at any time without prior notice.

SPECIFICATIONS



The All-New HORNET 500

ENGINE	
Type	Liquid-Cooled, 4-Stroke, DOHC Parallel Twin Engine
Displacement (cc)	471 cc
Bore & Stroke (mm)	67.0 x 66.8 (mm)
Compression Ratio	10.7:1
Max. Power Output	37.1 kW @ 8,500 rpm
Max. Torque	44.7 Nm @ 6,500 rpm
FUEL SYSTEM	
Fuel Tank Capacity (L)	17.1 L
Fuel Consumption (WMTC)	30.5 Km/L
DRIVE TRAIN	
Clutch Type	Wet, Multiplate Clutch
Transmission Type	6-Speed, Manual Clutch
Final Drive	Chain
FRAME	
Type / Material	Diamond / Steel
CHASSIS	
Dimensions L x W x H (mm)	2,081 x 798 x 1,059 mm
Wheelbase (mm)	1,409 mm
Caster Angle	25° 30'
Trail (mm)	101 mm
Seat Height (mm)	789 mm
Ground Clearance (mm)	144 mm
Curb Weight (Kg)	188 Kg
Turning Radius (m)	2.7 m

SUSPENSION	
Front Type	Showa 41mm SFF-BP USD Forks
Rear Type	Prolink Mono with 5 Stage Pre-load Adjuster, Steel Hollow Cross Swingarm
WHEELS	
Front Tire	120/70 - 17 MC (Tubeless)
Rear Tire	160/60 - 17 MC (Tubeless)
BRAKES	
ABS Type	2-Channel
Front Type	Dual 296 mm x 4 mm Disc with Nissin Radial-Mount Four Piston Calipers
Rear Type	Single 240 mm x 5 mm Disc with Single Piston Caliper
INSTRUMENTS & ELECTRICS	
Instruments	TFT Meter Display
Security System	Honda Ignition Security System (HISS)
Headlight	LED
Taillight	LED

COLOR CHART

- PEARL HIMALAYAS WHITE
- MATTE GUNPOWDER BLACK METALLIC

PHP 379,000*

*Honda Philippines, Inc. reserves the right to change or modify the price and specs at any time without prior notice.

SPECIFICATIONS



The All-New CB 650R NEO SPORTS CAFÉ

ENGINE	
Type	Liquid-Cooled, 4-Stroke, 16-Valve, DOHC, Inline 4-Cyclinder
Displacement (cc)	649 cc
Bore & Stroke (mm)	67.0 x 46.0 (mm)
Compression Ratio	11.6 : 1
Max. Power Output	69.7 kW @ 12,000 rpm
Max. Torque	63 Nm @ 9,500 rpm
FUEL SYSTEM	
Fuel Tank Capacity (L)	15.4 L
Fuel Consumption (WMTC)	20.9 km/L
DRIVE TRAIN	
Clutch Type	Wet, Multiplate Clutch
Transmission Type	6-speed, Manual Clutch
Final Drive	Chain
FRAME	
Type / Material	Diamond / Steel
CHASSIS	
Dimensions L x W x H (mm)	2,128 x 784 x 1,076 (mm)
Wheelbase (mm)	1,449 mm
Caster Angle	25° 30'
Trail (mm)	101 mm
Seat Height (mm)	810 mm
Ground Clearance (mm)	148 mm
Curb Weight (Kg)	203 Kg
Turning Radius (m)	2.8 m

SUSPENSION	
Front Type	41 mm SFF-BP USD Fork (Showa)
Rear Type	Mono with 10-Stage Pre-load Adjuster, Aluminum Cast Swingarm
WHEELS	
Front Tire	120/70 - 17 MC (Tubeless)
Rear Tire	180/55 - 17 MC (Tubeless)
BRAKES	
ABS Type	2-channel
Front Type	Dual 310 mm x 4.5 mm Disc with Nissin Radial-Mount Four Piston Calipers
Rear Type	Single 240 mm x 5 mm Disc with Single Piston Caliper
INSTRUMENTS & ELECTRICS	
Instruments	TFT Meter Display
Security System	Honda Ignition Security System (HISS)
Headlight & Taillight	LED

COLOR CHART

STANDARD	E-CLUTCH
MATTE LAUREL GREEN METALLIC	CANDY CHROMOSPHERE RED
CANDY CHROMOSPHERE RED	MATTE GUNPOWDER BLACK METALLIC
MATTE GUNPOWDER BLACK METALLIC	

PHP 524,000 I PHP 564,000* (E-CLUTCH)

*Honda Philippines, Inc. reserves the right to change or modify the price and specs at any time without prior notice.

SPECIFICATIONS



NEO SPORTS CAFÉ | CB 1000R

ENGINE	
Type	Liquid-cooled, DOHC In-line 4 Cylinder
Displacement (cc)	998 cc
Bore & Stroke (mm)	75.0 x 56.5 (mm)
Compression Ratio	11.6 : 1
Max. Power Output	107 kW @ 10,500 rpm
Max. Torque	104 N.m @ 8,250 rpm
FUEL SYSTEM	
Fuel Tank Capacity (L)	16.2 L
Fuel Consumption (WMTC)	17.2 km/L
DRIVE TRAIN	
Clutch Type	Wet, Multiplate clutch
Transmission Type	Manual Type
Final Drive	Chain
FRAME	
Type / Material	Diamond / Steel
CHASSIS	
Dimensions L x W x H (mm)	2,120 x 789 x 1,090 (mm)
Wheelbase (mm)	1,455 mm
Caster Angle	25°
Trail (mm)	100 mm
Seat Height (mm)	830 mm
Ground Clearance (mm)	135 mm
Curb Weight (Kg)	213 Kg
Turning Radius (m)	3.0 m

SUSPENSION	
Front Type	Showa SFF - BP USD fork with 120 mm stroke
Rear Type	Monoshock with gas-charged HMAS damper featuring 10-step pre-load and stepless rebound damping adjustment with 131 mm stroke
WHEELS	
Front Tire	120/70 ZR17
Rear Tire	190/55 ZR17
BRAKES	
ABS Type	2 Channel Anti-Lock Braking System (ABS)
Front Type	Hydraulic Double Disc
Rear Type	Hydraulic Disc
INSTRUMENTS & ELECTRICS	
Instruments	TFT Color Meter with Gear and Mode Indicators
Security System	HISS
Headlight	LED
Taillight	LED

COLOR CHART

- MATTE BALLISTIC BLACK METALLIC
- CANDY CHROMOSPHERE RED

PHP 865,000*

*Honda Philippines, Inc. reserves the right to change or modify the price and specs at any time without prior notice.

SPECIFICATIONS



The New rebel

ENGINE	
Type	Liquid-Cooled, 4-Stroke, DOHC Parallel Twin, 8-Valve
Displacement (cc)	471 cc
Bore & Stroke (mm)	67.0 x 66.8 (mm)
Compression Ratio	10.7 : 1
Max. Power Output	33.8 kW @ 8,500 rpm
Max. Torque	43.3 Nm @ 6,000 rpm
FUEL SYSTEM	
Fuel Tank Capacity (L)	11.2 L
Fuel Consumption (WMTC)	27.0 Km/L
DRIVE TRAIN	
Clutch Type	Wet, Multiplate Hydraulic
Transmission Type	6-Speed, Manual Clutch
Final Drive	Chain
FRAME	
Type / Material	Diamond / Steel
CHASSIS	
Dimensions L x W x H (mm)	2,206 x 822 x 1,093 (mm)
Wheelbase (mm)	1,490 mm
Caster Angle	28°
Trail (mm)	110 mm
Seat Height (mm)	690 mm
Ground Clearance (mm)	136 mm
Curb Weight (Kg)	191 Kg
Turning Radius (m)	2.8 m

SUSPENSION	
Front Type	41 mm Telescopic Fork (Showa)
Rear Type	Pro-Link System (Showa)
WHEELS	
Front Tire	130/90 - 16 MC (Tubeless)
Rear Tire	150/80 - 16 MC (Tubeless)
BRAKES	
ABS Type	2-Channel
Front Type	Hydraulic Disc
Rear Type	Hydraulic Disc
INSTRUMENTS & ELECTRICS	
Instruments	Classic-Shaped Negative LCD Panel
Headlight	LED
Taillight	LED

COLOR CHART

- MATTE GUNPOWDER BLACK METALLIC
- SCAL SILVER METALLIC
- MATTE LAUREL GREEN METALLIC

PHP 399,000*

*Honda Philippines, Inc. reserves the right to change or modify the price and specs at any time without prior notice.

SPECIFICATIONS



TRANSALP

ENGINE	
Type	Liquid-Cooled OHC 4-Stroke 8-Valve Parallel Twin with 270° Crank and Unicam
Displacement (cc)	755 cc
Bore & Stroke (mm)	87 x 63.5 (mm)
Compression Ratio	11.0 : 1
Max. Power Output	67.5kW @ 9,500 rpm
Max. Torque	74.6 Nm @ 7,250 rpm
FUEL SYSTEM	
Fuel Tank Capacity (L)	16.9 L
Fuel Consumption (WMTC)	23.5 Km/L
DRIVE TRAIN	
Clutch Type	Wet Mutiplate Clutch
Transmission Type	6-Speed Manual Transmission
Final Drive	Chain
FRAME	
Type / Material	Diamond Type / Steel
CHASSIS	
Dimensions L x W x H (mm)	2,316 x 842 x 1,452 (mm)
Wheelbase (mm)	1,561 mm
Caster Angle	27°
Trail (mm)	111 mm
Seat Height (mm)	855 mm
Ground Clearance (mm)	212 mm
Curb Weight (Kg)	208 Kg
Turning Radius (m)	2.6

SUSPENSION	
Front Type	Showa 43mm SFF-CA USD – 200mm Travel
Rear Type	Monoshock Damper, Pro-Link Swingarm, 190mm Travel
WHEELS	
Front Tire	90/90 – 21 MC 54H
Rear Tire	150/70 – R18 MC 70H
BRAKES	
ABS Type	2-Channel
Front Type	Dual 310mm x 4.5mm 'Wave' Discs with Axial Mounted 2 Piston Calipers
Rear Type	Single 256mm x 6.0mm 'Wave' Disc is Operated by a Single-Piston Caliper
INSTRUMENTS & ELECTRICS	
Instruments	TFT
Security System	HISS
Headlight & Taillight	LED

COLOR CHART

- MATTE BALLISTIC BLACK METALLIC
- ROSS WHITE

PHP 598,000*

*Honda Philippines, Inc. reserves the right to change or modify the price and specs at any time without prior notice.

SPECIFICATIONS



CL

ENGINE	
Type	Liquid-Cooled, DOHC, 4-Stroke, 4-Valve Two-Cylinder
Displacement (cc)	471 cc
Bore & Stroke (mm)	67 x 66.8 (mm)
Compression Ratio	10.7:1
Max. Power Output	33.8 kW @ 8,500 rpm
Max. Torque	43.3Nm @ 6,000 rpm
FUEL SYSTEM	
Fuel Tank Capacity (L)	12.2 L
Fuel Consumption (WMTC)	27.1 Km/L
DRIVE TRAIN	
Clutch Type	Wet Multiplate, Assisted Slipper Clutch
Transmission Type	6-Speed, Manual Transmission
Final Drive	Chain
FRAME	
Type / Material	Diamond Type / Steel
CHASSIS	
Dimensions L x W x H (mm)	2,175 x 831 x 1,134 (mm)
Wheelbase (mm)	1,484 mm
Caster Angle	27°
Trail (mm)	108 mm
Seat Height (mm)	790 mm
Ground Clearance (mm)	155 mm
Curb Weight (Kg)	190 Kg
Turning Radius (m)	2.7

SUSPENSION	
Front Type	Telescopic 41mm Upright Forks, 150 mm Travel
Rear Type	Twin Shock with 45mm Round Pipe Swingarm, 5-Step Pre-Load Adjustment
WHEELS	
Front Tire	110/80 R19 MC 59H (Tubeless)
Rear Tire	150/70 R17 MC 69H (Tubeless)
BRAKES	
ABS Type	2-Channel
Front Type	Single 310mm Floating Disc, 2 Piston Calipers
Rear Type	Single 240mm Disc, 1 Piston Caliper
INSTRUMENTS & ELECTRICS	
Instruments	LCD Meter with Speedometer, Dual Trip Meters, Fuel Level and Consumption Gauge, Clock, Gear Position, Upshift Inicator
Security System	HISS
Headlight & Taillight	LED

COLOR CHART

- MATTE LAUREL GREEN METALLIC
- MATTE GUNPOWDER BLACK METALLIC

PHP 409,000*

*Honda Philippines, Inc. reserves the right to change or modify the price and specs at any time without prior notice.

SPECIFICATIONS



The All-New rebel1100

ENGINE	
Type	SOHC, Liquid-Cooled, 4-Stroke, 8-Valve, Parallel Twin with 270° Crank and Uni-Cam
Displacement (cc)	1,083 cc
Bore & Stroke (mm)	92 x 81.5 (mm)
Compression Ratio	10.1:1
Max. Power Output	64 kW @ 7,000 rpm
Max. Torque	98 Nm @ 4,750 rpm
FUEL SYSTEM	
Fuel Tank Capacity (L)	13.6 L
Fuel Consumption (WMTC)	20.4 km/L
DRIVE TRAIN	
Clutch Type	Wet Multiplate, Hydraulic 2-Clutch
Transmission Type	6-Speed Dual Clutch Transmission
Final Drive	Chain
FRAME	
Type / Material	Diamond Type / Steel
CHASSIS	
Dimensions L x W x H (mm)	2,243 x 853 x 1,115 (mm)
Wheelbase (mm)	1,518 mm
Caster Angle	28°
Trail (mm)	110 mm
Seat Height (mm)	699 mm
Ground Clearance (mm)	120 mm
Curb Weight (Kg)	223 Kg
Turning Radius (m)	2.9 m

SUSPENSION	
Front Type	Preload Adjustable 43 mm Cartridge Style
Rear Type	Preload Adjustable Twin Piggy-back Rear Shock
WHEELS	
Front Tire	130/70 B18 MC (Tubeless)
Rear Tire	180/65 B16 MC (Tubeless)
BRAKES	
ABS Type	2-Channel
Front Type	Radial Mounted Monoblock Four-Piston Brake Caliper, 330 mm Floating Single Disc
Rear Type	Single Piston Caliper, 256 mm Single Disc
INSTRUMENTS & ELECTRICS	
Instruments	Offset 120 mm Negative LCD Instrument Display, USB-C Charger
Security System	HISS
Headlight & Taillight	LED

COLOR CHART

- IRIDIUM GRAY METALLIC
- GLINT WAVE BLUE METALLIC

PHP 650,000*

*Honda Philippines, Inc. reserves the right to change or modify the price and specs at any time without prior notice.

ACCESSORIES



CL



KNUCKLE GUARD
08P71-K35-JA0



HEAD LIGHT VISOR
08R71-K35-JA0
HEAD LIGHT VISOR STRIPE
08F76-K35-JA0ZA



FRONT FENDER
08F72-K35-JA0



REAR CUSHION COVER
08F73-K35-JA0



RALLY STEP
08R72-K35-JA0



LEFT REAR SIDE COVER
08F71-K35-JA0
HEAD LIGHT VISOR STRIPE
08F76-K35-JA0ZA



REAR CARRIER
08L70-K35-JA0



HIGH SEAT
08R70-K35-JA0ZC



TOP BOX BACKREST
08F00-MJP-G50
TOP BOX (38L)
08L71-MJP-G50
TOP BOX INNER BAG (38L)
08L75-MJP-G51-M1
TOP BOX LOCK
08L71-K1T-E10
1KEY CYLINDER SET TYPE1 T2.3
08M71-KZL-041
CARRIER BRACKET
08L70-MKK-D00



CENTER TANK PAD
08P70-K35-JA0



ACCESSORY SOCKET
08E70-K35-JA0



BRAKE LEVER ASSY
08J70-K35-JA0

Photos are references only



NEO SPORTS CAFÉ | CB1000R



CLUTCH COVER
08Z71-MKJ-E50



FRONT FENDER PANEL
08F79-MKJ-D00



MAIN AND PILLION SEAT (ALCANTARA)
08F76-MKJ-D00 / 08F77-MKJ-D00



RADIATOR GRILL
08F75-MKJ-E50



REAR SEAT BAG
08L73-MKJ-D00



SEAT COWL (R-381C & NH-A86M)
08F80-MKJ-D00ZA / 08F70-MKJ-E50ZA



TANK BAG
08L71-MKJ-D00



TANK PAD
08P71-MKN-D50



WHEEL STRIPE
08F74-MKJ-D00ZA

Photos are references only



The New GOLDWING



HIGH WINDSCREEN
08R71-MKC-J20



UPPER DEFLECTOR
08R72-MKC-A01



LOWER DEFLECTOR
08R73-MKC-A01



BODY COVER
08P71-MKC-A10



CHROME-PLATED SIDE STAND
08M70-MKC-A00



DCT CHANGE PEDAL KIT
08U71-MKC-A00



MAIN STEP BOARD
08R72-MKC-AE0



CHROME TRUNK RACK
08L70-MKC-M60



RYDER BUCK
08R75-MKC-A01

Photos are references only



The All-New CBR650R



KIT, SEAT COWL
08F71-MKY-E20ZA



KIT, SEAT COWL
08F71-MKY-E20ZB



KIT, SEAT COWL PLATE
08F76-MKN-D50



KIT SEAT BAG
08L73-MKJ-D00

KIT SEAT BAG ATT
08L70-MKJ-D00



KIT TANK SIDE STICKER
08F72-MKY-E00ZA



KIT TANK PAD
08P82-MKR-D10



KIT TANK BAG
08L71-MKJ-D00

KIT TANK BAG ATT
08L72-MKJ-D00



KIT HIGH WIND SCREEN (CLEAR)
08R70-MKN-D10



KIT HIGH WIND SCREEN (SMOKE)
08R71-MKN-D10



KIT SIDE COVER PANEL
08F75-MKN-D50



KIT FR FENDER PANEL
08F73-MKN-D50



KIT OIL LEVEL GAUGE
08F81-MKY-E20



KIT QUICK SHIFTER
08U72-MKN-D50

Photos are references only



The All-New HORNET 500



KIT, RR SEAT BAG
08L73-MKJ-D00



KIT, ACC SOCKET
08U70-MJW -J00



KIT, TANK BAG
08L71-MJK-D00

KIT, TANK BAG ATT
08L70-MKP-J00



KIT, TANK PAD
08P61-MYJ-800



KIT, MAIN STAND
08M70-MKP -J40

Photos are references only



The New rebel



FR FORK BOOT
08F70-K87-A31



FR FORK COVER
08F71-K87-A31



HEADLIGHT COWL
08R70-K87-A30



METER VISOR
08R74-K87-A30



12V SOCKET
08U71-K87-A30



ADJUSTABLE BRAKE LEVER
08U70-K87-A30



TANK PAD CENTER
08P70-K87-A30



TANK PAD SIDE
08P71-K87-A30





SPECIAL SEAT
08R76-K87-A30ZB (BRW) • 08R76-K87-A30ZA (BLK)



PASSENGER SEAT
08R71-K87-J80ZA (BRW)



RR CARRIER
08L70-K87-J80



BACK REST
08R73-K87-A30



SADDLE BAG
08L04-K87-A31 (RH) • 08L05-K87-A31 (LH)



SADDLE BAG STAY
08L73-K87-A31 (RH) • 08L74-K87-A31 (LH)

Photos are references only



The New CRF1100L Africa Twin ADVENTURE SPORTS



KIT, TOP BOX (58L)
08L70-MKS-E00
KIT, CARRIER BRKT (PLA)
08L78-MKS-E00
KIT, BACKREST (PLA 58L)
08L79-MKS-E00
KIT, TOP BOX STRIPE *NH1*
08F70-MLN-E00ZA



KIT, TOP BOX
08L71-MJP-G50
KIT, TOP BOX LOCK
08L73-MJP-G50
BACKREST
08F00-MJP-G50



KIT, TOP BOX (AL)
08L73-MKS-E00
KIT, CARRIER BRKT (AL)
08L80-MKS-E00



KIT, R PANNIER CASE (AL)
08L75-MKS-E00
KIT, PANNIER STAY (AL)
08L77-MKS-E00
KIT, L PANNIER CASE (AL)
08L76-MKS-E00



KIT, PANNIER CASE (PLA)
08L71-MKS-E00
KIT,P ANNIER INNER BAG (1 PC)
08L83-MKS-E00
KIT, PANNIER BOX STRIPE *NH1*
08F71-MLN-E00ZB

CYLINDER INNER SET, 1KEY (WAVE)
08M75-MJE-D03

KIT, 1KEY BODY PARTS (WAVE)
08M71-MJE-D01

*One key system sold separately



KIT, SIDE TANK PAD
08R75-MKS-E20



KIT, FR SIDE PIPE
08P70-MLN-E00



KIT, FR FOG ATT
08V70-MLN-E00
KIT, FR FOG LIGHT
08V73-MKS-E00



KIT, RADIATOR GRILL
08F71-MKS-E00



KIT, MAIN STAND
08M70-MLN-E00



KIT, WHEEL STRIPE *RED1*
08F75-MLN-E00ZA
KIT, WHEEL STRIPE *GOLD1*
08F70-MLN-E00ZA
KIT, WHEEL STRIPE *NHB53P*
08F70-MLN-E00ZA



KIT, ENG GUARD
08F71-MKS-E00
KIT, GUARD ATT
08P75-MKS-E00



KIT, DCT PEDAL SHIFT
08U70-MKS-E50



KIT, RALLY STEP
08R79-MKS-E00
KIT, COMFORTABLE PILLION STEP
08R71-MJP-G50

Photos are references only



The New CRF1100L Africa Twin



KIT, TOP BOX (58L)
08L70-MKS-E00
KIT, CARRIER BRKT (PLA)
08L78-MKS-E00
KIT, BACKREST (PLA 58L)
08L79-MKS-E00
KIT, TOP BOX STRIPE *NH1*
08F70-MLN-E00ZA



KIT, TOP BOX
08L71-MJP-G50
KIT, TOP BOX LOCK
08L73-MJP-G50
BACKREST
08F00-MJP-G50



KIT, TOP BOX (AL)
08L73-MKS-E00
KIT, CARRIER BRKT (AL)
08L80-MKS-E00



KIT, R PANNIER CASE (AL)
08L75-MKS-E00
KIT, PANNIER STAY (AL)
08L77-MKS-E00
KIT, L PANNIER CASE (AL)
08L76-MKS-E00



KIT, PANNIER CASE (PLA)
08L71-MKS-E00
KIT, PANNIER INNER BAG (1 PC)
08L83-MKS-E00
KIT, PANNIER BOX STRIPE *NH1*
08F71-MLN-E00ZB

CYLINDER INNER SET, 1KEY (WAVE)
08M70-MJE-D03

KIT, 1KEY BODY PARTS (WAVE)
08M71-MJE-D01

*One key system sold separately



KIT, KNUCKLE GUARD EXT *NH1*
08P72-MKS-E00ZB
KIT, KNUCKLE GUARD EXT *NH1*
08P72-MKS-E00ZC
KIT, KNUCKLE GUARD EXT *R280R*
08P72-MKS-E00ZD



KIT, ACC SOCKET
08U70-MKS-E00



KIT, SIDE TANK PAD
08R81-MKS-E00

KIT, FR FOG ATT
08V70-MLN-E00
KIT, FR FOG LIGHT
08V73-MKS-E00

*FR SIDE PIPE required for FOG LIGHT installation

KIT,FR SIDE PIPE
08P70-MLN-E00

KIT, RADIATOR GRILL
08F71-MKS-E00

KIT, UPPER DEFLECTOR
08R70-MLN-E00
KIT, DEFLECTOR
08R72-MKS-E00

KIT WHEEL STRIPE *RED1*
08F75-MLN-E00ZA
KIT ,WHEEL STRIPE *GOLD1*
08F70-MLN-E00ZA
KIT, WHEEL STRIPE *NHB53P*
08F70-MLN-E00ZA

KIT, ENG GUARD
08F71-MKS-E00
KIT, GUARD ATT
08P75-MKS-E00

KIT, QUICK SHIFTER
08U70-MLG-E00

KIT, MAIN STAND
08M70-MKS-E01

KIT, RALLY STEP
08R79-MKS-E00
KIT, COMFORTABLE PILLION STEP
08R71-MJP-G50

Photos are references only

The All-New CB650R NEO SPORTS CAFÉ

ALUMINUM SHROUD COVER
08F74-MKN-D50

ALUMINUM FRONT FENDER PANEL
08F73-MKN-D50

UNDER COWL
08F71-MKN-D50ZA

QUICK SHIFTER
08U72-MKN-D50

ALUMINUM SIDE COVER
08F75-MKN-D50

TANK PAD
08P71-MKN-D50

Photos are references only



The All-New NX 500



KIT, SEAT BAG
08L73-MKJ-D00
KIT, SEAT BAG ATT
08L70-MKJ-D00



KIT, TOP BOX
08L71-MJP-G50
BACKREST
08F00-MJP-G50
KIT, TOP BOX LOCK
08L73-MJP-G50



KIT, RR CARRIER A
08L71-MGZ-D80ZA
KIT, TOP BOX BASE
08L73-MLR-D80



KIT, ACC SOCKET
08U70-MKP-D80



KIT, TANK BAG
08L77-MJP-G51
KIT, TANK BAG ATT
08L72-MKP-J80



KIT, TANK PAD
08P70-MGH-J20



KIT, KNUCKLE GUARD
08P70-MKP-DQ0



KIT, WIND SCREEN (SMOKE)
08R71-MLR-D80



KIT, FR SIDE PIPE
08P70-MLR-D80ZA



KIT, DEFLECTOR
08R70-MLR-D80



KIT, MAIN STAND
08M70-MKP-J40



KIT, SIDE PANNIER BAG
08L73-MLS-D01
KIT, SIDE PANNIER BAG BRACKET
08L71-MLR-D81

Photos are references only



The All-New CBR FIREBLADE





HIGH WIND SCREEN
CLEAR 08R70-MKR-J10ZA
SMOKE 08R71-MKR-J10ZA



CARBON FRONT FENDER
08F71-MKR-D10



SPROCKET COVER
08P77-MKR-D10





SINGLE SEAT COWL
08F75-MKR-D10ZA (RED)
08F75-MKR-D10ZB (BLK)



FRAME SLIDER
08P71-MKR-D10



CARBON HUGGER
08F70-MKR-D10



CARBON AIR BOX COVER
08F74-MKR-D10



CARBON UNDER COWL
08F73-MKR-D10



HRC OIL FILLER CAP
08F81-MKR-D10



TANK PAD
08P82-MKR-D10



WHEEL STRIPE (TRICOLOR)
08F79-MKR-D10ZA



SEAT BAG
08L72-MKR-D10



SPECIAL SEAT (ALCANTARA)
08R72-MKR-D10



TANK BAG
08L71-MKR-D10

Photos are references only



TRANSALP



WIND SCREEN DEFLECTOR
08R70-MLC-D00



HIGH SCREEN
08R73MLC-D00



FRONT FOG LIGHT
08V73-MKS-E00
FRONT FOG LIGHT ATT.
08V70-MLC-D00



FRONT SIDE PIPE
08P72-MLC-D00



RADIATOR GRILL
08F74-MLC-D00



ENGINE GUARD
08P73-MLC-D00
ENGINE GUARD ATT.
08F74-MLC-D00



SKID PLATE
08P71-MLC-D00



QUICK SHIFTER
08U70-MLC-D00



CENTER STAND
08M70-MLC-D00

RALLY STEP
08R79-MKS-E00

COMFORTABLE PILLION STEP
08R71-MJP-G50

TANK BAG (3L)
08L89-MKS-E00
CORD CLAMP
08E01-HAC-J00

LOW SEAT (BLACK)
08R74-MLC-D00ZB

TOP BOX BASE
08L70-MLC-D00

TOP BOX BACKREST
08R74-MLF-E00

ACCESSORY SOCKET
08U71-MKK-D00

PANNIER CASE
08L72-MKT-D00
1 KEY INNER CYLINDER SET
08M70-MJE-D03-M1
PANNIER SUPPORT STAY
08L72-MLC-D00
PANNIER PANEL ALUMINUM
08L80-MKT-D00
PANNIER INNER BAG
08L79-MKT-D00

TOP BOX 50L
08L73-MKT-D00
1 KEY INNER CYLINDER SET
08M70-MJE-D03
TOP BOX PANEL (ALUMINUM)
08L83-MKT-D00
TOP BOX INNER BAG (25L)
08L77-MKT-D00
TOP BOX INNER BAG FOR 50L TOPBOX
08L81-MKS-E00

TOP BOX 58L
08L70-MKS-E00

TOP BOX 58L INNER BAG
08L81-MKS-E00

TOP BOX KIT 42L (AL)
08L73-MKS-E00

LOW SEAT KIT
(RED&BLK) - 08R73-MKS-E00ZA
(BLU&BLK) - 08R73-MKS-E00ZB
(BLK) - 08R73-MKS-E00ZC

Photos are references only

CBR 500R

TOP BOX 35L
08L72-MJE-D00ZA

RR CARRIER
08L72-MKP-J00

RR CARRIER BASE
08L71-MGZ-J01

HIGH WIND SCREEN (SMOKE)
08R70-MKP-K00ZA

1KEY BODY PARTS
08M71-MJE-D01

1 KEY CYLINDER INNER SET
08M70-MJE-D03

TANK PAD
08P71-MKF-DK0

INNER BAG
08L09-MGS-D30

Photos are references only



The All-New rebel1100



SCREEN COWL
08R72-MLA-A00
SCREEN COWL ATT
08R77-MLA-A00
SCREEN COWL STAY
08R74-MLA-A00



HEAD LIGHT COWL
08R73-MLA-A00
HEAD LIGHT COWL STAY
08R78-MLA-A00



TANK PAD SIDE
08P71-MLA-A00



TANK PAD CENTER
08P70-MLA-A00



SPECIAL MAIN SEAT (FORWARD)(Brown)
08R72-MLA-J00ZA
SPECIAL MAIN SEAT (BACK)(Brown)
08R75-MLA-A00ZA



SPECIAL MAIN SEAT (FORWARD)(Black)
08R72-MLA-J00ZB
SPECIAL MAIN SEAT (BACK)(Black)
08R75-MLA-A00ZB



RR CARRIER
08R73-MLA-J00ZA



RR CARRIER
08L70-MLA-J00



BACKREST
08R71-MLA-A00
BACKREST PAD
08R79-MLA-A00



BAG,SADDLE (SMALL)
08L04-K87~A31



BAG,SADDLE (LARGE)
08L05-K87~A31



R SADDLE BAG SUPPORT
08L72-MLA-J01
L SADDLE BAG SUPPORT
08L73-MLA-J01

Photos are references only

ACCESSORIES



The New X-ADV



LEG DEFLECTOR
08R71-MKT-D00



FR FOG LIGHT
08V73-MKS-E00
FR LED FOG LIGHT ATT
08E71-MKT-D00



SIDE PIPE
08P70-MKH-D00



LATERAL COVER
08F73-MKT-D00



FLOOR PANEL
08F70-MKH-D00



TOP BOX (38L)
08L71-MJP-G00
TOP BOX LOCK
08L72-MJP-G00
1 KEY INNER ROCK CYL
08M70-MJE-D03
1 KEY INNER ROCK BODY
08M71-MJE-D01

*One key system sold separately.



PANNIER PANEL R/L (AL)
08L80-MKT-D00



TOP BOX PANEL (AL)
08L83-MKT-D00



SMART TOP BOX 50L
08L70-MKT-D00



PANNIER SUPPORT STAY
08L75-MKT-D00



TOP BOX 50L
08L73-MKT-D00



SMART TOP BOX OPENER
08L76-MKT-D00



PANNIER SET
08L72-MKT-D00



PARKING LEVER
08F70-MKT-D00
PARKING LEVER COVER
08F72-MKT-D00



RR CARRIER
08L74-MKT-D00ZC



BACKREST
08P00-MJP-G50



TOP BOX PAD (RUBBER)
08L85-MKT-D00



TOP BOX INNER BAG
08L75-MJP-G01



CONSOLE BAG
08L79-MKT-D00

Photos are references only





Authorized Dealer

Customer Care Hotline:
PLDT : 1-800-10HONDAPH-4663274
Email : customerservice@hondaph.com

Honda Philippines, Inc.

www.hondaph.com

Hondaph_mc

HONDA
The Power of Dreams