

AS and A LEVEL

Delivery Guide

H020/H420

BIOLOGY A

Theme: Transport in Animals

3.1.2

May 2015



We will inform centres about any changes to the specification. We will also publish changes on our website. The latest version of our specification will always be the one on our website (www.ocr.org.uk) and this may differ from printed versions.

Copyright © 2015 OCR. All rights reserved.

Copyright

OCR retains the copyright on all its publications, including the specifications. However, registered centres for OCR are permitted to copy material from this specification booklet for their own internal use.


Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee. Registered in England. Registered company number 3484466.

Registered office: 1 Hills Road
Cambridge
CB1 2EU

OCR is an exempt charity.

CONTENTS

Introduction	Page 4
Curriculum Content	Page 5
Thinking Conceptually	Page 9
Thinking Contextually	Page 12



Introduction

Delivery guides are designed to represent a body of knowledge about teaching a particular topic and contain:

- Content: A clear outline of the content covered by the delivery guide;
- Thinking Conceptually: Expert guidance on the key concepts involved, common difficulties students may have, approaches to teaching that can help students understand these concepts and how this topic links conceptually to other areas of the subject;
- Thinking Contextually: A range of suggested teaching activities using a variety of themes so that different activities can be selected which best suit particular classes, learning styles or teaching approaches.

If you have any feedback on this Delivery Guide or suggestions for other resources you would like OCR to develop, please email resourcesfeedback@ocr.org.uk.


KEY



Click to view associated resources within this document.



Click to view external resources




Curriculum Content

The content from the specification that is covered by this delivery guide is:

3.1.2 Transport in animals


(a)	the need for transport systems in multicellular animals	To include an appreciation of size, metabolic rate and surface area to volume ratio (SA:V). <i>M0.1, M0.3, M0.4, M1.1, M2.1, M4.1</i> HSW1, HSW3, HSW5, HSW8
(b)	the different types of circulatory systems	To include single, double, open and closed circulatory systems in insects, fish and mammals.
(c)	the structure and functions of arteries, arterioles, capillaries, venules and veins	To include the distribution of different tissues within the vessel walls. PAG2
(d)	the formation of tissue fluid from plasma	To include reference to hydrostatic pressure, oncotic pressure and an explanation of the differences in the composition of blood, tissue fluid and lymph. HSW8
(e)	(i) the external and internal structure of the mammalian heart (ii) the dissection, examination and drawing of the external and internal structure of the mammalian heart	PAG2 HSW4
(f)	the cardiac cycle	To include the role of the valves and the pressure changes occurring in the heart and associated vessels. HSW2, HSW5, HSW8



Curriculum Content


3.1.2 Transport in animals

(g)	how heart action is initiated and coordinated	To include the roles of the sino-atrial node (SAN), atrio-ventricular node (AVN), purkyne tissue and the myogenic nature of cardiac muscle (no detail of hormonal and nervous control is required at AS level). HSW2, HSW5, HSW8
(h)	the use and interpretation of electrocardiogram (ECG) traces	To include normal and abnormal heart activity e.g. tachycardia, bradycardia, fibrillation and ectopic heartbeat. <i>M0.1, M1.1, M1.3, M2.4</i> HSW2, HSW5
(i)	the role of haemoglobin in transporting oxygen and carbon dioxide	To include the reversible binding of oxygen molecules, carbonic anhydrase, haemoglobinic acid, HCO_3^- and the chloride shift. HSW8
(j)	the oxygen dissociation curve for fetal and adult human haemoglobin.	To include the significance of the different affinities for oxygen AND the changes to the dissociation curve at different carbon dioxide concentrations (the Bohr effect). <i>M3.1</i> HSW2, HSW8



Curriculum Content

Activity	Resources
<p>Circulatory system song 3.1.2 Transport in animals follows on from GCSE content. A good, fun introduction to this topic can be seen with this song; http://www.youtube.com/watch?v=LghvmUEdOYY&index=10&list=PL806169ECA3C97794</p>	
<p>How active is my creature? 3.1.2(a) This links with the structure of the lungs in 3.1.1(a) and diffusion from 2.1.5(d) and it is a good visual teaching resource. Students will design a creature based on cubes, so any mathematical calculations are straightforward. The creature is then cut out of phenolphthalein stained agar and placed in acid to see how long it takes for that acid to diffuse into the creature. Students can then suggest how active their creature could be based on diffusion alone and how it could be improved. This allows for module 1 skills and PAG8 to be explored and can link to mathematical skills <i>M0.3</i> and <i>M4.1</i> if surface area to volume ratio is attempted, however this can be purely visual or used as a differentiation tool. The basic technique can be found at; http://www.nuffieldfoundation.org/practical-biology/effect-size-uptake-diffusion</p>	



Curriculum Content


Activity

The pressure's rising 3.1.2(d)

A large vessel is drawn on the board, or tubes of card (such as empty toilet rolls or kitchen rolls) are given to each student. Students work in pairs, one student has a few cards with numbers representing pressure inside the vessel and the other student has cards representing pressures outside the vessel. The students take it in turns to place their cards in the correct place and work out whether fluid will go into the vessel or out. The tube can be squeezed and pushed out accordingly. Students can also work out the difference in pressure. Ultimately students relate their tubes and values to different blood vessels, blood proteins and blood pressure. An extension could be to add in layers of muscle and students suggest what difference that would have on various pressures which then links with 3.1.2(c).

[Learner resource 1 - The pressure's rising cards](#)

Resources



Thinking Conceptually

Approaches to teaching the content

This topic can be taught from a clinical perspective. This links well with 5.1.5(j) and (k) and is particularly good for 3.1.2(e-h).

The structure of blood vessels (3.1.2c) can be discussed with pictures of atherosclerotic plaques and varicose veins and also the increase in capillary beds with exercise (see the 'How big is my bed' activity). The clinical aspect can include increased health as well as pathological conditions.

The cardiac cycle (3.1.2f) can be discussed in terms of heart murmurs for valves, angina for the importance of coronary arteries, hole in the heart for the role of the septum and defibrillation for the heart's electrical activity. The cycle could be taught first and then students given various conditions and asked to suggest how these will affect the heart function, or the teaching can be tailored around the conditions. This links well with 3.1.2(h) and the ECG traces can be discussed around various conditions (see the 'Doctor, doctor' activity).

Common misconceptions or difficulties students may have

The emphasis on comparative circulatory systems for 3.1.2(b) links well with 4.2.2 Classification and evolution, but can become jumbled for students if not clearly and visually explained. Aside from dissections (which would support **PAG2**) this can be shown using tools similar to those discussed in the 'Go compare them activity'.

Students often find pressure differences difficult to comprehend for 3.1.2(d) so although they do not need to know values it is a good tool for students to visualise the differences as suggested in the 'How big is my bed' activity.

This can flow well from 3.1.2(c) where the structure/function relationship of the blood vessels should be emphasised and helps students to link the anatomy with the physiology.


The cardiac cycle sequence (3.1.2f) requires a firm understanding of the timing of the events especially when tied in with 3.1.2(g). This can be emphasised by a simple role play in time to the beat of the music being played (see the 'Heartbeat' activity).

Oxygen dissociation curves can be poorly explained as students often focus on haemoglobin binding to oxygen easily at high partial pressure and not binding (much) at low partial pressure. They do not appreciate the importance of oxygen being released easily at low oxygen partial pressures. This vital physiological function is highlighted in the 'Pass the O₂' activity.

Conceptual links to other areas of the specification – useful ways to approach this topic to set students up for topics later in the course


Section 3.1.2 Transport in animals links back to 3.1.1 Exchange surfaces and to the next section 3.1.3 Transport in plants. There are also opportunities to cover practical skills from module 1 such as 1.1.3 Analysis. To enhance synoptic understanding, links between 3.1.2 and other topics can also be highlighted, for example:

- 2.1.2(n) globular proteins
- 2.1.5(d) diffusion
- 4.2.2 Classification and evolution
- 5.1.5(j) and (k) nervous and endocrine systems.




Thinking Conceptually

Activity		Resources																													
<p>How big is my bed? 3.1.2(c) Students have cards representing different parts of the body and match these with cards showing different blood flow rates, as shown in the table below:</p> <table border="1"><thead><tr><th rowspan="2">Part of the body</th><th colspan="2">Blood Flow ml min⁻¹</th></tr><tr><th>At Rest</th><th>During Strenuous Exercise</th></tr></thead><tbody><tr><td>Heart</td><td>250</td><td>750</td></tr><tr><td>Kidneys</td><td>1,200</td><td>600</td></tr><tr><td>Skeletal Muscles</td><td>1,000</td><td>12,500</td></tr><tr><td>Skin</td><td>400</td><td>1,900</td></tr><tr><td>Viscera</td><td>1,400</td><td>600</td></tr><tr><td>Brain</td><td>750</td><td>750</td></tr><tr><td>Other</td><td>600</td><td>400</td></tr><tr><td>Total</td><td>5,600</td><td>17,500</td></tr></tbody></table> <p>Students can use this activity to suggest which organ has the largest capillary bed(s) and then use their understanding of 3.1.2(c) to explain why.</p> <p>This table is taken from http://users.rcn.com/jkimball.ma.ultranet/BiologyPages/C/Circulation2.html this website also has further information on the human circulatory system.</p>		Part of the body	Blood Flow ml min ⁻¹		At Rest	During Strenuous Exercise	Heart	250	750	Kidneys	1,200	600	Skeletal Muscles	1,000	12,500	Skin	400	1,900	Viscera	1,400	600	Brain	750	750	Other	600	400	Total	5,600	17,500	
Part of the body	Blood Flow ml min ⁻¹																														
	At Rest	During Strenuous Exercise																													
Heart	250	750																													
Kidneys	1,200	600																													
Skeletal Muscles	1,000	12,500																													
Skin	400	1,900																													
Viscera	1,400	600																													
Brain	750	750																													
Other	600	400																													
Total	5,600	17,500																													



Thinking Conceptually

Activity	Resources
<p>Doctor, doctor 3.1.2(h) and 1.1.3</p> <p>Students could take on the roles of patients and student doctors. The student doctors have to interpret the patients ECG trace. The traces can be given out randomly. This not only underlines the relevant aspects of the trace but also emphasises the possible health issues arising from that trace as the student patient should role play some relevant symptoms. A fun trace could be given with a flatline to see which student can role play that symptom!</p> <p>http://www.onmedica.com/newsarticle.aspx?id=2b5eb2a6-2a77-46d0-a345-d76adb51758e</p> <p>This website gives a few abnormal ECG's to work with, although students could be encouraged to come up with their own ECG's once they are familiar with a normal ECG.</p>	



Thinking Contextually

CONTEXTS

3.1.2 Transport in animals can be taught using dissection for 3.1.2(b) and (e) and microscope images for 3.1.2(c). If slides are not available a good website for histology is; <http://faculty.une.edu/com/abell/histo/histolab3a.htm>.

There are many videos to show the chronology of events for 3.1.2(f) and (g) and this can be followed through with role play, either simple blood movement role play (see the 'Heartbeat' activity) or doctor/patient (see the 'Doctor, doctor' activity).


The differential pressure gradients for formation of tissue fluid can be taught using a mixture of numerical data and visual aids (see 'The pressure's rising' activity) and this method can also be used for oxygen dissociation curves with students constructing their own graph from given data alongside the role play outlined in the 'Pass the O₂' activity. This gives an opportunity to cover mathematical skills *M3.1* and *M3.3*.

Some data can be extrapolated from this website:

<http://www.diatronic.co.uk/nds/webpub/myoglobin.htm>.


The general theme when teaching 3.1.2 can revolve around clinical data, visuals and traces as illustrated in the 'Doctor, doctor' activity.

Activity	Resources
<p>Go compare them 3.1.2(b)</p> <p>Students are given a balloon, some fluid (red coloured water is good), two tubes and sticky tape. Students partially inflate the balloon and put the fluid into the balloon with a tube placed in it. A thick straw could be used as the tube although it may need to be tied to the balloon. Make holes along the side of the tube and then squeeze the balloon to show an open circulatory system. Make sure this is done near a sink otherwise it may get very messy!</p> <p>Next students make a closed system (and single circulatory system) by bending the tube around and back to the balloon. The second tube can be added for moving into the double circulatory system.</p> <p>A good website to show the comparative systems is shown below:</p> <p>http://circsystemsunsig09r3a.wikispaces.com/(e)%09+Comparing+human+circulation+system+with+other+species</p>	




Thinking Contextually

Activity	Resources
<p>Heartbeat 3.1.2(f) and (g)</p> <p>Students have red or blue dots on them, representing oxygenated and deoxygenated blood. The lab needs to be set up to represent the chambers of the heart, curtains or A3 sheets of paper could represent the valves and arrows can be used to show which vessel the 'blood' should go through. Students move through the correct parts of the heart in the correct order in time to music ('Heartbeat' by Nick Berry is a good rhythm to follow). If this works well then some students could also have flowing strands of paper and represent the electrical activity. These students start off the cycle and the blood movement must follow the trailing pieces of paper from the 'electrical activity students'.</p> <p>A good website to show prior to this activity can be seen at:</p> <p>http://www.youtube.com/watch?v=rguztY8aqpk</p> <p>This video shows each side in turn and has a good discussion of valves and chambers.</p> <p>The following link shows good slow motion of the electrical activity of the heart:</p> <p>http://www.youtube.com/watch?v=llQXzgesdDg</p>	



Thinking Contextually

Activity	Resources
<p>Pass the O₂ 3.1.2(j) This activity is designed to emphasise the release and uptake of oxygen at various parts of the body and the relevance of this to physiological function.</p> <p>Students have 8 balls attached to them (oxygen) with double-sided tape. The students represent haemoglobin, either saturated or not. Other students can position themselves around the room and represent various parts of the body. As the haemoglobin reaches the different areas of the body, they must release balls or take on balls. This ties in well with 2.1.2(n) and the role of haemoglobin and can be used to help explain the sigmoidal shape of the oxygen dissociation curve with different speeds of uptake at high partial pressures of oxygen.</p> <p>Possible parts of the body are;</p> <ul style="list-style-type: none">PlacentaRespiratory muscleLungsMyoglobin in muscle <p>For some information on the Bohr effect see: http://www.austincc.edu/emeyerth/bohr.htm</p>	



Learner resource 1 The pressure's rising cards


10mmHg

25mmHg

50mmHg

30mmHg

32mmHg



Learner resource 2 How big is my bed cards

Body parts cards

Heart


Kidneys

Skeletal
muscles

Skin

Viscera

Brain



Learner resource 2 How big is my bed cards

Blood flow rates cards

At rest: 250 ml min^{-1}

During exercise:
 750 ml min^{-1}

At rest: 1200 ml min^{-1}

During exercise:
 600 ml min^{-1}

At rest: 1000 ml min^{-1}

During exercise:
 $12500 \text{ ml min}^{-1}$

At rest: 400 ml min^{-1}


During exercise:
 1900 ml min^{-1}

At rest: 1400 ml min^{-1}

During exercise:
 600 ml min^{-1}

At rest: 750 ml min^{-1}

During exercise:
 750 ml min^{-1}





We'd like to know your view on the resources we produce. By clicking on the 'Like' or 'Dislike' button you can help us to ensure that our resources work for you. When the email template pops up please add additional comments if you wish and then just click 'Send'. Thank you.

If you do not currently offer this OCR qualification but would like to do so, please complete the Expression of Interest Form which can be found here: www.ocr.org.uk/expression-of-interest

OCR Resources: *the small print*

OCR's resources are provided to support the teaching of OCR specifications, but in no way constitute an endorsed teaching method that is required by the Board and the decision to use them lies with the individual teacher. Whilst every effort is made to ensure the accuracy of the content, OCR cannot be held responsible for any errors or omissions within these resources. We update our resources on a regular basis, so please check the OCR website to ensure you have the most up to date version.

© OCR 2015 – This resource may be freely copied and distributed, as long as the OCR logo and this message remain intact and OCR is acknowledged as the originator of this work.

OCR acknowledges the use of the following content:

Page 18 Square down & Square up: alexwhite/Shutterstock.com

Please get in touch if you want to discuss the accessibility of resources we offer to support delivery of our qualifications: resources.feedback@ocr.org.uk

OCR customer contact centre

General qualifications

Telephone 01223 553998

Facsimile 01223 552627

Email general.qualifications@ocr.org.uk



For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored.

©OCR 2015 Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee, Registered in England.
Registered office 1 Hills Road, Cambridge CB1 2EU. Registered company number 3484466. OCR is an exempt charity.