

9 CFR 416
PART 416 - SANITATION PERFORMANCE STANDARDS - SPS

- 416.1 General rules
- 416.2 Establishment grounds and facilities
- 416.3 Equipment and utensils
- 416.4 Sanitary operations
- 416.5 Employee hygiene
- 416.6 Tagging insanitary equipment, utensils, rooms or compartments

§ 416.1 General rules

Each official establishment must be operated and maintained in a manner sufficient to prevent the creation of insanitary conditions and to ensure that product is not adulterated.

§ 416.2 Establishment grounds and facilities

(a) Grounds and pest control.

The **grounds** about an establishment must be maintained to prevent conditions that could lead to insanitary conditions, adulteration of product, or interfere with inspection by FSIS program employees. Establishments must have in place a **pest management program** to prevent the harborage and breeding of pests on the grounds and within establishment facilities. Pest control substances used must be safe and effective under the conditions of use and not be applied or stored in a manner that will result in the adulteration of product or the creation of insanitary conditions.

(b) Construction

(1) Establishment buildings, including their structures, rooms, and compartments must be of **sound construction, be kept in good repair**, and be of sufficient size to allow for processing, handling, and storage of product in a manner that does not result in product adulteration or the creation of insanitary conditions.

(2) Walls, floors, and ceilings within establishments must be built of **durable materials impervious to moisture** and be cleaned and sanitized as necessary to prevent adulteration of product or the creation of insanitary conditions.

(3) Walls, floors, ceilings, doors, windows, and other outside openings must be constructed and maintained to **prevent the entrance of vermin**, such as flies, rats, and mice.

(4) Rooms or compartments in which edible product is processed, handled, or stored must be separate and distinct from rooms or compartments in which **inedible product** is processed, handled, or stored, to the extent necessary to prevent product adulteration and the creation of insanitary conditions.

(c) Light. Lighting of good quality and **sufficient intensity** to ensure that sanitary conditions are maintained and that product is not adulterated must be provided in areas where food is processed, handled, stored, or examined; where equipment and utensils are cleaned; and in hand-washing areas, dressing and locker rooms, and toilets.

(d) Ventilation. Ventilation adequate to control odors, vapors, and **condensation** to the extent necessary to prevent adulteration of product and the creation of insanitary conditions must be provided.

(e) Plumbing. Plumbing systems must be installed and maintained to:

- (1) Carry sufficient quantities of water to required locations throughout the establishment;
- (2) Properly convey sewage and liquid disposable waste from the establishment;

(3) Prevent adulteration of product, water supplies, equipment, and utensils and prevent the creation of insanitary conditions throughout the establishment;

(4) Provide **adequate floor drainage** in all areas where floors are subject to flooding-type cleaning or where normal operations release or discharge water or other liquid waste on the floor;

(5) Prevent **back-flow** conditions in and cross-connection between piping systems that discharge waste water or sewage and piping systems that carry water for product manufacturing; and

(6) Prevent the backup of sewer gases.

(f) **Sewage** disposal. Sewage must be disposed into a sewage system separate from all other drainage lines or disposed of through other means sufficient to prevent backup of sewage into areas where product is processed, handled, or stored. When the sewage disposal system is a private system requiring approval by a State or local health authority, the establishment must furnish FSIS with the letter of approval from that authority upon request.

(g) Water supply and water, ice, and solution reuse.

(1) A supply of running water that complies with the National Primary Drinking Water regulations (40 CFR part 141), at a suitable temperature and under pressure as needed, must be provided in all areas where required (for processing product, for cleaning rooms and equipment, utensils, and packaging materials, for employee sanitary facilities, etc.). If an establishment uses a municipal water supply, it must make available to FSIS, upon request, a water report, issued under the authority of the State or local health agency, certifying or attesting to the potability of the water supply. If an establishment uses a private well for its water supply, it must make available to FSIS, upon request, documentation certifying **the potability of the water supply** that has been renewed at least semi-annually.

(2) **Water, ice, and solutions (such as brine, liquid smoke, or propylene glycol) used to chill or cook ready-to-eat product may be reused** for the same purpose, provided that they are maintained free of pathogenic organisms and fecal coliform organisms and that other physical, chemical, and microbiological contamination have been reduced to prevent adulteration of product.

(3) **Water, ice, and solutions used to chill or wash raw product may be reused** for the same purpose provided that measures are taken to reduce physical, chemical, and microbiological contamination so as to prevent contamination or adulteration of product. Reuse that which has come into contact with raw product may not be used on ready-to-eat product.

(4) **Reconditioned water** that has never contained human waste and that has been treated by an onsite advanced wastewater treatment facility may be used on raw product, except in product formulation, and throughout the facility in edible and inedible production areas, provided that measures are taken to ensure that this water meets the criteria prescribed in paragraph (g)(1) of this section. Product, facilities, equipment, and utensils coming in contact with this water must undergo a separate final rinse with non-reconditioned water that meets the criteria prescribed in paragraph (g)(1) of this section.

(5) Any water that has never contained human waste and that is free of pathogenic organisms may be used in edible and inedible product areas, provided it does not contact edible product. For example, such **reuse water** may be used to move heavy solids, to flush the bottom of open evisceration troughs, or to wash antemortem areas, livestock pens, trucks, poultry cages, picker aprons, picking room floors, and similar areas within the establishment.

(6) **Water that does not meet the use conditions** of paragraphs (g)(1) through (g)(5) of this section may not be used in areas where edible product is handled or prepared or in any manner that would allow it to adulterate edible product or create insanitary conditions.

(h) Dressing rooms, lavatories, and toilets.

(1) Dressing rooms, **toilet rooms**, and urinals must be sufficient in number, ample in size, conveniently located, and maintained in a **sanitary condition and in good repair** at all times to ensure cleanliness of all persons handling any product. They must be separate from the rooms and compartments in which products are processed, stored, or handled.

(2) **Lavatories with running hot and cold water, soap, and towels**, must be placed in or near toilet and urinal rooms and at such **other places in the establishment** as necessary to ensure cleanliness of all persons handling any product.

(3) **Refuse receptacles** must be constructed and maintained in a manner that protects against the creation of insanitary conditions and the adulteration of product.

§ 416.3 Equipment and utensils

(a) Equipment and utensils used for processing or otherwise handling edible product or ingredients must be of such material and construction to facilitate thorough cleaning and to ensure that their use will not cause the adulteration of product during processing, handling, or storage. **Equipment and utensils must be maintained in sanitary condition** so as not to adulterate product.

(b) Equipment and utensils must not be constructed, located, or operated in a manner that prevents FSIS inspection program employees from inspecting the equipment or utensils to determine whether they are in sanitary condition.

(c) Receptacles used for **storing inedible material** must be of such material and construction that their use will not result in the adulteration of any edible product or in the creation of insanitary conditions. Such receptacles must not be used for storing any edible product and must bear conspicuous and **distinctive marking** to identify permitted uses.

§ 416.4 Sanitary operations

(a) All **food-contact surfaces**, including food-contact surfaces of utensils and equipment, must be cleaned and sanitized as frequently as necessary to prevent the creation of insanitary conditions and the adulteration of product.

(b) **Non-food-contact surfaces** of facilities, equipment, and utensils used in the operation of the establishment must be cleaned and sanitized as frequently as necessary to prevent the creation of insanitary conditions and the adulteration of product.

(c) **Cleaning compounds**, sanitizing agents, processing aids, and other chemicals used by an establishment must be safe and effective under the conditions of use. Such chemicals must be used, handled, and stored in a manner that will not adulterate product or create insanitary conditions. Documentation substantiating the safety of a chemical's use in a food processing environment must be available to FSIS inspection program employees for review.

(d) Product must be protected from adulteration during **processing, handling, storage, loading, and unloading at and during transportation** from official establishments.

§ 416.5 Employee hygiene

(a) **Cleanliness**. All persons working in contact with product, food-contact surfaces, and product-packaging materials must adhere to hygienic practices while on duty to prevent adulteration of product and the creation of insanitary conditions.

(b) **Clothing**. Aprons, frocks, and other outer clothing worn by persons who handle product must be of material that is disposable or readily cleaned. Clean garments must be worn at the start of each working day and

garments must be changed during the day as often as necessary to prevent adulteration of product and the creation of insanitary conditions.

(c) **Disease control.** Any person who has or appears to have an infectious disease, open lesion, including boils, sores, or infected wounds, or any other abnormal source of microbial contamination, must be excluded from any operations which could result in product adulteration and the creation of insanitary conditions until the condition is corrected.

§ 416.6 Tagging insanitary equipment, utensils, rooms or compartments.

When an FSIS program employee finds that any equipment, utensil, room, or compartment at an official establishment is insanitary or that its use could cause the adulteration of product, he will **attach to it a “U.S. Rejected” tag**. Equipment, utensils, rooms, or compartments so tagged cannot be used until made acceptable. **Only an FSIS program employee may remove a “U.S. Rejected” tag.**