

**PEST:** Brown Marmorated Stink Bug (*Halyomorpha halys*) Stål

**BASIC PROFILE:** The BMSB resembles other common Louisiana stink bugs: mottled brown color, shield-shaped body, 12-17 mm (1/2 inch) in length, and it emits a bad odor. BMSB has two white bands on its antennae. Young nymphs (immatures) may have a tick-like appearance. Adults are active and fly or fall from plants when disturbed. BMSB may feed on fruit trees (e.g., apple, peach, pear, citrus, mulberry), vegetable crops, legumes such as soybeans and select ornamental plants. Fruit damage is cosmetic but punctures made by BMSB mouthparts may also allow disease to enter and ruin the fruit. In Fall/Winter BMSB search for places to overwinter and may become a major nuisance in homes and storage where they gather in very large numbers.

**LDAF ACTIVITY:** BMSB was found in Louisiana (2021). No federal or state quarantines are in place. Current stink bug chemical controls may be effective. There are also tiny wasps that parasitize BMSB. These wasps may be reared and released for use in reducing BMSB populations through biological control programs in the future.

Adults



Eric Matthews



© WI Hershberger



Philip Brody

Nymphs



© WI Hershberger



Hartmut Wisch

Nymphs and Adults



© WI Hershberger