


AQUAMAX GAS WATER HEATER SPECIFICATIONS

SPECIFICATIONS

	G390 SS (WITH MIXING VALVE)	G340 SS	G270 SS
Number of people Served	3-6	2-5	2-4
Model	G390SS	G340SS	G270SS
Gas type	Natural	Natural	Natural
Cylinder Capacity	155 Litres	155 Litres	130 Litres
Nominal gas consumption	40 MJ/Hr	40 MJ/Hr	33 MJ/Hr
AGA Star Rating Index	5 Stars	5 Stars	5 Stars
Recovery rate at 45°C rise	185 Litres/Hr ²	185 Litres/Hr ²	145 Litres/Hr ²
Installation type	External only	External only	External only
Pressure & Temperature Relief Valve setting	1400 kPa/99°C	1400 kPa/99°C	1400 kPa/99°C
Max. water supply pressure w/o ECV	1120 kPa	1120 kPa	1120 kPa
Cylinder material	stainless steel	stainless steel	stainless steel
Water inlet connection	Rp 3/4" Female	Rp 3/4" Female	Rp 3/4" Female
Water outlet connection	Rp 3/4" Female	Rp 1/2" Female	Rp 1/2" Female
Gas connection	1/2" flared compression	1/2" flared compression	1/2" flared compression
Warranty (Cylinder) ¹	12 years	12 years	12 years
WaterMark Licence No.	WMKA00200	WMKA00200	WMKA00200
Overall height	1625mm	1635mm	1410mm
Width (approx.)	520mm	520mm	475mm
Depth (approx.)	610mm	610mm	565mm
AGA Approval No.	AGA6114G	AGA6114G	AGA7477G
Weight (packaged)	65 kg	64 kg	49 kg



¹ Warranty: 12 years on cylinder, 3 years parts and labour on cylinder, 1 year parts and labour on all other components, when installed in a domestic dwelling. For all other installations, warranty period is one year parts and labour on all components. Warranty applies to product manufactured on or after 09/04/2018. Conditions apply, see the AquaMax warranty set out in the Owner's Guide and Installation Instructions or view at www.aquamax.com.au

² Based on cold water temperature of 15°C

³ Note: AquaMax Stainless Steel Water Heaters are not recommended for installation in some areas. Refer to the AquaMax website for details of areas not recommended and for which product is not covered by warranty.

Rheem Australia Pty Ltd (ABN 21 098 823 511)
 National Office: 1 Alan Street Rydalmere NSW 2116
 National Sales Phone: 132 552
 For more information visit www.aquamax.com.au



® Registered Trademark of Rheem Australia Pty Ltd
 Materials, product data and specifications subject to change without notice.

5 Star Gas
STAINLESS STEEL



AquoMAX[®]
Water Heaters

“Giving you more in
Hot Water”



12 YEAR
CYLINDER
WARRANTY



AUSTRALIAN MADE STAINLESS STEEL GAS WATER HEATERS

STAR PERFORMERS FROM AQUAMAX

AquaMax gas water heaters offer you more than just 5 Star energy efficiency.

With Stainless Steel cylinders across the range they are the preferred choice for homeowners and plumbers alike.

Providing hot water recovery of up to 185 litres per hour, there is an AquaMax model to suit even the largest household.



G390 SS

G340 SS

G270 SS



OUTSTANDING FEATURES

5 STAR ENERGY EFFICIENCY
to help you save on energy bills

STAINLESS STEEL CYLINDERS
can resist corrosion for longer than conventional
enamelled steel cylinders³

12 YEAR CYLINDER WARRANTY¹

**HOT WATER RECOVERY FROM
145 TO 185 LITRES AN HOUR²**
to have you back in hot water faster, and also handy
in times of heavy hot water demand

SIGNIFICANTLY LIGHTER
than traditional enamelled steel cylinder water
heaters, which assists in easier installation

NO ANODE REQUIRED
so reducing lifetime service costs

INBUILT MIXING VALVE
on AquaMax G390SS so you can adjust the hot
water delivery to as much as 205L in an hour
(depending on temperature chosen)*

*NOTE: the inbuilt mixing valve is not an approved temperature limiting device.
Applications requiring tempering to comply with AS3498 must have a tempering
valve installed in accordance with AS3500.4



“Giving you more in
Hot Water”