

## Agents for Autoimmune Conditions - Medical Benefit Preferred Physician-Administered Drug Exceptions Criteria

### Disclaimer

*Clinical guidelines are developed and adopted to establish evidence-based clinical criteria for utilization management decisions. Clinical guidelines are applicable according to policy and plan type. The Plan may delegate utilization management decisions of certain services to third parties who may develop and adopt their own clinical criteria.*

*Coverage of services is subject to the terms, conditions, and limitations of a member’s policy, as well as applicable state and federal law. Clinical guidelines are also subject to in-force criteria such as the Centers for Medicare & Medicaid Services (CMS) national coverage determination (NCD) or local coverage determination (LCD) for Medicare Advantage plans. Please refer to the member’s policy documents (e.g., Certificate/Evidence of Coverage, Schedule of Benefits, Plan Formulary) or contact the Plan to confirm coverage.*

### Summary

The Plan has a Medical Preferred Drug List to encourage use of cost-effective and clinically appropriate physician-administered specialty drugs. **Table 1** lists the preferred and non-preferred Agents for Autoimmune Conditions:

**Table 1: Agents for Autoimmune Conditions, Medical Preferred Drug List**

<b>Drug Class</b>	<b>Preferred Products*</b>	<b>Non-Preferred Products<sup>†/‡</sup></b>
Autoimmune - (Select) Agents for autoimmune conditions	<ul style="list-style-type: none"> <li>❖ Cimzia (certolizumab pegol)</li> <li>❖ Entyvio (vedolizumab)</li> <li>❖ Ilumya (tildrakizumab-asmn)</li> <li>❖ Simponi Aria (golimumab)</li> <li>❖ Stelara (ustekinumab) IV<sup>‡</sup></li> </ul>	<ul style="list-style-type: none"> <li>❖ Actemra (tocilizumab)</li> <li>❖ Cosentyx (secukinumab)</li> <li>❖ Omvoh (mirikizumab-mrkz)</li> <li>❖ Orencia (abatacept)</li> <li>❖ Skyrizi (risankizumab-rzaa)</li> </ul>

<sup>7</sup>subject to Plan's Preferred Physician-Administered Drug(s) Exceptions Criteria

*\*Other drug-specific or class-specific clinical guidelines may also be applicable.*

- *Products considered Formulary or Preferred for the Plan may still require a clinical prior authorization review.*
- *The Plan may review all requests made under the Medical or Pharmacy benefit against specific prior authorization criteria, as applicable and at its discretion.*

<sup>†</sup>*Stelara intravenous (IV) infusion is indicated for a one-time induction dose in the treatment of Crohn's Disease and Ulcerative Colitis.*

This policy outlines the Plan's preferred products and exception criteria for non-preferred products through prior authorization. The coverage review process will determine if a clinical exception can be made.

- The program applies to all members requesting treatment with a non-preferred product (see [Table 1](#)).
- Preferred drugs are selected based on clinical effectiveness, safety, FDA approval, and treatment guidelines. In most cases, preferred medications must be tried first as long as they are considered safe and effective by the provider.
- Requests for non-preferred medications may require meeting Medical Benefit Preferred Drug Exceptions Criteria. Approval may be given if the member has tried and failed, or cannot use the Plan's preferred drug(s). Exceptions may include, but are not limited to the following:
  1. The member has a documented trial and failure, inadequate response, intolerance, or contraindication to ALL preferred drug(s), as applicable; **or**
  2. The member has a risk factor(s) for poor response to the preferred drug(s); **or**
  3. The member is not a candidate for the preferred drug(s) based on the member's condition(s), individual needs, treatment history, or accepted standards of medical practice.

For more information or to request an exception, please contact the Plan.

## Definitions

**"Compendia"** are summaries of drug information and medical evidence to support decision-making about the appropriate use of drugs and medical procedures. Examples include, but are not limited to:

1. American Hospital Formulary Service Drug Information
2. Elsevier Clinical Pharmacology
3. National Comprehensive Cancer Network Drugs and Biologics Compendium

4. Thomson Micromedex DrugDex
5. United States Pharmacopeia-National Formulary (USP-NF)

"**Contraindication**" refers to a pre-existing condition or factor that precludes use of a drug due to risk of harm.

"**Intolerance**" refers to the inability to tolerate or endure something, often due to experiencing subjectively difficult or harmful side effects, reactions, or hypersensitivities when using a medication or treatment that negatively impacts quality of life, ability to adhere, or overall health. Documentation is expected to detail the specific intolerable effects and their impact on treatment.

"**Documentation**" refers to written information, including but not limited to:

1. Up-to-date chart notes, relevant test results, and/or relevant imaging reports to support diagnoses;
2. Prescription claims records, and/or prescription receipts to support prior trials of alternatives.

"**Experimental or Investigational**" are procedures, drugs, or devices that haven't been proven effective or which haven't been approved by the appropriate regulatory bodies.

"**FDA**" refers to the Federal Food and Drug Administration.

"**Medical Benefit Preferred Drug Exceptions Criteria**" are Plan requirements that must be met for a non-preferred drug to be approved for coverage, such as trial and failure of preferred drugs first.

### **State Law Conflicts**

For any provision of this policy that directly conflicts with or is prohibited by state law, the provisions of the state law will apply instead of the provisions of this policy. This means that in instances where state regulations diverge from or directly oppose the Plan's Preferred Physician-Administered Drug(s) Exceptions Criteria or requirements, the policy's criteria will not apply.

### **Exception Criteria**

The Plan considers a **Non-Preferred Product** to be medically necessary when the member meets **BOTH** of the following criteria:

1. Inadequate response, intolerance, or contraindication to **ALL** FDA, compendia, or evidence-based guideline-supported preferred products that are indicated and clinically appropriate for the diagnosis, unless:
  - a. There are no such preferred products; **or**
  - b. The member has a documented clinical reason to avoid **ALL** preferred products; **or**
  - c. The member is currently receiving treatment with the requested product, excluding when the requested product is obtained as samples or via assistance programs; **or**
  - d. The request is for cancer treatment in a state prohibiting prerequisite trials per regulations; **AND**
2. Clinical documentation is provided showing inadequate response, treatment failure, intolerance/adverse event, contraindication or clinical reason to avoid **ALL** preferred products. Examples of supporting documentation include:
  - a. Office chart notes; **and/or**
  - b. Lab results; **and/or**
  - c. Diagnostic reports; **and/or**
  - d. Clinical summary from provider.

**If the above prior authorization criteria are met, the requested product will be authorized for up to 12-months.**

### **Experimental or Investigational / Not Medically Necessary**

The Plan does not cover non-preferred products when used for experimental, investigational, or medically unnecessary indications. Use of non-preferred products is considered experimental, investigational, or not medically necessary if the indication is outside FDA-approved labeling or not supported by current medical evidence and standards of care. The Plan does not cover non-preferred products for the following non-approved indications (not all-inclusive):

1. Uses not considered clinically appropriate based on indication, including age, dosing (dosage, frequency, duration of therapy, and site of administration), and contraindication.
  - a. Non-FDA approved indications or off label use without sufficient evidence supporting safety and efficacy
  - b. Doses exceeding the FDA-approved label or clinical practice guidelines without sufficient evidence supporting safety and efficacy
2. Uses not required for treatment or management of the member's medical condition.
3. Uses not aligned with generally accepted medical practice.
4. Uses primarily for the convenience of the member, family, or provider.

## Applicable Billing Codes (HCPCS/CPT Codes)

<b>CPT/HCPCS Codes considered medically necessary if criteria are met:</b>	
<i>Code</i>	<i>Description</i>
J0129	Orencia; Orencia ClickJect Injection, abatacept, 10 mg
J0717	Cimzia; Cimzia Prefilled; Cimzia Starter Kit Injection, certolizumab pegol, 1 mg
J1602	Simponi Aria Injection, golimumab, 1 mg, for intravenous use
J2327	Skyrizi (intravenous) Injection, risankizumab-rzaa, intravenous, 1 mg
J3245	Ilumya Injection, tildrakizumab, 1 mg
J3262	Actemra Injection, tocilizumab, 1 mg
J3358	Stelara IV Ustekinumab, for intravenous injection, 1 mg
J3380	Entyvio Injection, vedolizumab, 1 mg
C9399	Cosentyx IV (secukinumab) Unclassified drugs or biologicals
J3590	Cosentyx IV (secukinumab) Unclassified biologics
C9399	OmvoH IV (mirikizumab-mrkz) Unclassified drugs or biologicals
J3590	OmvoH IV (mirikizumab-mrkz) Unclassified biologics

## Appendix

### **Common Tumor Necrosis Factor (TNF) Blocking Agents**

1. Adalimumab (Humira)
2. Certolizumab Pegol (Cimzia)
3. Etanercept (Enbrel)
4. Golimumab (Simponi)
5. InFLIXimab (Remicade)

### **Common Contraindications and Precautions for Anti-TNF Therapy**

1. Active infections (e.g. TB, hepatitis B/C, HIV, herpes zoster) or sepsis
2. History of hypersensitivity reaction to the agent or components
3. Congestive heart failure NYHA Class III or IV
4. Concurrent use of another biological immunosuppressive agent (select agents)
5. History of malignancy
6. Underlying demyelinating disorder
7. Recent or planned major surgery
8. Pregnancy/planning pregnancy (select agents)

## References

1. Actemra (tocilizumab) [prescribing information]. South San Francisco, CA: Genentech Inc; December 2022.
2. Anderson PO. Monoclonal antibodies during breastfeeding. *Breastfeed Med.* 2021;16(8):591-593. doi:10.1089/bfm.2021.0110
3. Cimzia (certolizumab pegol) [prescribing information]. Smyrna, GA: UCB Inc; December 2022.
4. Cosentyx (secukinumab) [prescribing information]. East Hanover, NJ: Novartis; October 2023.
5. Entyvio (vedolizumab) [prescribing information]. Lexington, MA: Takeda Pharmaceuticals USA Inc; September 2023.
6. Ilumya (tildrakizumab-asmn) [prescribing information]. Cranbury, NJ: Sun Pharmaceutical Industries Inc; December 2022.
7. Julsgaard M, Kjeldsen J, Baumgart DC. Vedolizumab safety in pregnancy and newborn outcomes. *Gut.* 2017;66(10):1866-1867. doi: 10.1136/gutjnl-2016-313444.
8. Mitrova K, Pipek B, Bortlik M, et al; Czech IBD Working Group. Safety of ustekinumab and vedolizumab during pregnancy-pregnancy, neonatal, and infant outcome: a prospective multicentre study. *J Crohns Colitis.* 2022;16(12):1808-1815. doi:10.1093/ecco-jcc/jjac086
9. Omvoh (mirikizumab) [prescribing information]. Indianapolis, IN: Eli Lilly and Company; October 2023.
10. Orencia (abatacept) [prescribing information]. Princeton, NJ: Bristol-Myers Squibb; October 2023.
11. Simponi (golimumab) [prescribing information]. Horsham, PA: Janssen Biotech Inc; September 2019.

12. Simponi Aria (golimumab) [prescribing information]. Horsham, PA: Janssen Biotech Inc; February 2021.
13. Skyrizi (risankizumab-rzaa) [prescribing information]. North Chicago, IL: AbbVie Inc; December 2022.
14. Stelara (ustekinumab) [prescribing information]. Horsham, PA: Janssen Biotech Inc; March 2023.
15. Wils P, Seksik P, Stefanescu C, et al; PREGNANCY-GETAID study group. Safety of ustekinumab or vedolizumab in pregnant inflammatory bowel disease patients: a multicentre cohort study. *Aliment Pharmacol Ther.* 2021;53(4):460-470. doi:10.1111/apt.16192

#### Clinical Guideline Revision / History Information

Original Date: 12/14/2023

Reviewed/Revised: