

Skilled Nursing Facility Care

Disclaimer

Clinical guidelines are developed and adopted to establish evidence-based clinical criteria for utilization management decisions. Clinical guidelines are applicable according to policy and plan type. The Plan may delegate utilization management decisions of certain services to third parties who may develop and adopt their own clinical criteria.

Coverage of services is subject to the terms, conditions, and limitations of a member's policy, as well as applicable state and federal law. Clinical guidelines are also subject to in-force criteria such as the Centers for Medicare & Medicaid Services (CMS) national coverage determination (NCD) or local coverage determination (LCD) for Medicare Advantage plans. Please refer to the member's policy documents (e.g., Certificate/Evidence of Coverage, Schedule of Benefits, Plan Formulary) or contact the Plan to confirm coverage.

Skilled Nursing Facility Care	1
Summary	2
Definitions	2
Medical Necessity Criteria for Initial Clinical Review	3
General Medical Necessity Criteria	3
Medical Necessity Criteria for Subsequent Clinical Review	4
Subsequent Medical Necessity Criteria	4
Experimental or Investigational / Not Medically Necessary	5
Discharge Criteria	5
Duplicate Services	5
Delays in Discharge	5
Not Medically Necessary Indications	5
References	6
Clinical Guideline Revision / History Information	8

Summary

Plan members requiring short-term care or rehabilitation following hospitalization may be eligible for inpatient admission to a skilled nursing facility (SNF), also commonly called a subacute rehabilitation facility, depending on their plan. A SNF is a care center where nurses and nursing assistants are available to provide twenty-four-hour care for patients to manage medical needs during their transition between the hospital and a lower level of care, such as the home. A SNF may also provide rehabilitation services in order to improve the member's function and decrease the burden of care. These centers can be part of a nursing home or hospital but must be licensed by the state or regulatory body under which they operate. Admission to a skilled nursing facility is determined by the medical necessity for skilled services, such as nursing and rehabilitation. Disease severity alone is not an indication for skilled nursing care.

For clinical guidelines relating to home skilled care services, please refer to the appropriate guideline:

- The Plan Clinical Guideline: Home Care - Skilled Nursing Care (RN, LVN/LPN) (CG020)
- The Plan Clinical Guideline: Home Care - Physical Therapy/Occupational Therapy (CG021)

Definitions

"Skilled nursing care" is defined by the Centers for Medicare and Medicaid Services (CMS) as skilled services that "require the skills of qualified technical or professional health personnel such as registered nurses, licensed practical (vocational) nurses, physical therapists, occupational therapists, and speech-language pathologists or audiologists" and "must be provided directly by or under the general supervision of these skilled nursing or skilled rehabilitation personnel to assure the safety of the patient and to achieve the medically desired result." Skilled nursing care can be delivered in the inpatient (SNF) or outpatient setting, depending on the individual needs of the patient.

"Skilled nursing facilities (SNFs)" are inpatient centers where skilled nursing care is delivered in an inpatient setting. Section 1819(a) of the Social Security Act outlines the specific criteria for designating a care center as a SNF. SNF services may include:

- Semi-private room
- Meals, inclusive of specialized dietary needs and administration
- Respiratory care
- Durable medical equipment and medical supplies (e.g., wound care supplies, assistive devices)
- Medications and pharmacy supplies
- Case management services
- Social services
- Laboratory services
- Imaging
- Rehab therapies (physical therapy, occupational therapy, speech-language therapy)

"Subacute care facilities" are a level of rehabilitative care typically provided following an inpatient hospital admission. Subacute care facilities provide services similar to skilled nursing facilities; services include, but are not limited to, skilled nursing care, respiratory care, and rehab therapies.

“General supervision” refers to the minimum level of supervision required at a SNF. This includes initial direction and periodic inspection of the actual activity, but does not include the continuous (24-hour) presence of a licensed registered nurse (RN) or physician.

“Custodial care” refers to personal care and non-medical assistance with activities of daily living and can be safely delivered by non-licensed caregivers.

“Adult care homes” are non-skilled living settings where a custodial level of care is provided.

“Home health” refers to care delivered in the outpatient setting, often at the residence of the patient. Home health care can be custodial or skilled in nature, depending on the provider, the patient's condition, and the specific program.

“Hospice care / end-of-life care” is interdisciplinary and holistic care when curative or life-prolonging treatments are no longer beneficial. Services may focus on symptom control, psychosocial and spiritual care, nursing, or short-term acute services. Trained clinicians and support staff support individual and family quality-of-life goals. Hospice care can be provided in the home, a SNF, or a hospital (for acute symptom management and stabilization to return to previous level of hospice care).

“Palliative care” is interdisciplinary and holistic care that focuses on symptom management, relieving suffering in all stages of disease, supporting communication, and assessing psychosocial, spiritual, social, and economic resources. Members may receive curative or life-prolonging treatment, and may not choose to receive hospice care or end-of-life care. Furthermore, palliative care provides support for individual and family quality-of-life goals.

Medical Necessity Criteria for Initial Clinical Review

General Medical Necessity Criteria

The Plan considers skilled nursing facility (SNF) care medically necessary when ALL of the following criteria are met:

1. ONE of the below:
 - a. Medical necessity criteria in the relevant MCG Subacute/Skilled Nursing Facility (SNF) Guidelines are met; *or*
 - b. For members requesting hospice care/end-of-life care or palliative care at a SNF (please check plan benefits to verify hospice or palliative care benefit timeframes), the following criteria must be met to meet medical necessity:
 - i. The member is terminally ill, presenting with functional decline, and certified by a medical practitioner for life expectancy less than twelve months for palliative care and less than six months for hospice/end-of-life care and meets ALL of the criteria in one of the following MCG Guidelines:

1. MCG End-Of-Life Care (PO-5006); *or*
 2. MCG Palliative Care (PO-5020); *and*
2. Member was admitted to an inpatient hospital within 30 days of the requested SNF admission; *and*
3. Written plan of care includes an initial evaluation and is sufficient to determine the necessity of therapy, including ALL of the following elements:
 - a. The diagnosis, the date of onset or exacerbation of the disorder/diagnosis, the duration, the severity, the anticipated course (e.g. stable, progressive, or improving), and the prognosis of the illness or injury; *and*
 - b. Prior functioning level; *and*
 - c. Plan of care: Long-term and short-term goals are specific, quantitative, objective, and can reasonably be considered attainable; *and*
 - d. Daily documentation of progress; *and*
 - e. Discharge plan; *and*
4. Member requires a skilled level of care meeting ALL of the following requirements:
 - a. Skilled care is performed by or under the supervision of an authorized provider (e.g., speech therapist, registered nurse, physical therapist, etc.); *and*
 - b. The level of care could not be provided by non-skilled providers; *and*
 - c. Skilled care can only be performed on an inpatient basis in a skilled nursing facility; *and*
 - d. Skilled care is required by the member at least daily, defined as:
 - i. 7 days per week for most cases of standard SNF care; *or*
 - ii. At least 6 days per week when the member requires skilled restorative nursing care; *or*
 - iii. At least 5 days per week when the member's inpatient needs are solely for skilled rehabilitation; *and*
 - e. The level of care required is reasonable and necessary for:
 - i. Treatment of the member's specific illness and/or injury; *and*
 - ii. The duration and quantity of care needed; *and*
 - f. These requirements are documented and ordered by the treating physician.

Continued Care

Medical Necessity Criteria for Subsequent Clinical Review

Subsequent Medical Necessity Criteria

The Plan considers extension requests for skilled nursing facility (SNF) services medically necessary when BOTH of the following criteria are met:

1. The request is supported by medical records demonstrating progress and is not approved for more than 7 days at a time; *and*
2. Member continues to meet admission criteria, is demonstrating clinical improvement during SNF stay, and is not ready to transition to an alternative or lower level of care.

Experimental or Investigational / Not Medically Necessary

Discharge Criteria

The Plan considers skilled nursing facility services no longer medically necessary when ONE of the following criteria is met:

1. Services no longer meet ALL of the medical necessity criteria; *or*
2. Member's condition has changed such that skilled care or rehabilitation is no longer needed (i.e., the member has reached a functional plateau, maximal mobility is met with or without assistance or an assistive device, and current orthopedic precautions are not expected to change in the next week); *or*
3. Member is not progressing with goals of therapy within a reasonable and defined period of time, has met therapy goals, or the member no longer has goals in therapy; *or*
4. When services are provided solely to preserve a present level of function or prevent regression of function for a condition that has stabilized; *or*
5. Member refuses to participate in the ongoing treatment plan; *or*
6. Member requires a higher level of care due to deterioration or new illness; *or*
7. Care was initially or has become custodial in nature; *or*
8. Services can safely and effectively be performed by non-medical personnel or self-administered by the member in a home setting; *or*
9. Rehabilitative goals can safely and effectively be met in the home setting, outpatient setting, or at a custodial level; *or*
10. Discharge from SNF level of care would not be expected to result in a deterioration of the member's condition.

Duplicate Services

Diagnostic imaging or testing is not considered medically necessary in the SNF when duplicate services were performed prior to admission.

Delays in Discharge

Discharge planning is expected to begin at admission and continue at regular intervals throughout the member's stay. Any delays in discharge due to inappropriate discharge planning such as the failure to make appropriate DME or home health referrals are subject to denial.

Not Medically Necessary Indications

The following indications are generally not considered medically necessary for inpatient skilled nursing unless documentation supports that criteria are met:

1. ADL assistance or custodial care
2. Administration of suppositories or enema
3. Care of confused or disoriented patients who are under an established medication regimen
4. Care solely for the administration of oxygen, nebulizer treatments, or for individuals on established levels of ventilatory support

5. Care solely for the treatment of stage 1-2 pressure ulcers
6. Emotional support or counseling
7. Heat treatment – wet or dry:
 - a. Whirlpool baths, paraffin baths or heat lamp treatments do not qualify an individual for care in an acute inpatient rehabilitation or SNF.
 - b. There may be a rare instance when a severely compromised individual with desensitizing neuropathies or severe burns requires skilled observation during the above treatments. These cases are to be reviewed on an individual consideration basis. Documentation must support the medical necessity for such observation.
8. Passive range of motion exercises, unless there are complex wound care, co-morbid orthopedic or neurological conditions that require the services of a skilled therapist
9. Routine care for colostomy, enteral feedings, or foot and nail
10. Routine or maintenance medication administration. Admissions solely for the administration of routine or maintenance medications, including daily IV, IM and SQ medications are not considered skilled. Parenteral medication administration in medically stable individuals is most often managed in the home setting by a home health or home infusion therapy provider.
11. Routine services directed toward the prevention of injury or illness
12. Suctioning of the nasopharynx or nasotrachea. Suctioning daily or PRN less frequently than every 4 hours PRN is not considered skilled.
13. Urinary catheters. The presence of a stable indwelling or suprapubic catheter, the need for routine intermittent straight catheterization, catheter replacement or routine catheter irrigation does not qualify an individual for acute inpatient rehabilitation or SNF placement unless other skilled needs exist.

References

1. Basso, I., Gonella, S., Bassi, E., Caristia, S., Campagna, S., & Dal Molin, A. (2024). Impact of quality improvement interventions on hospital admissions from nursing homes: A systematic review and meta-analysis. *Journal of the American Medical Directors Association*, 25(11), 105261. <https://doi.org/10.1016/j.jamda.2024.105261>
2. Burke, R. E., Lawrence, E., Ladebue, A., Ayele, R., Lippmann, B., Cumbler, E., Jones, J. (2017). How hospital clinicians select patients for skilled nursing facilities. *Journal of the American Geriatrics Society*, 65(11), 2466-2472. doi:10.1111/jgs.14954
3. Centers for Medicare and Medicaid Services (CMS). *Hospice care*. <https://www.medicare.gov/coverage/hospice-care>
4. Centers for Medicare and Medicaid Services (CMS). (n.d.). The Skilled Nursing Facility Manual. <https://www.cms.gov/medicare/regulations-guidance/manuals>
5. Chatterjee, P., Qi, M., & Werner, R. (2021). Relative contributions of hospital versus skilled nursing facility quality on patient outcomes. *BMJ Quality & Safety*, 30(3), 195–201. <https://doi.org/10.1136/bmjqs-2019-010660>

6. Ersek, M., Unroe, K. T., Carpenter, J. G., Cagle, J. G., Stephens, C. E., & Stevenson, D. G. (2022). High-quality nursing home and palliative care—one and the same. *Journal of the American Medical Directors Association*, 23(2), 247-252.
7. Haghverdian, B. A., Wright, D. J., & Schwarzkopf, R. (2017). Length of stay in skilled nursing facilities following total joint arthroplasty. *The Journal of Arthroplasty*, 32(2), 367-374.
8. Lendon, J. P., Caffrey, C., Melekin, A., Singh, P., Lu, Z., & Sengupta, M. (2024). Overview of post-acute and long-term care providers and services users in the United States, 2020. *National Health Statistics Reports*, (208), 10.15620/cdc/158328. <https://doi.org/10.15620/cdc/158328>
9. Lin, Y. J., Chen, Y. J., Ling, D. I., Fang, J. R., Wu, J. Y., & Lo, Y. T. (2025). Effectiveness of advance care planning for end-of-life outcomes in nursing home residents with dementia: A systematic review and meta-analysis. *Journal of the American Medical Directors Association*, 105974. Advance online publication. <https://doi.org/10.1016/j.jamda.2025.105974>
10. Makam, A. N., Nguyen, O. K., Miller, M. E., Shah, S. J., Kapinos, K. A., & Halm, E. A. (2020). Comparative effectiveness of long-term acute care hospital versus skilled nursing facility transfer. *BMC Health Services Research*, 20(1), 1032. <https://doi.org/10.1186/s12913-020-05847-6>
11. Mayer, R. S., Noles, A., & Vinh, D. (2020). Determination of Postacute Hospitalization Level of Care. *The Medical Clinics of North America*, 104(2), 345–357. <https://doi.org/10.1016/j.mcna.2019.10.011>
12. Meier, D. E., Back, A. L., Berman, A., Block, S. D., Corrigan, J. M., & Morrison, R. S. (2017). A national strategy for palliative care. *Health Affairs*, 36(7), 1265–1273. <https://doi.org/10.1377/hlthaff.2017.0164>
13. Mor V, Intrator O, Feng Z, Grabowski DC. The revolving door of rehospitalization from skilled nursing facilities. *Health Aff (Millwood)* 2010; 29:57.
14. National Hospice and Palliative Care Organization. (2024). NHPCO Facts and Figures Report, 2024 edition. <https://allianceforcareathome.org/resource/facts-and-figures-report-2024-edition/>
15. National Institute on Aging. (2021). *What are palliative care and hospice care?* National Institutes of Health. <https://www.nia.nih.gov/health/hospice-and-palliative-care/what-are-palliative-care-and-hospice-care>
16. O'Brien, S. R., & Zhang, N. (2018). Association between therapy intensity and discharge outcomes in aged Medicare skilled nursing facilities admissions. *Archives of Physical Medicine and Rehabilitation*, 99(1), 107-115
17. Ouslander, J.G., Engstrom, G., Yang, Z., Reyes, B., Tappen, R., & Huckfeldt, P. J. (2025). Diagnoses associated with hospitalization of nursing home residents with severe functional impairment and terminal illness. *Journal of the American Medical Directors Association*, 26(9), 105739. <https://doi.org/10.1016/j.jamda.2025.105739>
18. Ouslander, J.G., & Unroe, K.T. (2025). Medical care in skilled nursing facilities (SNFs) in the United States. *UpToDate*. <https://www.uptodate.com/contents/medical-care-in-skilled-nursing-facilities-snfs-in-the-united-states>

19. Schumacher, R., Chiu, M., M., De Leon, J., Krause, K., & Makam, A. N. (2021). Appropriateness of long-term acute care hospital transfer: A multicenter study of medicare ACO beneficiaries. *Journal of the American Medical Directors Association*, 22(8), 1767–1771.e5.
<https://doi.org/10.1016/j.jamda.2021.01.067>

Clinical Guideline Revision / History Information

Original Date: 10/11/2017

Reviewed/Revised: 1/18/2018, 11/6/2018, 10/21/2019, 10/21/2020, 10/21/2021, 12/01/2021, 10/20/2022, 10/19/2023, 11/01/2024, 09/01/2025, 05/01/2026