

Collagenase Ointment (Santyl)

Disclaimer

Clinical guidelines are developed and adopted to establish evidence-based clinical criteria for utilization management decisions. Clinical guidelines are applicable according to policy and plan type. The Plan may delegate utilization management decisions of certain services to third parties who may develop and adopt their own clinical criteria.

Coverage of services is subject to the terms, conditions, and limitations of a member's policy, as well as applicable state and federal law. Clinical guidelines are also subject to in-force criteria such as the Centers for Medicare & Medicaid Services (CMS) national coverage determination (NCD) or local coverage determination (LCD) for Medicare Advantage plans. Please refer to the member's policy documents (e.g., Certificate/Evidence of Coverage, Schedule of Benefits, Plan Formulary) or contact the Plan to confirm coverage.

Collagenase Ointment (Santyl)	1
Summary	2
Definitions	2
Clinical Indications	3
Medical Necessity Criteria for Initial Clinical Review	3
Initial Indication-Specific Criteria	3
Chronic Dermal Ulcers or Severe Burns	3
Medical Necessity Criteria for Subsequent Clinical Review	4
Subsequent Indication-Specific Criteria	4
Chronic Dermal Ulcers or Severe Burns	4
Experimental or Investigational or Unproven/ Not Medically Necessary	4
Applicable Billing Codes	4
References	142
Clinical Guideline Revision / History Information	144

Summary

Wound healing is a complex process that can be complicated by the presence of nonviable or necrotic tissue in the affected area. Debridement of chronic dermal ulcers and severely burned areas involves the removal of necrotic tissue to prevent infection and promote healing, and it is a crucial part of wound care. There are various methods of debridement, including surgical, autolytic, enzymatic, and mechanical, each with its advantages and limitations depending on the individual's condition and wound type.

Enzymatic debridement uses proteolytic enzymes, such as collagenase, to break down denatured proteins in wound tissue, promoting the removal of nonviable tissue. Collagenase Ointment (Santyl) is an FDA-approved enzymatic debriding agent that contains collagenase derived from the bacterium *Clostridium histolyticum*. This ointment specifically targets and breaks down collagen in necrotic tissue, removing dead and devitalized tissue, promoting healthy granulation tissue formation and supporting wound healing. It is important to note that collagen in healthy tissue or newly formed granulation tissue remains unharmed.

Collagenase Ointment (Santyl) is primarily used for treating chronic dermal ulcers, such as pressure ulcers, venous stasis ulcers, and diabetic foot ulcers, as well as second- and third-degree burns. It is typically applied once daily directly onto the necrotic tissue and covered with a non-adherent dressing to maintain moisture and prevent contamination. More frequent application is recommended if a dressing becomes soiled or soaked with wound or other fluids.

Those with known hypersensitivity to collagenase or any other component of the ointment, those using detergents, antiseptics, or other topical medications that might inactivate the enzyme or interfere with its activity, should avoid use of collagenase ointment (Santyl).

Definitions

“Collagenase” is an enzyme that breaks down collagen, a major structural protein found in connective tissues, such as skin. Collagenase is used in some medical treatments, such as enzymatic debridement, to help remove necrotic tissue from wounds and promote healing.

“Debridement” is a medical procedure that involves the removal of dead, damaged, or infected tissue from a wound to promote healing and prevent infection.

“Documentation” refers to written information, including but not limited to:

- Up-to-date chart notes, relevant test results, and/or relevant imaging reports to support diagnoses; or
- Prescription claims records, and/or prescription receipts to support prior trials of formulary alternatives.

“Granulation” refers to the formation of new connective tissue and blood vessels during the wound healing process. Granulation tissue is a moist soft, pink, or red, e that fills in the wound bed, providing a foundation for the re-growth of skin (epithelialization).

“Necrotic tissue” refers to dead, devitalized, or damaged tissue that is often found in wounds or as a result of injury or disease. The presence of necrotic tissue can slow the wound healing process and increase the risk of infection. Debridement is often used to remove necrotic tissue and promote healing.

“[s]” indicates state mandates may apply.

Clinical Indications

Medical Necessity Criteria for Initial Clinical Review

Initial Indication-Specific Criteria

Chronic Dermal Ulcers or Severe Burns

The Plan considers Collagenase Ointment (Santyl) medically necessary when BOTH of the following criteria are met:

1. The member has a confirmed diagnosis of chronic dermal ulcers (e.g., pressure ulcers, venous stasis ulcers, or diabetic foot ulcers) OR severely burned areas; *AND*
2. The requested product meets ONE (1) of the following:
 - a. It is prescribed for use within the Plan's Quantity Limit of 180 grams per 30 days; *or*
 - b. If the requested dosing[#] instructions exceed the Plan's Quantity Limit and Collagenase Ointment (Santyl) is prescribed by or in consultation with a wound care specialist, infectious disease specialist, or dermatologist.

#It is highly recommended that healthcare providers refer to the manufacturer's dosing calculator (<https://santyl.com/hcp/dosing>) for accurate and individual-specific dosing of Collagenase Ointment (Santyl) to ensure the most appropriate treatment plan. The dosing calculator takes into account various factors, such as wound size and depth, to provide tailored recommendations for each individual.

If the above prior authorization criteria is met, Collagenase Ointment (Santyl) will be approved for up to 3 months.^[s]

Continued Care

Medical Necessity Criteria for Subsequent Clinical Review

Subsequent Indication-Specific Criteria

Chronic Dermal Ulcers or Severe Burns

The Plan considers Collagenase Ointment (Santyl) medically necessary when BOTH of the following criteria are met:

1. The member continues to meet the applicable **Initial Criteria**; *AND*
2. Recent medical records (within the past three months) provide documented evidence of BOTH of the following:
 - a. Wound improvement with the use of collagenase ointment (Santyl); *and*
 - b. Need for further debridement (e.g., due to persistent necrotic tissue without well-developed granulation tissue).

If the above reauthorization criteria are met, the requested product will be authorized for up to 3-months.^[s]

Experimental or Investigational or Unproven/ Not Medically Necessary^[s]

Collagenase Ointment (Santyl) for any other indication or use is considered not medically necessary by the Plan, as it is deemed to be experimental, investigational, unproven, or not medically necessary.

Non-covered indications include, but are not limited to, the following:

- Non-wound-related applications (e.g., using Collagenase Ointment for purposes other than wound debridement, such as cosmetic or other skin treatments).
- Treating acute or superficial wounds.
- Treating undiagnosed skin conditions.

Applicable Billing Codes

Table 1	
CPT/HCPCS Codes for chronic dermal ulcers and severe burns considered medically necessary if criteria are met:	
<i>Code</i>	<i>Description</i>
J3490	Unclassified drugs

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
E08.621	Diabetes mellitus due to underlying condition with foot ulcer
E09.621	Drug or chemical induced diabetes mellitus with foot ulcer
E10.51	Type 1 diabetes mellitus with diabetic peripheral angiopathy without gangrene
E10.52	Type 1 diabetes mellitus with diabetic peripheral angiopathy with gangrene
E10.59	Type 1 diabetes mellitus with other circulatory complications
E10.618	Type 1 diabetes mellitus with other diabetic arthropathy
E10.621	Type 1 diabetes mellitus with foot ulcer
E10.622	Type 1 diabetes mellitus with other skin ulcer
E11.51	Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene
E11.52	Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene
E11.59	Type 2 diabetes mellitus with other circulatory complications
E11.621	Type 2 diabetes mellitus with foot ulcer
E13.51	Other specified diabetes mellitus with diabetic peripheral angiopathy without gangrene
E13.52	Other specified diabetes mellitus with diabetic peripheral angiopathy with gangrene
E13.59	Other specified diabetes mellitus with other circulatory complications
E13.621	Other specified diabetes mellitus with foot ulcer
I83.001	Varicose veins of unspecified lower extremity with ulcer of thigh
I83.002	Varicose veins of unspecified lower extremity with ulcer of calf
I83.003	Varicose veins of unspecified lower extremity with ulcer of ankle
I83.004	Varicose veins of unspecified lower extremity with ulcer of heel and midfoot
I83.005	Varicose veins of unspecified lower extremity with ulcer other part of foot

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
183.008	Varicose veins of unspecified lower extremity with ulcer other part of lower leg
183.009	Varicose veins of unspecified lower extremity with ulcer of unspecified site
183.011	Varicose veins of right lower extremity with ulcer of thigh
183.012	Varicose veins of right lower extremity with ulcer of calf
183.013	Varicose veins of right lower extremity with ulcer of ankle
183.014	Varicose veins of right lower extremity with ulcer of heel and midfoot
183.015	Varicose veins of right lower extremity with ulcer other part of foot
183.018	Varicose veins of right lower extremity with ulcer other part of lower leg
183.019	Varicose veins of right lower extremity with ulcer of unspecified site
183.021	Varicose veins of left lower extremity with ulcer of thigh
183.022	Varicose veins of left lower extremity with ulcer of calf
183.023	Varicose veins of left lower extremity with ulcer of ankle
183.024	Varicose veins of left lower extremity with ulcer of heel and midfoot
183.025	Varicose veins of left lower extremity with ulcer other part of foot
183.028	Varicose veins of left lower extremity with ulcer other part of lower leg
183.029	Varicose veins of left lower extremity with ulcer of unspecified site
183.201	Varicose veins of unspecified lower extremity with both ulcer of thigh and inflammation
183.202	Varicose veins of unspecified lower extremity with both ulcer of calf and inflammation
183.203	Varicose veins of unspecified lower extremity with both ulcer of ankle and inflammation
183.204	Varicose veins of unspecified lower extremity with both ulcer of heel and midfoot and inflammation

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
I83.205	Varicose veins of unspecified lower extremity with both ulcer other part of foot and inflammation
I83.208	Varicose veins of unspecified lower extremity with both ulcer of other part of lower extremity and inflammation
I83.209	Varicose veins of unspecified lower extremity with both ulcer of unspecified site and inflammation
I83.211	Varicose veins of right lower extremity with both ulcer of thigh and inflammation
I83.212	Varicose veins of right lower extremity with both ulcer of calf and inflammation
I83.213	Varicose veins of right lower extremity with both ulcer of ankle and inflammation
I83.214	Varicose veins of right lower extremity with both ulcer of heel and midfoot and inflammation
I83.215	Varicose veins of right lower extremity with both ulcer other part of foot and inflammation
I83.218	Varicose veins of right lower extremity with both ulcer of other part of lower extremity and inflammation
I83.219	Varicose veins of right lower extremity with both ulcer of unspecified site and inflammation
I83.221	Varicose veins of left lower extremity with both ulcer of thigh and inflammation
I83.222	Varicose veins of left lower extremity with both ulcer of calf and inflammation
I83.223	Varicose veins of left lower extremity with both ulcer of ankle and inflammation
I83.224	Varicose veins of left lower extremity with both ulcer of heel and midfoot and inflammation
I83.225	Varicose veins of left lower extremity with both ulcer other part of foot and inflammation
I83.228	Varicose veins of left lower extremity with both ulcer of other part of lower extremity and inflammation
I83.229	Varicose veins of left lower extremity with both ulcer of unspecified site and inflammation

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
L55.0	Sunburn of first degree
L55.1	Sunburn of second degree
L55.2	Sunburn of third degree
L55.9	Sunburn, unspecified
L89.000	Pressure ulcer of unspecified elbow, unstageable
L89.001	Pressure ulcer of unspecified elbow, stage 1
L89.002	Pressure ulcer of unspecified elbow, stage 2
L89.003	Pressure ulcer of unspecified elbow, stage 3
L89.004	Pressure ulcer of unspecified elbow, stage 4
L89.009	Pressure ulcer of unspecified elbow, unspecified stage
L89.010	Pressure ulcer of right elbow, unstageable
L89.011	Pressure ulcer of right elbow, stage 1
L89.012	Pressure ulcer of right elbow, stage 2
L89.013	Pressure ulcer of right elbow, stage 3
L89.014	Pressure ulcer of right elbow, stage 4
L89.019	Pressure ulcer of right elbow, unspecified stage
L89.020	Pressure ulcer of left elbow, unstageable
L89.021	Pressure ulcer of left elbow, stage 1
L89.022	Pressure ulcer of left elbow, stage 2
L89.023	Pressure ulcer of left elbow, stage 3
L89.024	Pressure ulcer of left elbow, stage 4
L89.029	Pressure ulcer of left elbow, unspecified stage
L89.100	Pressure ulcer of unspecified part of back, unstageable

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
L89.101	Pressure ulcer of unspecified part of back, stage 1
L89.102	Pressure ulcer of unspecified part of back, stage 2
L89.103	Pressure ulcer of unspecified part of back, stage 3
L89.104	Pressure ulcer of unspecified part of back, stage 4
L89.109	Pressure ulcer of unspecified part of back, unspecified stage
L89.110	Pressure ulcer of right upper back, unstageable
L89.111	Pressure ulcer of right upper back, stage 1
L89.112	Pressure ulcer of right upper back, stage 2
L89.113	Pressure ulcer of right upper back, stage 3
L89.114	Pressure ulcer of right upper back, stage 4
L89.119	Pressure ulcer of right upper back, unspecified stage
L89.120	Pressure ulcer of left upper back, unstageable
L89.121	Pressure ulcer of left upper back, stage 1
L89.122	Pressure ulcer of left upper back, stage 2
L89.123	Pressure ulcer of left upper back, stage 3
L89.124	Pressure ulcer of left upper back, stage 4
L89.129	Pressure ulcer of left upper back, unspecified stage
L89.130	Pressure ulcer of right lower back, unstageable
L89.131	Pressure ulcer of right lower back, stage 1
L89.132	Pressure ulcer of right lower back, stage 2
L89.133	Pressure ulcer of right lower back, stage 3
L89.134	Pressure ulcer of right lower back, stage 4
L89.139	Pressure ulcer of right lower back, unspecified stage

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
L89.140	Pressure ulcer of left lower back, unstageable
L89.141	Pressure ulcer of left lower back, stage 1
L89.142	Pressure ulcer of left lower back, stage 2
L89.143	Pressure ulcer of left lower back, stage 3
L89.144	Pressure ulcer of left lower back, stage 4
L89.149	Pressure ulcer of left lower back, unspecified stage
L89.150	Pressure ulcer of sacral region, unstageable
L89.151	Pressure ulcer of sacral region, stage 1
L89.152	Pressure ulcer of sacral region, stage 2
L89.153	Pressure ulcer of sacral region, stage 3
L89.154	Pressure ulcer of sacral region, stage 4
L89.159	Pressure ulcer of sacral region, unspecified stage
L89.200	Pressure ulcer of unspecified hip, unstageable
L89.201	Pressure ulcer of unspecified hip, stage 1
L89.202	Pressure ulcer of unspecified hip, stage 2
L89.203	Pressure ulcer of unspecified hip, stage 3
L89.204	Pressure ulcer of unspecified hip, stage 4
L89.209	Pressure ulcer of unspecified hip, unspecified stage
L89.210	Pressure ulcer of right hip, unstageable
L89.211	Pressure ulcer of right hip, stage 1
L89.212	Pressure ulcer of right hip, stage 2
L89.213	Pressure ulcer of right hip, stage 3
L89.214	Pressure ulcer of right hip, stage 4

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
L89.219	Pressure ulcer of right hip, unspecified stage
L89.220	Pressure ulcer of left hip, unstageable
L89.221	Pressure ulcer of left hip, stage 1
L89.222	Pressure ulcer of left hip, stage 2
L89.223	Pressure ulcer of left hip, stage 3
L89.224	Pressure ulcer of left hip, stage 4
L89.229	Pressure ulcer of left hip, unspecified stage
L89.300	Pressure ulcer of unspecified buttock, unstageable
L89.301	Pressure ulcer of unspecified buttock, stage 1
L89.302	Pressure ulcer of unspecified buttock, stage 2
L89.303	Pressure ulcer of unspecified buttock, stage 3
L89.304	Pressure ulcer of unspecified buttock, stage 4
L89.309	Pressure ulcer of unspecified buttock, unspecified stage
L89.310	Pressure ulcer of right buttock, unstageable
L89.311	Pressure ulcer of right buttock, stage 1
L89.312	Pressure ulcer of right buttock, stage 2
L89.313	Pressure ulcer of right buttock, stage 3
L89.314	Pressure ulcer of right buttock, stage 4
L89.319	Pressure ulcer of right buttock, unspecified stage
L89.320	Pressure ulcer of left buttock, unstageable
L89.321	Pressure ulcer of left buttock, stage 1
L89.322	Pressure ulcer of left buttock, stage 2
L89.323	Pressure ulcer of left buttock, stage 3

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
L89.324	Pressure ulcer of left buttock, stage 4
L89.329	Pressure ulcer of left buttock, unspecified stage
L89.40	Pressure ulcer of contiguous site of back, buttock and hip, unspecified stage
L89.41	Pressure ulcer of contiguous site of back, buttock and hip, stage 1
L89.42	Pressure ulcer of contiguous site of back, buttock and hip, stage 2
L89.43	Pressure ulcer of contiguous site of back, buttock and hip, stage 3
L89.44	Pressure ulcer of contiguous site of back, buttock and hip, stage 4
L89.45	Pressure ulcer of contiguous site of back, buttock and hip, unstageable
L89.500	Pressure ulcer of unspecified ankle, unstageable
L89.501	Pressure ulcer of unspecified ankle, stage 1
L89.502	Pressure ulcer of unspecified ankle, stage 2
L89.503	Pressure ulcer of unspecified ankle, stage 3
L89.504	Pressure ulcer of unspecified ankle, stage 4
L89.509	Pressure ulcer of unspecified ankle, unspecified stage
L89.510	Pressure ulcer of right ankle, unstageable
L89.511	Pressure ulcer of right ankle, stage 1
L89.512	Pressure ulcer of right ankle, stage 2
L89.513	Pressure ulcer of right ankle, stage 3
L89.514	Pressure ulcer of right ankle, stage 4
L89.519	Pressure ulcer of right ankle, unspecified stage
L89.520	Pressure ulcer of left ankle, unstageable
L89.521	Pressure ulcer of left ankle, stage 1
L89.522	Pressure ulcer of left ankle, stage 2

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
L89.523	Pressure ulcer of left ankle, stage 3
L89.524	Pressure ulcer of left ankle, stage 4
L89.529	Pressure ulcer of left ankle, unspecified stage
L89.600	Pressure ulcer of unspecified heel, unstageable
L89.601	Pressure ulcer of unspecified heel, stage 1
L89.602	Pressure ulcer of unspecified heel, stage 2
L89.603	Pressure ulcer of unspecified heel, stage 3
L89.604	Pressure ulcer of unspecified heel, stage 4
L89.609	Pressure ulcer of unspecified heel, unspecified stage
L89.610	Pressure ulcer of right heel, unstageable
L89.611	Pressure ulcer of right heel, stage 1
L89.612	Pressure ulcer of right heel, stage 2
L89.613	Pressure ulcer of right heel, stage 3
L89.614	Pressure ulcer of right heel, stage 4
L89.619	Pressure ulcer of right heel, unspecified stage
L89.620	Pressure ulcer of left heel, unstageable
L89.621	Pressure ulcer of left heel, stage 1
L89.622	Pressure ulcer of left heel, stage 2
L89.623	Pressure ulcer of left heel, stage 3
L89.624	Pressure ulcer of left heel, stage 4
L89.629	Pressure ulcer of left heel, unspecified stage
L89.810	Pressure ulcer of head, unstageable
L89.811	Pressure ulcer of head, stage 1

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
L89.812	Pressure ulcer of head, stage 2
L89.813	Pressure ulcer of head, stage 3
L89.814	Pressure ulcer of head, stage 4
L89.819	Pressure ulcer of head, unspecified stage
L89.890	Pressure ulcer of other site, unstageable
L89.891	Pressure ulcer of other site, stage 1
L89.892	Pressure ulcer of other site, stage 2
L89.893	Pressure ulcer of other site, stage 3
L89.894	Pressure ulcer of other site, stage 4
L89.899	Pressure ulcer of other site, unspecified stage
L89.90	Pressure ulcer of unspecified site, unspecified stage
L89.91	Pressure ulcer of unspecified site, stage 1
L89.92	Pressure ulcer of unspecified site, stage 2
L89.93	Pressure ulcer of unspecified site, stage 3
L89.94	Pressure ulcer of unspecified site, stage 4
L89.95	Pressure ulcer of unspecified site, unstageable
L97.401	Non-pressure chronic ulcer of unspecified heel and midfoot limited to breakdown of skin
L97.402	Non-pressure chronic ulcer of unspecified heel and midfoot with fat layer exposed
L97.403	Non-pressure chronic ulcer of unspecified heel and midfoot with necrosis of muscle
L97.404	Non-pressure chronic ulcer of unspecified heel and midfoot with necrosis of bone

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
L97.409	Non-pressure chronic ulcer of unspecified heel and midfoot with unspecified severity
L97.411	Non-pressure chronic ulcer of right heel and midfoot limited to breakdown of skin
L97.412	Non-pressure chronic ulcer of right heel and midfoot with fat layer exposed
L97.413	Non-pressure chronic ulcer of right heel and midfoot with necrosis of muscle
L97.414	Non-pressure chronic ulcer of right heel and midfoot with necrosis of bone
L97.419	Non-pressure chronic ulcer of right heel and midfoot with unspecified severity
L97.421	Non-pressure chronic ulcer of left heel and midfoot limited to breakdown of skin
L97.422	Non-pressure chronic ulcer of left heel and midfoot with fat layer exposed
L97.423	Non-pressure chronic ulcer of left heel and midfoot with necrosis of muscle
L97.424	Non-pressure chronic ulcer of left heel and midfoot with necrosis of bone
L97.429	Non-pressure chronic ulcer of left heel and midfoot with unspecified severity
L97.501	Non-pressure chronic ulcer of other part of unspecified foot limited to breakdown of skin
L97.502	Non-pressure chronic ulcer of other part of unspecified foot with fat layer exposed
L97.503	Non-pressure chronic ulcer of other part of unspecified foot with necrosis of muscle
L97.504	Non-pressure chronic ulcer of other part of unspecified foot with necrosis of bone
L97.509	Non-pressure chronic ulcer of other part of unspecified foot with unspecified severity
L97.511	Non-pressure chronic ulcer of other part of right foot limited to breakdown of skin
L97.512	Non-pressure chronic ulcer of other part of right foot with fat layer exposed
L97.513	Non-pressure chronic ulcer of other part of right foot with necrosis of muscle

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
L97.514	Non-pressure chronic ulcer of other part of right foot with necrosis of bone
L97.519	Non-pressure chronic ulcer of other part of right foot with unspecified severity
L97.521	Non-pressure chronic ulcer of other part of left foot limited to breakdown of skin
L97.522	Non-pressure chronic ulcer of other part of left foot with fat layer exposed
L97.523	Non-pressure chronic ulcer of other part of left foot with necrosis of muscle
L97.524	Non-pressure chronic ulcer of other part of left foot with necrosis of bone
L97.529	Non-pressure chronic ulcer of other part of left foot with unspecified severity
T20.00XA	Burn of unspecified degree of head, face, and neck, unspecified site, initial encounter
T20.00XD	Burn of unspecified degree of head, face, and neck, unspecified site, subsequent encounter
T20.00XS	Burn of unspecified degree of head, face, and neck, unspecified site, sequela
T20.011A	Burn of unspecified degree of right ear , initial encounter
T20.011D	Burn of unspecified degree of right ear , subsequent encounter
T20.011S	Burn of unspecified degree of right ear , sequela
T20.012A	Burn of unspecified degree of left ear , initial encounter
T20.012D	Burn of unspecified degree of left ear , subsequent encounter
T20.012S	Burn of unspecified degree of left ear , sequela
T20.019A	Burn of unspecified degree of unspecified ear , initial encounter
T20.019D	Burn of unspecified degree of unspecified ear , subsequent encounter
T20.019S	Burn of unspecified degree of unspecified ear , sequela
T20.02XA	Burn of unspecified degree of lip(s), initial encounter
T20.02XD	Burn of unspecified degree of lip(s), subsequent encounter
T20.02XS	Burn of unspecified degree of lip(s), sequela

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T20.03XA	Burn of unspecified degree of chin, initial encounter
T20.03XD	Burn of unspecified degree of chin, subsequent encounter
T20.03XS	Burn of unspecified degree of chin, sequela
T20.04XA	Burn of unspecified degree of nose (septum), initial encounter
T20.04XD	Burn of unspecified degree of nose (septum), subsequent encounter
T20.04XS	Burn of unspecified degree of nose (septum), sequela
T20.05XA	Burn of unspecified degree of scalp , initial encounter
T20.05XD	Burn of unspecified degree of scalp , subsequent encounter
T20.05XS	Burn of unspecified degree of scalp , sequela
T20.06XA	Burn of unspecified degree of forehead and cheek, initial encounter
T20.06XD	Burn of unspecified degree of forehead and cheek, subsequent encounter
T20.06XS	Burn of unspecified degree of forehead and cheek, sequela
T20.07XA	Burn of unspecified degree of neck, initial encounter
T20.07XD	Burn of unspecified degree of neck, subsequent encounter
T20.07XS	Burn of unspecified degree of neck, sequela
T20.09XA	Burn of unspecified degree of multiple sites of head, face, and neck, initial encounter
T20.09XD	Burn of unspecified degree of multiple sites of head, face, and neck, subsequent encounter
T20.09XS	Burn of unspecified degree of multiple sites of head, face, and neck, sequela
T20.10XA	Burn of first degree of head, face, and neck, unspecified site, initial encounter
T20.10XD	Burn of first degree of head, face, and neck, unspecified site, subsequent encounter
T20.10XS	Burn of first degree of head, face, and neck, unspecified site, sequela
T20.111A	Burn of first degree of right ear , initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T20.111D	Burn of first degree of right ear , subsequent encounter
T20.111S	Burn of first degree of right ear , sequela
T20.112A	Burn of first degree of left ear , initial encounter
T20.112D	Burn of first degree of left ear , subsequent encounter
T20.112S	Burn of first degree of left ear , sequela
T20.119A	Burn of first degree of unspecified ear , initial encounter
T20.119D	Burn of first degree of unspecified ear , subsequent encounter
T20.119S	Burn of first degree of unspecified ear , sequela
T20.12XA	Burn of first degree of lip(s), initial encounter
T20.12XD	Burn of first degree of lip(s), subsequent encounter
T20.12XS	Burn of first degree of lip(s), sequela
T20.13XA	Burn of first degree of chin, initial encounter
T20.13XD	Burn of first degree of chin, subsequent encounter
T20.13XS	Burn of first degree of chin, sequela
T20.14XA	Burn of first degree of nose (septum), initial encounter
T20.14XD	Burn of first degree of nose (septum), subsequent encounter
T20.14XS	Burn of first degree of nose (septum), sequela
T20.15XA	Burn of first degree of scalp , initial encounter
T20.15XD	Burn of first degree of scalp , subsequent encounter
T20.15XS	Burn of first degree of scalp , sequela
T20.16XA	Burn of first degree of forehead and cheek, initial encounter
T20.16XD	Burn of first degree of forehead and cheek, subsequent encounter
T20.16XS	Burn of first degree of forehead and cheek, sequela

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
<i>Code</i>	<i>Description</i>
T20.17XA	Burn of first degree of neck, initial encounter
T20.17XD	Burn of first degree of neck, subsequent encounter
T20.17XS	Burn of first degree of neck, sequela
T20.19XA	Burn of first degree of multiple sites of head, face, and neck, initial encounter
T20.19XD	Burn of first degree of multiple sites of head, face, and neck, subsequent encounter
T20.19XS	Burn of first degree of multiple sites of head, face, and neck, sequela
T20.20XA	Burn of second degree of head, face, and neck, unspecified site, initial encounter
T20.20XD	Burn of second degree of head, face, and neck, unspecified site, subsequent encounter
T20.20XS	Burn of second degree of head, face, and neck, unspecified site, sequela
T20.211A	Burn of second degree of right ear , initial encounter
T20.211D	Burn of second degree of right ear , subsequent encounter
T20.211S	Burn of second degree of right ear , sequela
T20.212A	Burn of second degree of left ear , initial encounter
T20.212D	Burn of second degree of left ear , subsequent encounter
T20.212S	Burn of second degree of left ear , sequela
T20.219A	Burn of second degree of unspecified ear , initial encounter
T20.219D	Burn of second degree of unspecified ear , subsequent encounter
T20.219S	Burn of second degree of unspecified ear , sequela
T20.22XA	Burn of second degree of lip(s), initial encounter
T20.22XD	Burn of second degree of lip(s), subsequent encounter
T20.22XS	Burn of second degree of lip(s), sequela
T20.23XA	Burn of second degree of chin, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T20.23XD	Burn of second degree of chin, subsequent encounter
T20.23XS	Burn of second degree of chin, sequela
T20.24XA	Burn of second degree of nose (septum), initial encounter
T20.24XD	Burn of second degree of nose (septum), subsequent encounter
T20.24XS	Burn of second degree of nose (septum), sequela
T20.25XA	Burn of second degree of scalp , initial encounter
T20.25XD	Burn of second degree of scalp , subsequent encounter
T20.25XS	Burn of second degree of scalp , sequela
T20.26XA	Burn of second degree of forehead and cheek, initial encounter
T20.26XD	Burn of second degree of forehead and cheek, subsequent encounter
T20.26XS	Burn of second degree of forehead and cheek, sequela
T20.27XA	Burn of second degree of neck, initial encounter
T20.27XD	Burn of second degree of neck, subsequent encounter
T20.27XS	Burn of second degree of neck, sequela
T20.29XA	Burn of second degree of multiple sites of head, face, and neck, initial encounter
T20.29XD	Burn of second degree of multiple sites of head, face, and neck, subsequent encounter
T20.29XS	Burn of second degree of multiple sites of head, face, and neck, sequela
T20.30XA	Burn of third degree of head, face, and neck, unspecified site, initial encounter
T20.30XD	Burn of third degree of head, face, and neck, unspecified site, subsequent encounter
T20.30XS	Burn of third degree of head, face, and neck, unspecified site, sequela
T20.311A	Burn of third degree of right ear , initial encounter
T20.311D	Burn of third degree of right ear , subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T20.311S	Burn of third degree of right ear , sequela
T20.312A	Burn of third degree of left ear , initial encounter
T20.312D	Burn of third degree of left ear , subsequent encounter
T20.312S	Burn of third degree of left ear , sequela
T20.319A	Burn of third degree of unspecified ear , initial encounter
T20.319D	Burn of third degree of unspecified ear , subsequent encounter
T20.319S	Burn of third degree of unspecified ear , sequela
T20.32XA	Burn of third degree of lip(s), initial encounter
T20.32XD	Burn of third degree of lip(s), subsequent encounter
T20.32XS	Burn of third degree of lip(s), sequela
T20.33XA	Burn of third degree of chin, initial encounter
T20.33XD	Burn of third degree of chin, subsequent encounter
T20.33XS	Burn of third degree of chin, sequela
T20.34XA	Burn of third degree of nose (septum), initial encounter
T20.34XD	Burn of third degree of nose (septum), subsequent encounter
T20.34XS	Burn of third degree of nose (septum), sequela
T20.35XA	Burn of third degree of scalp , initial encounter
T20.35XD	Burn of third degree of scalp , subsequent encounter
T20.35XS	Burn of third degree of scalp , sequela
T20.36XA	Burn of third degree of forehead and cheek, initial encounter
T20.36XD	Burn of third degree of forehead and cheek, subsequent encounter
T20.36XS	Burn of third degree of forehead and cheek, sequela
T20.37XA	Burn of third degree of neck, initial encounter

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T20.37XD	Burn of third degree of neck, subsequent encounter
T20.37XS	Burn of third degree of neck, sequela
T20.39XA	Burn of third degree of multiple sites of head, face, and neck, initial encounter
T20.39XD	Burn of third degree of multiple sites of head, face, and neck, subsequent encounter
T20.39XS	Burn of third degree of multiple sites of head, face, and neck, sequela
T20.40XA	Corrosion of unspecified degree of head, face, and neck, unspecified site, initial encounter
T20.40XD	Corrosion of unspecified degree of head, face, and neck, unspecified site, subsequent encounter
T20.40XS	Corrosion of unspecified degree of head, face, and neck, unspecified site, sequela
T20.411A	Corrosion of unspecified degree of right ear , initial encounter
T20.411D	Corrosion of unspecified degree of right ear , subsequent encounter
T20.411S	Corrosion of unspecified degree of right ear , sequela
T20.412A	Corrosion of unspecified degree of left ear , initial encounter
T20.412D	Corrosion of unspecified degree of left ear , subsequent encounter
T20.412S	Corrosion of unspecified degree of left ear , sequela
T20.419A	Corrosion of unspecified degree of unspecified ear , initial encounter
T20.419D	Corrosion of unspecified degree of unspecified ear , subsequent encounter
T20.419S	Corrosion of unspecified degree of unspecified ear , sequela
T20.42XA	Corrosion of unspecified degree of lip(s), initial encounter
T20.42XD	Corrosion of unspecified degree of lip(s), subsequent encounter
T20.42XS	Corrosion of unspecified degree of lip(s), sequela
T20.43XA	Corrosion of unspecified degree of chin, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T20.43XD	Corrosion of unspecified degree of chin, subsequent encounter
T20.43XS	Corrosion of unspecified degree of chin, sequela
T20.44XA	Corrosion of unspecified degree of nose (septum), initial encounter
T20.44XD	Corrosion of unspecified degree of nose (septum), subsequent encounter
T20.44XS	Corrosion of unspecified degree of nose (septum), sequela
T20.45XA	Corrosion of unspecified degree of scalp , initial encounter
T20.45XD	Corrosion of unspecified degree of scalp , subsequent encounter
T20.45XS	Corrosion of unspecified degree of scalp , sequela
T20.46XA	Corrosion of unspecified degree of forehead and cheek, initial encounter
T20.46XD	Corrosion of unspecified degree of forehead and cheek, subsequent encounter
T20.46XS	Corrosion of unspecified degree of forehead and cheek, sequela
T20.47XA	Corrosion of unspecified degree of neck, initial encounter
T20.47XD	Corrosion of unspecified degree of neck, subsequent encounter
T20.47XS	Corrosion of unspecified degree of neck, sequela
T20.49XA	Corrosion of unspecified degree of multiple sites of head, face, and neck, initial encounter
T20.49XD	Corrosion of unspecified degree of multiple sites of head, face, and neck, subsequent encounter
T20.49XS	Corrosion of unspecified degree of multiple sites of head, face, and neck, sequela
T20.50XA	Corrosion of first degree of head, face, and neck, unspecified site, initial encounter
T20.50XD	Corrosion of first degree of head, face, and neck, unspecified site, subsequent encounter
T20.50XS	Corrosion of first degree of head, face, and neck, unspecified site, sequela

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T20.511A	Corrosion of first degree of right ear , initial encounter
T20.511D	Corrosion of first degree of right ear , subsequent encounter
T20.511S	Corrosion of first degree of right ear , sequela
T20.512A	Corrosion of first degree of left ear , initial encounter
T20.512D	Corrosion of first degree of left ear , subsequent encounter
T20.512S	Corrosion of first degree of left ear , sequela
T20.519A	Corrosion of first degree of unspecified ear , initial encounter
T20.519D	Corrosion of first degree of unspecified ear , subsequent encounter
T20.519S	Corrosion of first degree of unspecified ear , sequela
T20.52XA	Corrosion of first degree of lip(s), initial encounter
T20.52XD	Corrosion of first degree of lip(s), subsequent encounter
T20.52XS	Corrosion of first degree of lip(s), sequela
T20.53XA	Corrosion of first degree of chin, initial encounter
T20.53XD	Corrosion of first degree of chin, subsequent encounter
T20.53XS	Corrosion of first degree of chin, sequela
T20.54XA	Corrosion of first degree of nose (septum), initial encounter
T20.54XD	Corrosion of first degree of nose (septum), subsequent encounter
T20.54XS	Corrosion of first degree of nose (septum), sequela
T20.55XA	Corrosion of first degree of scalp , initial encounter
T20.55XD	Corrosion of first degree of scalp , subsequent encounter
T20.55XS	Corrosion of first degree of scalp , sequela
T20.56XA	Corrosion of first degree of forehead and cheek, initial encounter
T20.56XD	Corrosion of first degree of forehead and cheek, subsequent encounter

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T20.56XS	Corrosion of first degree of forehead and cheek, sequela
T20.57XA	Corrosion of first degree of neck, initial encounter
T20.57XD	Corrosion of first degree of neck, subsequent encounter
T20.57XS	Corrosion of first degree of neck, sequela
T20.59XA	Corrosion of first degree of multiple sites of head, face, and neck, initial encounter
T20.59XD	Corrosion of first degree of multiple sites of head, face, and neck, subsequent encounter
T20.59XS	Corrosion of first degree of multiple sites of head, face, and neck, sequela
T20.60XA	Corrosion of second degree of head, face, and neck, unspecified site, initial encounter
T20.60XD	Corrosion of second degree of head, face, and neck, unspecified site, subsequent encounter
T20.60XS	Corrosion of second degree of head, face, and neck, unspecified site, sequela
T20.611A	Corrosion of second degree of right ear , initial encounter
T20.611D	Corrosion of second degree of right ear , subsequent encounter
T20.611S	Corrosion of second degree of right ear , sequela
T20.612A	Corrosion of second degree of left ear , initial encounter
T20.612D	Corrosion of second degree of left ear , subsequent encounter
T20.612S	Corrosion of second degree of left ear , sequela
T20.619A	Corrosion of second degree of unspecified ear , initial encounter
T20.619D	Corrosion of second degree of unspecified ear , subsequent encounter
T20.619S	Corrosion of second degree of unspecified ear , sequela
T20.62XA	Corrosion of second degree of lip(s), initial encounter
T20.62XD	Corrosion of second degree of lip(s), subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T20.62XS	Corrosion of second degree of lip(s), sequela
T20.63XA	Corrosion of second degree of chin, initial encounter
T20.63XD	Corrosion of second degree of chin, subsequent encounter
T20.63XS	Corrosion of second degree of chin, sequela
T20.64XA	Corrosion of second degree of nose (septum), initial encounter
T20.64XD	Corrosion of second degree of nose (septum), subsequent encounter
T20.64XS	Corrosion of second degree of nose (septum), sequela
T20.65XA	Corrosion of second degree of scalp , initial encounter
T20.65XD	Corrosion of second degree of scalp , subsequent encounter
T20.65XS	Corrosion of second degree of scalp , sequela
T20.66XA	Corrosion of second degree of forehead and cheek, initial encounter
T20.66XD	Corrosion of second degree of forehead and cheek, subsequent encounter
T20.66XS	Corrosion of second degree of forehead and cheek, sequela
T20.67XA	Corrosion of second degree of neck, initial encounter
T20.67XD	Corrosion of second degree of neck, subsequent encounter
T20.67XS	Corrosion of second degree of neck, sequela
T20.69XA	Corrosion of second degree of multiple sites of head, face, and neck, initial encounter
T20.69XD	Corrosion of second degree of multiple sites of head, face, and neck, subsequent encounter
T20.69XS	Corrosion of second degree of multiple sites of head, face, and neck, sequela
T20.70XA	Corrosion of third degree of head, face, and neck, unspecified site, initial encounter
T20.70XD	Corrosion of third degree of head, face, and neck, unspecified site, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T20.70XS	Corrosion of third degree of head, face, and neck, unspecified site, sequela
T20.711A	Corrosion of third degree of right ear , initial encounter
T20.711D	Corrosion of third degree of right ear , subsequent encounter
T20.711S	Corrosion of third degree of right ear , sequela
T20.712A	Corrosion of third degree of left ear , initial encounter
T20.712D	Corrosion of third degree of left ear , subsequent encounter
T20.712S	Corrosion of third degree of left ear , sequela
T20.719A	Corrosion of third degree of unspecified ear , initial encounter
T20.719D	Corrosion of third degree of unspecified ear , subsequent encounter
T20.719S	Corrosion of third degree of unspecified ear , sequela
T20.72XA	Corrosion of third degree of lip(s), initial encounter
T20.72XD	Corrosion of third degree of lip(s), subsequent encounter
T20.72XS	Corrosion of third degree of lip(s), sequela
T20.73XA	Corrosion of third degree of chin, initial encounter
T20.73XD	Corrosion of third degree of chin, subsequent encounter
T20.73XS	Corrosion of third degree of chin, sequela
T20.74XA	Corrosion of third degree of nose (septum), initial encounter
T20.74XD	Corrosion of third degree of nose (septum), subsequent encounter
T20.74XS	Corrosion of third degree of nose (septum), sequela
T20.75XA	Corrosion of third degree of scalp , initial encounter
T20.75XD	Corrosion of third degree of scalp , subsequent encounter
T20.75XS	Corrosion of third degree of scalp , sequela
T20.76XA	Corrosion of third degree of forehead and cheek, initial encounter

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T20.76XD	Corrosion of third degree of forehead and cheek, subsequent encounter
T20.76XS	Corrosion of third degree of forehead and cheek, sequela
T20.77XA	Corrosion of third degree of neck, initial encounter
T20.77XD	Corrosion of third degree of neck, subsequent encounter
T20.77XS	Corrosion of third degree of neck, sequela
T20.79XA	Corrosion of third degree of multiple sites of head, face, and neck, initial encounter
T20.79XD	Corrosion of third degree of multiple sites of head, face, and neck, subsequent encounter
T20.79XS	Corrosion of third degree of multiple sites of head, face, and neck, sequela
T21.00XA	Burn of unspecified degree of trunk, unspecified site, initial encounter
T21.00XD	Burn of unspecified degree of trunk, unspecified site, subsequent encounter
T21.00XS	Burn of unspecified degree of trunk, unspecified site, sequela
T21.01XA	Burn of unspecified degree of chest wall, initial encounter
T21.01XD	Burn of unspecified degree of chest wall, subsequent encounter
T21.01XS	Burn of unspecified degree of chest wall, sequela
T21.02XA	Burn of unspecified degree of abdominal wall, initial encounter
T21.02XD	Burn of unspecified degree of abdominal wall, subsequent encounter
T21.02XS	Burn of unspecified degree of abdominal wall, sequela
T21.03XA	Burn of unspecified degree of upper back, initial encounter
T21.03XD	Burn of unspecified degree of upper back, subsequent encounter
T21.03XS	Burn of unspecified degree of upper back, sequela
T21.04XA	Burn of unspecified degree of lower back, initial encounter
T21.04XD	Burn of unspecified degree of lower back, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T21.04XS	Burn of unspecified degree of lower back, sequela
T21.05XA	Burn of unspecified degree of buttock, initial encounter
T21.05XD	Burn of unspecified degree of buttock, subsequent encounter
T21.05XS	Burn of unspecified degree of buttock, sequela
T21.06XA	Burn of unspecified degree of male genital region, initial encounter
T21.06XD	Burn of unspecified degree of male genital region, subsequent encounter
T21.06XS	Burn of unspecified degree of male genital region, sequela
T21.07XA	Burn of unspecified degree of female genital region, initial encounter
T21.07XD	Burn of unspecified degree of female genital region, subsequent encounter
T21.07XS	Burn of unspecified degree of female genital region, sequela
T21.09XA	Burn of unspecified degree of other site of trunk, initial encounter
T21.09XD	Burn of unspecified degree of other site of trunk, subsequent encounter
T21.09XS	Burn of unspecified degree of other site of trunk, sequela
T21.10XA	Burn of first degree of trunk, unspecified site, initial encounter
T21.10XD	Burn of first degree of trunk, unspecified site, subsequent encounter
T21.10XS	Burn of first degree of trunk, unspecified site, sequela
T21.11XA	Burn of first degree of chest wall, initial encounter
T21.11XD	Burn of first degree of chest wall, subsequent encounter
T21.11XS	Burn of first degree of chest wall, sequela
T21.12XA	Burn of first degree of abdominal wall, initial encounter
T21.12XD	Burn of first degree of abdominal wall, subsequent encounter
T21.12XS	Burn of first degree of abdominal wall, sequela
T21.13XA	Burn of first degree of upper back, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T21.13XD	Burn of first degree of upper back, subsequent encounter
T21.13XS	Burn of first degree of upper back, sequela
T21.14XA	Burn of first degree of lower back, initial encounter
T21.14XD	Burn of first degree of lower back, subsequent encounter
T21.14XS	Burn of first degree of lower back, sequela
T21.15XA	Burn of first degree of buttock, initial encounter
T21.15XD	Burn of first degree of buttock, subsequent encounter
T21.15XS	Burn of first degree of buttock, sequela
T21.16XA	Burn of first degree of male genital region, initial encounter
T21.16XD	Burn of first degree of male genital region, subsequent encounter
T21.16XS	Burn of first degree of male genital region, sequela
T21.17XA	Burn of first degree of female genital region, initial encounter
T21.17XD	Burn of first degree of female genital region, subsequent encounter
T21.17XS	Burn of first degree of female genital region, sequela
T21.19XA	Burn of first degree of other site of trunk, initial encounter
T21.19XD	Burn of first degree of other site of trunk, subsequent encounter
T21.19XS	Burn of first degree of other site of trunk, sequela
T21.20XA	Burn of second degree of trunk, unspecified site, initial encounter
T21.20XD	Burn of second degree of trunk, unspecified site, subsequent encounter
T21.20XS	Burn of second degree of trunk, unspecified site, sequela
T21.21XA	Burn of second degree of chest wall, initial encounter
T21.21XD	Burn of second degree of chest wall, subsequent encounter
T21.21XS	Burn of second degree of chest wall, sequela

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T21.22XA	Burn of second degree of abdominal wall, initial encounter
T21.22XD	Burn of second degree of abdominal wall, subsequent encounter
T21.22XS	Burn of second degree of abdominal wall, sequela
T21.23XA	Burn of second degree of upper back, initial encounter
T21.23XD	Burn of second degree of upper back, subsequent encounter
T21.23XS	Burn of second degree of upper back, sequela
T21.24XA	Burn of second degree of lower back, initial encounter
T21.24XD	Burn of second degree of lower back, subsequent encounter
T21.24XS	Burn of second degree of lower back, sequela
T21.25XA	Burn of second degree of buttock, initial encounter
T21.25XD	Burn of second degree of buttock, subsequent encounter
T21.25XS	Burn of second degree of buttock, sequela
T21.26XA	Burn of second degree of male genital region, initial encounter
T21.26XD	Burn of second degree of male genital region, subsequent encounter
T21.26XS	Burn of second degree of male genital region, sequela
T21.27XA	Burn of second degree of female genital region, initial encounter
T21.27XD	Burn of second degree of female genital region, subsequent encounter
T21.27XS	Burn of second degree of female genital region, sequela
T21.29XA	Burn of second degree of other site of trunk, initial encounter
T21.29XD	Burn of second degree of other site of trunk, subsequent encounter
T21.29XS	Burn of second degree of other site of trunk, sequela
T21.30XA	Burn of third degree of trunk, unspecified site, initial encounter
T21.30XD	Burn of third degree of trunk, unspecified site, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T21.30XS	Burn of third degree of trunk, unspecified site, sequela
T21.31XA	Burn of third degree of chest wall, initial encounter
T21.31XD	Burn of third degree of chest wall, subsequent encounter
T21.31XS	Burn of third degree of chest wall, sequela
T21.32XA	Burn of third degree of abdominal wall, initial encounter
T21.32XD	Burn of third degree of abdominal wall, subsequent encounter
T21.32XS	Burn of third degree of abdominal wall, sequela
T21.33XA	Burn of third degree of upper back, initial encounter
T21.33XD	Burn of third degree of upper back, subsequent encounter
T21.33XS	Burn of third degree of upper back, sequela
T21.34XA	Burn of third degree of lower back, initial encounter
T21.34XD	Burn of third degree of lower back, subsequent encounter
T21.34XS	Burn of third degree of lower back, sequela
T21.35XA	Burn of third degree of buttock, initial encounter
T21.35XD	Burn of third degree of buttock, subsequent encounter
T21.35XS	Burn of third degree of buttock, sequela
T21.36XA	Burn of third degree of male genital region, initial encounter
T21.36XD	Burn of third degree of male genital region, subsequent encounter
T21.36XS	Burn of third degree of male genital region, sequela
T21.37XA	Burn of third degree of female genital region, initial encounter
T21.37XD	Burn of third degree of female genital region, subsequent encounter
T21.37XS	Burn of third degree of female genital region, sequela
T21.39XA	Burn of third degree of other site of trunk, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T21.39XD	Burn of third degree of other site of trunk, subsequent encounter
T21.39XS	Burn of third degree of other site of trunk, sequela
T21.40XA	Corrosion of unspecified degree of trunk, unspecified site, initial encounter
T21.40XD	Corrosion of unspecified degree of trunk, unspecified site, subsequent encounter
T21.40XS	Corrosion of unspecified degree of trunk, unspecified site, sequela
T21.41XA	Corrosion of unspecified degree of chest wall, initial encounter
T21.41XD	Corrosion of unspecified degree of chest wall, subsequent encounter
T21.41XS	Corrosion of unspecified degree of chest wall, sequela
T21.42XA	Corrosion of unspecified degree of abdominal wall, initial encounter
T21.42XD	Corrosion of unspecified degree of abdominal wall, subsequent encounter
T21.42XS	Corrosion of unspecified degree of abdominal wall, sequela
T21.43XA	Corrosion of unspecified degree of upper back, initial encounter
T21.43XD	Corrosion of unspecified degree of upper back, subsequent encounter
T21.43XS	Corrosion of unspecified degree of upper back, sequela
T21.44XA	Corrosion of unspecified degree of lower back, initial encounter
T21.44XD	Corrosion of unspecified degree of lower back, subsequent encounter
T21.44XS	Corrosion of unspecified degree of lower back, sequela
T21.45XA	Corrosion of unspecified degree of buttock, initial encounter
T21.45XD	Corrosion of unspecified degree of buttock, subsequent encounter
T21.45XS	Corrosion of unspecified degree of buttock, sequela
T21.46XA	Corrosion of unspecified degree of male genital region, initial encounter
T21.46XD	Corrosion of unspecified degree of male genital region, subsequent encounter
T21.46XS	Corrosion of unspecified degree of male genital region, sequela

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T21.47XA	Corrosion of unspecified degree of female genital region, initial encounter
T21.47XD	Corrosion of unspecified degree of female genital region, subsequent encounter
T21.47XS	Corrosion of unspecified degree of female genital region, sequela
T21.49XA	Corrosion of unspecified degree of other site of trunk, initial encounter
T21.49XD	Corrosion of unspecified degree of other site of trunk, subsequent encounter
T21.49XS	Corrosion of unspecified degree of other site of trunk, sequela
T21.50XA	Corrosion of first degree of trunk, unspecified site, initial encounter
T21.50XD	Corrosion of first degree of trunk, unspecified site, subsequent encounter
T21.50XS	Corrosion of first degree of trunk, unspecified site, sequela
T21.51XA	Corrosion of first degree of chest wall, initial encounter
T21.51XD	Corrosion of first degree of chest wall, subsequent encounter
T21.51XS	Corrosion of first degree of chest wall, sequela
T21.52XA	Corrosion of first degree of abdominal wall, initial encounter
T21.52XD	Corrosion of first degree of abdominal wall, subsequent encounter
T21.52XS	Corrosion of first degree of abdominal wall, sequela
T21.53XA	Corrosion of first degree of upper back, initial encounter
T21.53XD	Corrosion of first degree of upper back, subsequent encounter
T21.53XS	Corrosion of first degree of upper back, sequela
T21.54XA	Corrosion of first degree of lower back, initial encounter
T21.54XD	Corrosion of first degree of lower back, subsequent encounter
T21.54XS	Corrosion of first degree of lower back, sequela
T21.55XA	Corrosion of first degree of buttock, initial encounter
T21.55XD	Corrosion of first degree of buttock, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T21.55XS	Corrosion of first degree of buttock, sequela
T21.56XA	Corrosion of first degree of male genital region, initial encounter
T21.56XD	Corrosion of first degree of male genital region, subsequent encounter
T21.56XS	Corrosion of first degree of male genital region, sequela
T21.57XA	Corrosion of first degree of female genital region, initial encounter
T21.57XD	Corrosion of first degree of female genital region, subsequent encounter
T21.57XS	Corrosion of first degree of female genital region, sequela
T21.59XA	Corrosion of first degree of other site of trunk, initial encounter
T21.59XD	Corrosion of first degree of other site of trunk, subsequent encounter
T21.59XS	Corrosion of first degree of other site of trunk, sequela
T21.60XA	Corrosion of second degree of trunk, unspecified site, initial encounter
T21.60XD	Corrosion of second degree of trunk, unspecified site, subsequent encounter
T21.60XS	Corrosion of second degree of trunk, unspecified site, sequela
T21.61XA	Corrosion of second degree of chest wall, initial encounter
T21.61XD	Corrosion of second degree of chest wall, subsequent encounter
T21.61XS	Corrosion of second degree of chest wall, sequela
T21.62XA	Corrosion of second degree of abdominal wall, initial encounter
T21.62XD	Corrosion of second degree of abdominal wall, subsequent encounter
T21.62XS	Corrosion of second degree of abdominal wall, sequela
T21.63XA	Corrosion of second degree of upper back, initial encounter
T21.63XD	Corrosion of second degree of upper back, subsequent encounter
T21.63XS	Corrosion of second degree of upper back, sequela
T21.64XA	Corrosion of second degree of lower back, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T21.64XD	Corrosion of second degree of lower back, subsequent encounter
T21.64XS	Corrosion of second degree of lower back, sequela
T21.65XA	Corrosion of second degree of buttock, initial encounter
T21.65XD	Corrosion of second degree of buttock, subsequent encounter
T21.65XS	Corrosion of second degree of buttock, sequela
T21.66XA	Corrosion of second degree of male genital region, initial encounter
T21.66XD	Corrosion of second degree of male genital region, subsequent encounter
T21.66XS	Corrosion of second degree of male genital region, sequela
T21.67XA	Corrosion of second degree of female genital region, initial encounter
T21.67XD	Corrosion of second degree of female genital region, subsequent encounter
T21.67XS	Corrosion of second degree of female genital region, sequela
T21.69XA	Corrosion of second degree of other site of trunk, initial encounter
T21.69XD	Corrosion of second degree of other site of trunk, subsequent encounter
T21.69XS	Corrosion of second degree of other site of trunk, sequela
T21.70XA	Corrosion of third degree of trunk, unspecified site, initial encounter
T21.70XD	Corrosion of third degree of trunk, unspecified site, subsequent encounter
T21.70XS	Corrosion of third degree of trunk, unspecified site, sequela
T21.71XA	Corrosion of third degree of chest wall, initial encounter
T21.71XD	Corrosion of third degree of chest wall, subsequent encounter
T21.71XS	Corrosion of third degree of chest wall, sequela
T21.72XA	Corrosion of third degree of abdominal wall, initial encounter
T21.72XD	Corrosion of third degree of abdominal wall, subsequent encounter
T21.72XS	Corrosion of third degree of abdominal wall, sequela

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T21.73XA	Corrosion of third degree of upper back, initial encounter
T21.73XD	Corrosion of third degree of upper back, subsequent encounter
T21.73XS	Corrosion of third degree of upper back, sequela
T21.74XA	Corrosion of third degree of lower back, initial encounter
T21.74XD	Corrosion of third degree of lower back, subsequent encounter
T21.74XS	Corrosion of third degree of lower back, sequela
T21.75XA	Corrosion of third degree of buttock, initial encounter
T21.75XD	Corrosion of third degree of buttock, subsequent encounter
T21.75XS	Corrosion of third degree of buttock, sequela
T21.76XA	Corrosion of third degree of male genital region, initial encounter
T21.76XD	Corrosion of third degree of male genital region, subsequent encounter
T21.76XS	Corrosion of third degree of male genital region, sequela
T21.77XA	Corrosion of third degree of female genital region, initial encounter
T21.77XD	Corrosion of third degree of female genital region, subsequent encounter
T21.77XS	Corrosion of third degree of female genital region, sequela
T21.79XA	Corrosion of third degree of other site of trunk, initial encounter
T21.79XD	Corrosion of third degree of other site of trunk, subsequent encounter
T21.79XS	Corrosion of third degree of other site of trunk, sequela
T22.00XA	Burn of unspecified degree of shoulder and upper limb, except wrist and hand, unspecified site, initial encounter
T22.00XD	Burn of unspecified degree of shoulder and upper limb, except wrist and hand, unspecified site, subsequent encounter
T22.00XS	Burn of unspecified degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela
T22.011A	Burn of unspecified degree of right forearm, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T22.011D	Burn of unspecified degree of right forearm, subsequent encounter
T22.011S	Burn of unspecified degree of right forearm, sequela
T22.012A	Burn of unspecified degree of left forearm, initial encounter
T22.012D	Burn of unspecified degree of left forearm, subsequent encounter
T22.012S	Burn of unspecified degree of left forearm, sequela
T22.019A	Burn of unspecified degree of unspecified forearm, initial encounter
T22.019D	Burn of unspecified degree of unspecified forearm, subsequent encounter
T22.019S	Burn of unspecified degree of unspecified forearm, sequela
T22.021A	Burn of unspecified degree of right elbow, initial encounter
T22.021D	Burn of unspecified degree of right elbow, subsequent encounter
T22.021S	Burn of unspecified degree of right elbow, sequela
T22.022A	Burn of unspecified degree of left elbow, initial encounter
T22.022D	Burn of unspecified degree of left elbow, subsequent encounter
T22.022S	Burn of unspecified degree of left elbow, sequela
T22.029A	Burn of unspecified degree of unspecified elbow, initial encounter
T22.029D	Burn of unspecified degree of unspecified elbow, subsequent encounter
T22.029S	Burn of unspecified degree of unspecified elbow, sequela
T22.031A	Burn of unspecified degree of right upper arm, initial encounter
T22.031D	Burn of unspecified degree of right upper arm, subsequent encounter
T22.031S	Burn of unspecified degree of right upper arm, sequela
T22.032A	Burn of unspecified degree of left upper arm, initial encounter
T22.032D	Burn of unspecified degree of left upper arm, subsequent encounter
T22.032S	Burn of unspecified degree of left upper arm, sequela

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T22.039A	Burn of unspecified degree of unspecified upper arm, initial encounter
T22.039D	Burn of unspecified degree of unspecified upper arm, subsequent encounter
T22.039S	Burn of unspecified degree of unspecified upper arm, sequela
T22.041A	Burn of unspecified degree of right axilla, initial encounter
T22.041D	Burn of unspecified degree of right axilla, subsequent encounter
T22.041S	Burn of unspecified degree of right axilla, sequela
T22.042A	Burn of unspecified degree of left axilla, initial encounter
T22.042D	Burn of unspecified degree of left axilla, subsequent encounter
T22.042S	Burn of unspecified degree of left axilla, sequela
T22.049A	Burn of unspecified degree of unspecified axilla, initial encounter
T22.049D	Burn of unspecified degree of unspecified axilla, subsequent encounter
T22.049S	Burn of unspecified degree of unspecified axilla, sequela
T22.051A	Burn of unspecified degree of right shoulder, initial encounter
T22.051D	Burn of unspecified degree of right shoulder, subsequent encounter
T22.051S	Burn of unspecified degree of right shoulder, sequela
T22.052A	Burn of unspecified degree of left shoulder, initial encounter
T22.052D	Burn of unspecified degree of left shoulder, subsequent encounter
T22.052S	Burn of unspecified degree of left shoulder, sequela
T22.059A	Burn of unspecified degree of unspecified shoulder, initial encounter
T22.059D	Burn of unspecified degree of unspecified shoulder, subsequent encounter
T22.059S	Burn of unspecified degree of unspecified shoulder, sequela
T22.061A	Burn of unspecified degree of right scapular region, initial encounter
T22.061D	Burn of unspecified degree of right scapular region, subsequent encounter

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T22.061S	Burn of unspecified degree of right scapular region, sequela
T22.062A	Burn of unspecified degree of left scapular region, initial encounter
T22.062D	Burn of unspecified degree of left scapular region, subsequent encounter
T22.062S	Burn of unspecified degree of left scapular region, sequela
T22.069A	Burn of unspecified degree of unspecified scapular region, initial encounter
T22.069D	Burn of unspecified degree of unspecified scapular region, subsequent encounter
T22.069S	Burn of unspecified degree of unspecified scapular region, sequela
T22.091A	Burn of unspecified degree of multiple sites of right shoulder and upper limb, except wrist and hand, initial encounter
T22.091D	Burn of unspecified degree of multiple sites of right shoulder and upper limb, except wrist and hand, subsequent encounter
T22.091S	Burn of unspecified degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela
T22.092A	Burn of unspecified degree of multiple sites of left shoulder and upper limb, except wrist and hand, initial encounter
T22.092D	Burn of unspecified degree of multiple sites of left shoulder and upper limb, except wrist and hand, subsequent encounter
T22.092S	Burn of unspecified degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela
T22.099A	Burn of unspecified degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, initial encounter
T22.099D	Burn of unspecified degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, subsequent encounter
T22.099S	Burn of unspecified degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela
T22.10XA	Burn of first degree of shoulder and upper limb, except wrist and hand, unspecified site, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T22.10XD	Burn of first degree of shoulder and upper limb, except wrist and hand, unspecified site, subsequent encounter
T22.10XS	Burn of first degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela
T22.111A	Burn of first degree of right forearm, initial encounter
T22.111D	Burn of first degree of right forearm, subsequent encounter
T22.111S	Burn of first degree of right forearm, sequela
T22.112A	Burn of first degree of left forearm, initial encounter
T22.112D	Burn of first degree of left forearm, subsequent encounter
T22.112S	Burn of first degree of left forearm, sequela
T22.119A	Burn of first degree of unspecified forearm, initial encounter
T22.119D	Burn of first degree of unspecified forearm, subsequent encounter
T22.119S	Burn of first degree of unspecified forearm, sequela
T22.121A	Burn of first degree of right elbow, initial encounter
T22.121D	Burn of first degree of right elbow, subsequent encounter
T22.121S	Burn of first degree of right elbow, sequela
T22.122A	Burn of first degree of left elbow, initial encounter
T22.122D	Burn of first degree of left elbow, subsequent encounter
T22.122S	Burn of first degree of left elbow, sequela
T22.129A	Burn of first degree of unspecified elbow, initial encounter
T22.129D	Burn of first degree of unspecified elbow, subsequent encounter
T22.129S	Burn of first degree of unspecified elbow, sequela
T22.131A	Burn of first degree of right upper arm, initial encounter
T22.131D	Burn of first degree of right upper arm, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T22.131S	Burn of first degree of right upper arm, sequela
T22.132A	Burn of first degree of left upper arm, initial encounter
T22.132D	Burn of first degree of left upper arm, subsequent encounter
T22.132S	Burn of first degree of left upper arm, sequela
T22.139A	Burn of first degree of unspecified upper arm, initial encounter
T22.139D	Burn of first degree of unspecified upper arm, subsequent encounter
T22.139S	Burn of first degree of unspecified upper arm, sequela
T22.141A	Burn of first degree of right axilla, initial encounter
T22.141D	Burn of first degree of right axilla, subsequent encounter
T22.141S	Burn of first degree of right axilla, sequela
T22.142A	Burn of first degree of left axilla, initial encounter
T22.142D	Burn of first degree of left axilla, subsequent encounter
T22.142S	Burn of first degree of left axilla, sequela
T22.149A	Burn of first degree of unspecified axilla, initial encounter
T22.149D	Burn of first degree of unspecified axilla, subsequent encounter
T22.149S	Burn of first degree of unspecified axilla, sequela
T22.151A	Burn of first degree of right shoulder, initial encounter
T22.151D	Burn of first degree of right shoulder, subsequent encounter
T22.151S	Burn of first degree of right shoulder, sequela
T22.152A	Burn of first degree of left shoulder, initial encounter
T22.152D	Burn of first degree of left shoulder, subsequent encounter
T22.152S	Burn of first degree of left shoulder, sequela
T22.159A	Burn of first degree of unspecified shoulder, initial encounter

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T22.159D	Burn of first degree of unspecified shoulder, subsequent encounter
T22.159S	Burn of first degree of unspecified shoulder, sequela
T22.161A	Burn of first degree of right scapular region, initial encounter
T22.161D	Burn of first degree of right scapular region, subsequent encounter
T22.161S	Burn of first degree of right scapular region, sequela
T22.162A	Burn of first degree of left scapular region, initial encounter
T22.162D	Burn of first degree of left scapular region, subsequent encounter
T22.162S	Burn of first degree of left scapular region, sequela
T22.169A	Burn of first degree of unspecified scapular region, initial encounter
T22.169D	Burn of first degree of unspecified scapular region, subsequent encounter
T22.169S	Burn of first degree of unspecified scapular region, sequela
T22.191A	Burn of first degree of multiple sites of right shoulder and upper limb, except wrist and hand, initial encounter
T22.191D	Burn of first degree of multiple sites of right shoulder and upper limb, except wrist and hand, subsequent encounter
T22.191S	Burn of first degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela
T22.192A	Burn of first degree of multiple sites of left shoulder and upper limb, except wrist and hand, initial encounter
T22.192D	Burn of first degree of multiple sites of left shoulder and upper limb, except wrist and hand, subsequent encounter
T22.192S	Burn of first degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela
T22.199A	Burn of first degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, initial encounter
T22.199D	Burn of first degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T22.199S	Burn of first degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela
T22.20XA	Burn of second degree of shoulder and upper limb, except wrist and hand, unspecified site, initial encounter
T22.20XD	Burn of second degree of shoulder and upper limb, except wrist and hand, unspecified site, subsequent encounter
T22.20XS	Burn of second degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela
T22.211A	Burn of second degree of right forearm, initial encounter
T22.211D	Burn of second degree of right forearm, subsequent encounter
T22.211S	Burn of second degree of right forearm, sequela
T22.212A	Burn of second degree of left forearm, initial encounter
T22.212D	Burn of second degree of left forearm, subsequent encounter
T22.212S	Burn of second degree of left forearm, sequela
T22.219A	Burn of second degree of unspecified forearm, initial encounter
T22.219D	Burn of second degree of unspecified forearm, subsequent encounter
T22.219S	Burn of second degree of unspecified forearm, sequela
T22.221A	Burn of second degree of right elbow, initial encounter
T22.221D	Burn of second degree of right elbow, subsequent encounter
T22.221S	Burn of second degree of right elbow, sequela
T22.222A	Burn of second degree of left elbow, initial encounter
T22.222D	Burn of second degree of left elbow, subsequent encounter
T22.222S	Burn of second degree of left elbow, sequela
T22.229A	Burn of second degree of unspecified elbow, initial encounter
T22.229D	Burn of second degree of unspecified elbow, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T22.229S	Burn of second degree of unspecified elbow, sequela
T22.231A	Burn of second degree of right upper arm, initial encounter
T22.231D	Burn of second degree of right upper arm, subsequent encounter
T22.231S	Burn of second degree of right upper arm, sequela
T22.232A	Burn of second degree of left upper arm, initial encounter
T22.232D	Burn of second degree of left upper arm, subsequent encounter
T22.232S	Burn of second degree of left upper arm, sequela
T22.239A	Burn of second degree of unspecified upper arm, initial encounter
T22.239D	Burn of second degree of unspecified upper arm, subsequent encounter
T22.239S	Burn of second degree of unspecified upper arm, sequela
T22.241A	Burn of second degree of right axilla, initial encounter
T22.241D	Burn of second degree of right axilla, subsequent encounter
T22.241S	Burn of second degree of right axilla, sequela
T22.242A	Burn of second degree of left axilla, initial encounter
T22.242D	Burn of second degree of left axilla, subsequent encounter
T22.242S	Burn of second degree of left axilla, sequela
T22.249A	Burn of second degree of unspecified axilla, initial encounter
T22.249D	Burn of second degree of unspecified axilla, subsequent encounter
T22.249S	Burn of second degree of unspecified axilla, sequela
T22.251A	Burn of second degree of right shoulder, initial encounter
T22.251D	Burn of second degree of right shoulder, subsequent encounter
T22.251S	Burn of second degree of right shoulder, sequela
T22.252A	Burn of second degree of left shoulder, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T22.252D	Burn of second degree of left shoulder, subsequent encounter
T22.252S	Burn of second degree of left shoulder, sequela
T22.259A	Burn of second degree of unspecified shoulder, initial encounter
T22.259D	Burn of second degree of unspecified shoulder, subsequent encounter
T22.259S	Burn of second degree of unspecified shoulder, sequela
T22.261A	Burn of second degree of right scapular region, initial encounter
T22.261D	Burn of second degree of right scapular region, subsequent encounter
T22.261S	Burn of second degree of right scapular region, sequela
T22.262A	Burn of second degree of left scapular region, initial encounter
T22.262D	Burn of second degree of left scapular region, subsequent encounter
T22.262S	Burn of second degree of left scapular region, sequela
T22.269A	Burn of second degree of unspecified scapular region, initial encounter
T22.269D	Burn of second degree of unspecified scapular region, subsequent encounter
T22.269S	Burn of second degree of unspecified scapular region, sequela
T22.291A	Burn of second degree of multiple sites of right shoulder and upper limb, except wrist and hand, initial encounter
T22.291D	Burn of second degree of multiple sites of right shoulder and upper limb, except wrist and hand, subsequent encounter
T22.291S	Burn of second degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela
T22.292A	Burn of second degree of multiple sites of left shoulder and upper limb, except wrist and hand, initial encounter
T22.292D	Burn of second degree of multiple sites of left shoulder and upper limb, except wrist and hand, subsequent encounter
T22.292S	Burn of second degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T22.299A	Burn of second degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, initial encounter
T22.299D	Burn of second degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, subsequent encounter
T22.299S	Burn of second degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela
T22.30XA	Burn of third degree of shoulder and upper limb, except wrist and hand, unspecified site, initial encounter
T22.30XD	Burn of third degree of shoulder and upper limb, except wrist and hand, unspecified site, subsequent encounter
T22.30XS	Burn of third degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela
T22.311A	Burn of third degree of right forearm, initial encounter
T22.311D	Burn of third degree of right forearm, subsequent encounter
T22.311S	Burn of third degree of right forearm, sequela
T22.312A	Burn of third degree of left forearm, initial encounter
T22.312D	Burn of third degree of left forearm, subsequent encounter
T22.312S	Burn of third degree of left forearm, sequela
T22.319A	Burn of third degree of unspecified forearm, initial encounter
T22.319D	Burn of third degree of unspecified forearm, subsequent encounter
T22.319S	Burn of third degree of unspecified forearm, sequela
T22.321A	Burn of third degree of right elbow, initial encounter
T22.321D	Burn of third degree of right elbow, subsequent encounter
T22.321S	Burn of third degree of right elbow, sequela
T22.322A	Burn of third degree of left elbow, initial encounter
T22.322D	Burn of third degree of left elbow, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T22.322S	Burn of third degree of left elbow, sequela
T22.329A	Burn of third degree of unspecified elbow, initial encounter
T22.329D	Burn of third degree of unspecified elbow, subsequent encounter
T22.329S	Burn of third degree of unspecified elbow, sequela
T22.331A	Burn of third degree of right upper arm, initial encounter
T22.331D	Burn of third degree of right upper arm, subsequent encounter
T22.331S	Burn of third degree of right upper arm, sequela
T22.332A	Burn of third degree of left upper arm, initial encounter
T22.332D	Burn of third degree of left upper arm, subsequent encounter
T22.332S	Burn of third degree of left upper arm, sequela
T22.339A	Burn of third degree of unspecified upper arm, initial encounter
T22.339D	Burn of third degree of unspecified upper arm, subsequent encounter
T22.339S	Burn of third degree of unspecified upper arm, sequela
T22.341A	Burn of third degree of right axilla, initial encounter
T22.341D	Burn of third degree of right axilla, subsequent encounter
T22.341S	Burn of third degree of right axilla, sequela
T22.342A	Burn of third degree of left axilla, initial encounter
T22.342D	Burn of third degree of left axilla, subsequent encounter
T22.342S	Burn of third degree of left axilla, sequela
T22.349A	Burn of third degree of unspecified axilla, initial encounter
T22.349D	Burn of third degree of unspecified axilla, subsequent encounter
T22.349S	Burn of third degree of unspecified axilla, sequela
T22.351A	Burn of third degree of right shoulder, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T22.351D	Burn of third degree of right shoulder, subsequent encounter
T22.351S	Burn of third degree of right shoulder, sequela
T22.352A	Burn of third degree of left shoulder, initial encounter
T22.352D	Burn of third degree of left shoulder, subsequent encounter
T22.352S	Burn of third degree of left shoulder, sequela
T22.359A	Burn of third degree of unspecified shoulder, initial encounter
T22.359D	Burn of third degree of unspecified shoulder, subsequent encounter
T22.359S	Burn of third degree of unspecified shoulder, sequela
T22.361A	Burn of third degree of right scapular region, initial encounter
T22.361D	Burn of third degree of right scapular region, subsequent encounter
T22.361S	Burn of third degree of right scapular region, sequela
T22.362A	Burn of third degree of left scapular region, initial encounter
T22.362D	Burn of third degree of left scapular region, subsequent encounter
T22.362S	Burn of third degree of left scapular region, sequela
T22.369A	Burn of third degree of unspecified scapular region, initial encounter
T22.369D	Burn of third degree of unspecified scapular region, subsequent encounter
T22.369S	Burn of third degree of unspecified scapular region, sequela
T22.391A	Burn of third degree of multiple sites of right shoulder and upper limb, except wrist and hand, initial encounter
T22.391D	Burn of third degree of multiple sites of right shoulder and upper limb, except wrist and hand, subsequent encounter
T22.391S	Burn of third degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela
T22.392A	Burn of third degree of multiple sites of left shoulder and upper limb, except wrist and hand, initial encounter

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T22.392D	Burn of third degree of multiple sites of left shoulder and upper limb, except wrist and hand, subsequent encounter
T22.392S	Burn of third degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela
T22.399A	Burn of third degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, initial encounter
T22.399D	Burn of third degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, subsequent encounter
T22.399S	Burn of third degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela
T22.40XA	Corrosion of unspecified degree of shoulder and upper limb, except wrist and hand, unspecified site, initial encounter
T22.40XD	Corrosion of unspecified degree of shoulder and upper limb, except wrist and hand, unspecified site, subsequent encounter
T22.40XS	Corrosion of unspecified degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela
T22.411A	Corrosion of unspecified degree of right forearm, initial encounter
T22.411D	Corrosion of unspecified degree of right forearm, subsequent encounter
T22.411S	Corrosion of unspecified degree of right forearm, sequela
T22.412A	Corrosion of unspecified degree of left forearm, initial encounter
T22.412D	Corrosion of unspecified degree of left forearm, subsequent encounter
T22.412S	Corrosion of unspecified degree of left forearm, sequela
T22.419A	Corrosion of unspecified degree of unspecified forearm, initial encounter
T22.419D	Corrosion of unspecified degree of unspecified forearm, subsequent encounter
T22.419S	Corrosion of unspecified degree of unspecified forearm, sequela
T22.421A	Corrosion of unspecified degree of right elbow, initial encounter
T22.421D	Corrosion of unspecified degree of right elbow, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T22.421S	Corrosion of unspecified degree of right elbow, sequela
T22.422A	Corrosion of unspecified degree of left elbow, initial encounter
T22.422D	Corrosion of unspecified degree of left elbow, subsequent encounter
T22.422S	Corrosion of unspecified degree of left elbow, sequela
T22.429A	Corrosion of unspecified degree of unspecified elbow, initial encounter
T22.429D	Corrosion of unspecified degree of unspecified elbow, subsequent encounter
T22.429S	Corrosion of unspecified degree of unspecified elbow, sequela
T22.431A	Corrosion of unspecified degree of right upper arm, initial encounter
T22.431D	Corrosion of unspecified degree of right upper arm, subsequent encounter
T22.431S	Corrosion of unspecified degree of right upper arm, sequela
T22.432A	Corrosion of unspecified degree of left upper arm, initial encounter
T22.432D	Corrosion of unspecified degree of left upper arm, subsequent encounter
T22.432S	Corrosion of unspecified degree of left upper arm, sequela
T22.439A	Corrosion of unspecified degree of unspecified upper arm, initial encounter
T22.439D	Corrosion of unspecified degree of unspecified upper arm, subsequent encounter
T22.439S	Corrosion of unspecified degree of unspecified upper arm, sequela
T22.441A	Corrosion of unspecified degree of right axilla, initial encounter
T22.441D	Corrosion of unspecified degree of right axilla, subsequent encounter
T22.441S	Corrosion of unspecified degree of right axilla, sequela
T22.442A	Corrosion of unspecified degree of left axilla, initial encounter
T22.442D	Corrosion of unspecified degree of left axilla, subsequent encounter
T22.442S	Corrosion of unspecified degree of left axilla, sequela
T22.449A	Corrosion of unspecified degree of unspecified axilla, initial encounter

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
<i>Code</i>	<i>Description</i>
T22.449D	Corrosion of unspecified degree of unspecified axilla, subsequent encounter
T22.449S	Corrosion of unspecified degree of unspecified axilla, sequela
T22.451A	Corrosion of unspecified degree of right shoulder, initial encounter
T22.451D	Corrosion of unspecified degree of right shoulder, subsequent encounter
T22.451S	Corrosion of unspecified degree of right shoulder, sequela
T22.452A	Corrosion of unspecified degree of left shoulder, initial encounter
T22.452D	Corrosion of unspecified degree of left shoulder, subsequent encounter
T22.452S	Corrosion of unspecified degree of left shoulder, sequela
T22.459A	Corrosion of unspecified degree of unspecified shoulder, initial encounter
T22.459D	Corrosion of unspecified degree of unspecified shoulder, subsequent encounter
T22.459S	Corrosion of unspecified degree of unspecified shoulder, sequela
T22.461A	Corrosion of unspecified degree of right scapular region, initial encounter
T22.461D	Corrosion of unspecified degree of right scapular region, subsequent encounter
T22.461S	Corrosion of unspecified degree of right scapular region, sequela
T22.462A	Corrosion of unspecified degree of left scapular region, initial encounter
T22.462D	Corrosion of unspecified degree of left scapular region, subsequent encounter
T22.462S	Corrosion of unspecified degree of left scapular region, sequela
T22.469A	Corrosion of unspecified degree of unspecified scapular region, initial encounter
T22.469D	Corrosion of unspecified degree of unspecified scapular region, subsequent encounter
T22.469S	Corrosion of unspecified degree of unspecified scapular region, sequela
T22.491A	Corrosion of unspecified degree of multiple sites of right shoulder and upper limb, except wrist and hand, initial encounter
T22.491D	Corrosion of unspecified degree of multiple sites of right shoulder and upper limb, except wrist and hand, subsequent encounter

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T22.491S	Corrosion of unspecified degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela
T22.492A	Corrosion of unspecified degree of multiple sites of left shoulder and upper limb, except wrist and hand, initial encounter
T22.492D	Corrosion of unspecified degree of multiple sites of left shoulder and upper limb, except wrist and hand, subsequent encounter
T22.492S	Corrosion of unspecified degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela
T22.499A	Corrosion of unspecified degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, initial encounter
T22.499D	Corrosion of unspecified degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, subsequent encounter
T22.499S	Corrosion of unspecified degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela
T22.50XA	Corrosion of first degree of shoulder and upper limb, except wrist and hand unspecified site, initial encounter
T22.50XD	Corrosion of first degree of shoulder and upper limb, except wrist and hand unspecified site, subsequent encounter
T22.50XS	Corrosion of first degree of shoulder and upper limb, except wrist and hand unspecified site, sequela
T22.511A	Corrosion of first degree of right forearm, initial encounter
T22.511D	Corrosion of first degree of right forearm, subsequent encounter
T22.511S	Corrosion of first degree of right forearm, sequela
T22.512A	Corrosion of first degree of left forearm, initial encounter
T22.512D	Corrosion of first degree of left forearm, subsequent encounter
T22.512S	Corrosion of first degree of left forearm, sequela
T22.519A	Corrosion of first degree of unspecified forearm, initial encounter
T22.519D	Corrosion of first degree of unspecified forearm, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T22.519S	Corrosion of first degree of unspecified forearm, sequela
T22.521A	Corrosion of first degree of right elbow, initial encounter
T22.521D	Corrosion of first degree of right elbow, subsequent encounter
T22.521S	Corrosion of first degree of right elbow, sequela
T22.522A	Corrosion of first degree of left elbow, initial encounter
T22.522D	Corrosion of first degree of left elbow, subsequent encounter
T22.522S	Corrosion of first degree of left elbow, sequela
T22.529A	Corrosion of first degree of unspecified elbow, initial encounter
T22.529D	Corrosion of first degree of unspecified elbow, subsequent encounter
T22.529S	Corrosion of first degree of unspecified elbow, sequela
T22.531A	Corrosion of first degree of right upper arm, initial encounter
T22.531D	Corrosion of first degree of right upper arm, subsequent encounter
T22.531S	Corrosion of first degree of right upper arm, sequela
T22.532A	Corrosion of first degree of left upper arm, initial encounter
T22.532D	Corrosion of first degree of left upper arm, subsequent encounter
T22.532S	Corrosion of first degree of left upper arm, sequela
T22.539A	Corrosion of first degree of unspecified upper arm, initial encounter
T22.539D	Corrosion of first degree of unspecified upper arm, subsequent encounter
T22.539S	Corrosion of first degree of unspecified upper arm, sequela
T22.541A	Corrosion of first degree of right axilla, initial encounter
T22.541D	Corrosion of first degree of right axilla, subsequent encounter
T22.541S	Corrosion of first degree of right axilla, sequela
T22.542A	Corrosion of first degree of left axilla, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T22.542D	Corrosion of first degree of left axilla, subsequent encounter
T22.542S	Corrosion of first degree of left axilla, sequela
T22.549A	Corrosion of first degree of unspecified axilla, initial encounter
T22.549D	Corrosion of first degree of unspecified axilla, subsequent encounter
T22.549S	Corrosion of first degree of unspecified axilla, sequela
T22.551A	Corrosion of first degree of right shoulder, initial encounter
T22.551D	Corrosion of first degree of right shoulder, subsequent encounter
T22.551S	Corrosion of first degree of right shoulder, sequela
T22.552A	Corrosion of first degree of left shoulder, initial encounter
T22.552D	Corrosion of first degree of left shoulder, subsequent encounter
T22.552S	Corrosion of first degree of left shoulder, sequela
T22.559A	Corrosion of first degree of unspecified shoulder, initial encounter
T22.559D	Corrosion of first degree of unspecified shoulder, subsequent encounter
T22.559S	Corrosion of first degree of unspecified shoulder, sequela
T22.561A	Corrosion of first degree of right scapular region, initial encounter
T22.561D	Corrosion of first degree of right scapular region, subsequent encounter
T22.561S	Corrosion of first degree of right scapular region, sequela
T22.562A	Corrosion of first degree of left scapular region, initial encounter
T22.562D	Corrosion of first degree of left scapular region, subsequent encounter
T22.562S	Corrosion of first degree of left scapular region, sequela
T22.569A	Corrosion of first degree of unspecified scapular region, initial encounter
T22.569D	Corrosion of first degree of unspecified scapular region, subsequent encounter
T22.569S	Corrosion of first degree of unspecified scapular region, sequela

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T22.591A	Corrosion of first degree of multiple sites of right shoulder and upper limb, except wrist and hand, initial encounter
T22.591D	Corrosion of first degree of multiple sites of right shoulder and upper limb, except wrist and hand, subsequent encounter
T22.591S	Corrosion of first degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela
T22.592A	Corrosion of first degree of multiple sites of left shoulder and upper limb, except wrist and hand, initial encounter
T22.592D	Corrosion of first degree of multiple sites of left shoulder and upper limb, except wrist and hand, subsequent encounter
T22.592S	Corrosion of first degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela
T22.599A	Corrosion of first degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, initial encounter
T22.599D	Corrosion of first degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, subsequent encounter
T22.599S	Corrosion of first degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela
T22.60XA	Corrosion of second degree of shoulder and upper limb, except wrist and hand, unspecified site, initial encounter
T22.60XD	Corrosion of second degree of shoulder and upper limb, except wrist and hand, unspecified site, subsequent encounter
T22.60XS	Corrosion of second degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela
T22.611A	Corrosion of second degree of right forearm, initial encounter
T22.611D	Corrosion of second degree of right forearm, subsequent encounter
T22.611S	Corrosion of second degree of right forearm, sequela
T22.612A	Corrosion of second degree of left forearm, initial encounter
T22.612D	Corrosion of second degree of left forearm, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T22.612S	Corrosion of second degree of left forearm, sequela
T22.619A	Corrosion of second degree of unspecified forearm, initial encounter
T22.619D	Corrosion of second degree of unspecified forearm, subsequent encounter
T22.619S	Corrosion of second degree of unspecified forearm, sequela
T22.621A	Corrosion of second degree of right elbow, initial encounter
T22.621D	Corrosion of second degree of right elbow, subsequent encounter
T22.621S	Corrosion of second degree of right elbow, sequela
T22.622A	Corrosion of second degree of left elbow, initial encounter
T22.622D	Corrosion of second degree of left elbow, subsequent encounter
T22.622S	Corrosion of second degree of left elbow, sequela
T22.629A	Corrosion of second degree of unspecified elbow, initial encounter
T22.629D	Corrosion of second degree of unspecified elbow, subsequent encounter
T22.629S	Corrosion of second degree of unspecified elbow, sequela
T22.631A	Corrosion of second degree of right upper arm, initial encounter
T22.631D	Corrosion of second degree of right upper arm, subsequent encounter
T22.631S	Corrosion of second degree of right upper arm, sequela
T22.632A	Corrosion of second degree of left upper arm, initial encounter
T22.632D	Corrosion of second degree of left upper arm, subsequent encounter
T22.632S	Corrosion of second degree of left upper arm, sequela
T22.639A	Corrosion of second degree of unspecified upper arm, initial encounter
T22.639D	Corrosion of second degree of unspecified upper arm, subsequent encounter
T22.639S	Corrosion of second degree of unspecified upper arm, sequela
T22.641A	Corrosion of second degree of right axilla, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T22.641D	Corrosion of second degree of right axilla, subsequent encounter
T22.641S	Corrosion of second degree of right axilla, sequela
T22.642A	Corrosion of second degree of left axilla, initial encounter
T22.642D	Corrosion of second degree of left axilla, subsequent encounter
T22.642S	Corrosion of second degree of left axilla, sequela
T22.649A	Corrosion of second degree of unspecified axilla, initial encounter
T22.649D	Corrosion of second degree of unspecified axilla, subsequent encounter
T22.649S	Corrosion of second degree of unspecified axilla, sequela
T22.651A	Corrosion of second degree of right shoulder, initial encounter
T22.651D	Corrosion of second degree of right shoulder, subsequent encounter
T22.651S	Corrosion of second degree of right shoulder, sequela
T22.652A	Corrosion of second degree of left shoulder, initial encounter
T22.652D	Corrosion of second degree of left shoulder, subsequent encounter
T22.652S	Corrosion of second degree of left shoulder, sequela
T22.659A	Corrosion of second degree of unspecified shoulder, initial encounter
T22.659D	Corrosion of second degree of unspecified shoulder, subsequent encounter
T22.659S	Corrosion of second degree of unspecified shoulder, sequela
T22.661A	Corrosion of second degree of right scapular region, initial encounter
T22.661D	Corrosion of second degree of right scapular region, subsequent encounter
T22.661S	Corrosion of second degree of right scapular region, sequela
T22.662A	Corrosion of second degree of left scapular region, initial encounter
T22.662D	Corrosion of second degree of left scapular region, subsequent encounter
T22.662S	Corrosion of second degree of left scapular region, sequela

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T22.669A	Corrosion of second degree of unspecified scapular region, initial encounter
T22.669D	Corrosion of second degree of unspecified scapular region, subsequent encounter
T22.669S	Corrosion of second degree of unspecified scapular region, sequela
T22.691A	Corrosion of second degree of multiple sites of right shoulder and upper limb, except wrist and hand, initial encounter
T22.691D	Corrosion of second degree of multiple sites of right shoulder and upper limb, except wrist and hand, subsequent encounter
T22.691S	Corrosion of second degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela
T22.692A	Corrosion of second degree of multiple sites of left shoulder and upper limb, except wrist and hand, initial encounter
T22.692D	Corrosion of second degree of multiple sites of left shoulder and upper limb, except wrist and hand, subsequent encounter
T22.692S	Corrosion of second degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela
T22.699A	Corrosion of second degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, initial encounter
T22.699D	Corrosion of second degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, subsequent encounter
T22.699S	Corrosion of second degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela
T22.70XA	Corrosion of third degree of shoulder and upper limb, except wrist and hand, unspecified site, initial encounter
T22.70XD	Corrosion of third degree of shoulder and upper limb, except wrist and hand, unspecified site, subsequent encounter
T22.70XS	Corrosion of third degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela
T22.711A	Corrosion of third degree of right forearm, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T22.711D	Corrosion of third degree of right forearm, subsequent encounter
T22.711S	Corrosion of third degree of right forearm, sequela
T22.712A	Corrosion of third degree of left forearm, initial encounter
T22.712D	Corrosion of third degree of left forearm, subsequent encounter
T22.712S	Corrosion of third degree of left forearm, sequela
T22.719A	Corrosion of third degree of unspecified forearm, initial encounter
T22.719D	Corrosion of third degree of unspecified forearm, subsequent encounter
T22.719S	Corrosion of third degree of unspecified forearm, sequela
T22.721A	Corrosion of third degree of right elbow, initial encounter
T22.721D	Corrosion of third degree of right elbow, subsequent encounter
T22.721S	Corrosion of third degree of right elbow, sequela
T22.722A	Corrosion of third degree of left elbow, initial encounter
T22.722D	Corrosion of third degree of left elbow, subsequent encounter
T22.722S	Corrosion of third degree of left elbow, sequela
T22.729A	Corrosion of third degree of unspecified elbow, initial encounter
T22.729D	Corrosion of third degree of unspecified elbow, subsequent encounter
T22.729S	Corrosion of third degree of unspecified elbow, sequela
T22.731A	Corrosion of third degree of right upper arm, initial encounter
T22.731D	Corrosion of third degree of right upper arm, subsequent encounter
T22.731S	Corrosion of third degree of right upper arm, sequela
T22.732A	Corrosion of third degree of left upper arm, initial encounter
T22.732D	Corrosion of third degree of left upper arm, subsequent encounter
T22.732S	Corrosion of third degree of left upper arm, sequela

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T22.739A	Corrosion of third degree of unspecified upper arm, initial encounter
T22.739D	Corrosion of third degree of unspecified upper arm, subsequent encounter
T22.739S	Corrosion of third degree of unspecified upper arm, sequela
T22.741A	Corrosion of third degree of right axilla, initial encounter
T22.741D	Corrosion of third degree of right axilla, subsequent encounter
T22.741S	Corrosion of third degree of right axilla, sequela
T22.742A	Corrosion of third degree of left axilla, initial encounter
T22.742D	Corrosion of third degree of left axilla, subsequent encounter
T22.742S	Corrosion of third degree of left axilla, sequela
T22.749A	Corrosion of third degree of unspecified axilla, initial encounter
T22.749D	Corrosion of third degree of unspecified axilla, subsequent encounter
T22.749S	Corrosion of third degree of unspecified axilla, sequela
T22.751A	Corrosion of third degree of right shoulder, initial encounter
T22.751D	Corrosion of third degree of right shoulder, subsequent encounter
T22.751S	Corrosion of third degree of right shoulder, sequela
T22.752A	Corrosion of third degree of left shoulder, initial encounter
T22.752D	Corrosion of third degree of left shoulder, subsequent encounter
T22.752S	Corrosion of third degree of left shoulder, sequela
T22.759A	Corrosion of third degree of unspecified shoulder, initial encounter
T22.759D	Corrosion of third degree of unspecified shoulder, subsequent encounter
T22.759S	Corrosion of third degree of unspecified shoulder, sequela
T22.761A	Corrosion of third degree of right scapular region, initial encounter
T22.761D	Corrosion of third degree of right scapular region, subsequent encounter

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T22.761S	Corrosion of third degree of right scapular region, sequela
T22.762A	Corrosion of third degree of left scapular region, initial encounter
T22.762D	Corrosion of third degree of left scapular region, subsequent encounter
T22.762S	Corrosion of third degree of left scapular region, sequela
T22.769A	Corrosion of third degree of unspecified scapular region, initial encounter
T22.769D	Corrosion of third degree of unspecified scapular region, subsequent encounter
T22.769S	Corrosion of third degree of unspecified scapular region, sequela
T22.791A	Corrosion of third degree of multiple sites of right shoulder and upper limb, except wrist and hand, initial encounter
T22.791D	Corrosion of third degree of multiple sites of right shoulder and upper limb, except wrist and hand, subsequent encounter
T22.791S	Corrosion of third degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela
T22.792A	Corrosion of third degree of multiple sites of left shoulder and upper limb, except wrist and hand, initial encounter
T22.792D	Corrosion of third degree of multiple sites of left shoulder and upper limb, except wrist and hand, subsequent encounter
T22.792S	Corrosion of third degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela
T22.799A	Corrosion of third degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, initial encounter
T22.799D	Corrosion of third degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, subsequent encounter
T22.799S	Corrosion of third degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela
T23.001A	Burn of unspecified degree of right hand, unspecified site, initial encounter
T23.001D	Burn of unspecified degree of right hand, unspecified site, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T23.001S	Burn of unspecified degree of right hand, unspecified site, sequela
T23.002A	Burn of unspecified degree of left hand, unspecified site, initial encounter
T23.002D	Burn of unspecified degree of left hand, unspecified site, subsequent encounter
T23.002S	Burn of unspecified degree of left hand, unspecified site, sequela
T23.009A	Burn of unspecified degree of unspecified hand, unspecified site, initial encounter
T23.009D	Burn of unspecified degree of unspecified hand, unspecified site, subsequent encounter
T23.009S	Burn of unspecified degree of unspecified hand, unspecified site, sequela
T23.011A	Burn of unspecified degree of right thumb (nail), initial encounter
T23.011D	Burn of unspecified degree of right thumb (nail), subsequent encounter
T23.011S	Burn of unspecified degree of right thumb (nail), sequela
T23.012A	Burn of unspecified degree of left thumb (nail), initial encounter
T23.012D	Burn of unspecified degree of left thumb (nail), subsequent encounter
T23.012S	Burn of unspecified degree of left thumb (nail), sequela
T23.019A	Burn of unspecified degree of unspecified thumb (nail), initial encounter
T23.019D	Burn of unspecified degree of unspecified thumb (nail), subsequent encounter
T23.019S	Burn of unspecified degree of unspecified thumb (nail), sequela
T23.021A	Burn of unspecified degree of single right finger (nail) except thumb, initial encounter
T23.021D	Burn of unspecified degree of single right finger (nail) except thumb, subsequent encounter
T23.021S	Burn of unspecified degree of single right finger (nail) except thumb, sequela
T23.022A	Burn of unspecified degree of single left finger (nail) except thumb, initial encounter

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
<i>Code</i>	<i>Description</i>
T23.022D	Burn of unspecified degree of single left finger (nail) except thumb, subsequent encounter
T23.022S	Burn of unspecified degree of single left finger (nail) except thumb, sequela
T23.029A	Burn of unspecified degree of unspecified single finger (nail) except thumb, initial encounter
T23.029D	Burn of unspecified degree of unspecified single finger (nail) except thumb, subsequent encounter
T23.029S	Burn of unspecified degree of unspecified single finger (nail) except thumb, sequela
T23.031A	Burn of unspecified degree of multiple right fingers (nail), not including thumb, initial encounter
T23.031D	Burn of unspecified degree of multiple right fingers (nail), not including thumb, subsequent encounter
T23.031S	Burn of unspecified degree of multiple right fingers (nail), not including thumb, sequela
T23.032A	Burn of unspecified degree of multiple left fingers (nail), not including thumb, initial encounter
T23.032D	Burn of unspecified degree of multiple left fingers (nail), not including thumb, subsequent encounter
T23.032S	Burn of unspecified degree of multiple left fingers (nail), not including thumb, sequela
T23.039A	Burn of unspecified degree of unspecified multiple fingers (nail), not including thumb, initial encounter
T23.039D	Burn of unspecified degree of unspecified multiple fingers (nail), not including thumb, subsequent encounter
T23.039S	Burn of unspecified degree of unspecified multiple fingers (nail), not including thumb, sequela
T23.041A	Burn of unspecified degree of multiple right fingers (nail), including thumb, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T23.041D	Burn of unspecified degree of multiple right fingers (nail), including thumb, subsequent encounter
T23.041S	Burn of unspecified degree of multiple right fingers (nail), including thumb, sequela
T23.042A	Burn of unspecified degree of multiple left fingers (nail), including thumb, initial encounter
T23.042D	Burn of unspecified degree of multiple left fingers (nail), including thumb, subsequent encounter
T23.042S	Burn of unspecified degree of multiple left fingers (nail), including thumb, sequela
T23.049A	Burn of unspecified degree of unspecified multiple fingers (nail), including thumb, initial encounter
T23.049D	Burn of unspecified degree of unspecified multiple fingers (nail), including thumb, subsequent encounter
T23.049S	Burn of unspecified degree of unspecified multiple fingers (nail), including thumb, sequela
T23.051A	Burn of unspecified degree of right palm, initial encounter
T23.051D	Burn of unspecified degree of right palm, subsequent encounter
T23.051S	Burn of unspecified degree of right palm, sequela
T23.052A	Burn of unspecified degree of left palm, initial encounter
T23.052D	Burn of unspecified degree of left palm, subsequent encounter
T23.052S	Burn of unspecified degree of left palm, sequela
T23.059A	Burn of unspecified degree of unspecified palm, initial encounter
T23.059D	Burn of unspecified degree of unspecified palm, subsequent encounter
T23.059S	Burn of unspecified degree of unspecified palm, sequela
T23.061A	Burn of unspecified degree of back of right hand, initial encounter
T23.061D	Burn of unspecified degree of back of right hand, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T23.061S	Burn of unspecified degree of back of right hand, sequela
T23.062A	Burn of unspecified degree of back of left hand, initial encounter
T23.062D	Burn of unspecified degree of back of left hand, subsequent encounter
T23.062S	Burn of unspecified degree of back of left hand, sequela
T23.069A	Burn of unspecified degree of back of unspecified hand, initial encounter
T23.069D	Burn of unspecified degree of back of unspecified hand, subsequent encounter
T23.069S	Burn of unspecified degree of back of unspecified hand, sequela
T23.071A	Burn of unspecified degree of right wrist, initial encounter
T23.071D	Burn of unspecified degree of right wrist, subsequent encounter
T23.071S	Burn of unspecified degree of right wrist, sequela
T23.072A	Burn of unspecified degree of left wrist, initial encounter
T23.072D	Burn of unspecified degree of left wrist, subsequent encounter
T23.072S	Burn of unspecified degree of left wrist, sequela
T23.079A	Burn of unspecified degree of unspecified wrist, initial encounter
T23.079D	Burn of unspecified degree of unspecified wrist, subsequent encounter
T23.079S	Burn of unspecified degree of unspecified wrist, sequela
T23.091A	Burn of unspecified degree of multiple sites of right wrist and hand, initial encounter
T23.091D	Burn of unspecified degree of multiple sites of right wrist and hand, subsequent encounter
T23.091S	Burn of unspecified degree of multiple sites of right wrist and hand, sequela
T23.092A	Burn of unspecified degree of multiple sites of left wrist and hand, initial encounter
T23.092D	Burn of unspecified degree of multiple sites of left wrist and hand, subsequent encounter

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T23.092S	Burn of unspecified degree of multiple sites of left wrist and hand, sequela
T23.099A	Burn of unspecified degree of multiple sites of unspecified wrist and hand, initial encounter
T23.099D	Burn of unspecified degree of multiple sites of unspecified wrist and hand, subsequent encounter
T23.099S	Burn of unspecified degree of multiple sites of unspecified wrist and hand, sequela
T23.101A	Burn of first degree of right hand, unspecified site, initial encounter
T23.101D	Burn of first degree of right hand, unspecified site, subsequent encounter
T23.101S	Burn of first degree of right hand, unspecified site, sequela
T23.102A	Burn of first degree of left hand, unspecified site, initial encounter
T23.102D	Burn of first degree of left hand, unspecified site, subsequent encounter
T23.102S	Burn of first degree of left hand, unspecified site, sequela
T23.109A	Burn of first degree of unspecified hand, unspecified site, initial encounter
T23.109D	Burn of first degree of unspecified hand, unspecified site, subsequent encounter
T23.109S	Burn of first degree of unspecified hand, unspecified site, sequela
T23.111A	Burn of first degree of right thumb (nail), initial encounter
T23.111D	Burn of first degree of right thumb (nail), subsequent encounter
T23.111S	Burn of first degree of right thumb (nail), sequela
T23.112A	Burn of first degree of left thumb (nail), initial encounter
T23.112D	Burn of first degree of left thumb (nail), subsequent encounter
T23.112S	Burn of first degree of left thumb (nail), sequela
T23.119A	Burn of first degree of unspecified thumb (nail), initial encounter
T23.119D	Burn of first degree of unspecified thumb (nail), subsequent encounter
T23.119S	Burn of first degree of unspecified thumb (nail), sequela

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T23.121A	Burn of first degree of single right finger (nail) except thumb, initial encounter
T23.121D	Burn of first degree of single right finger (nail) except thumb, subsequent encounter
T23.121S	Burn of first degree of single right finger (nail) except thumb, sequela
T23.122A	Burn of first degree of single left finger (nail) except thumb, initial encounter
T23.122D	Burn of first degree of single left finger (nail) except thumb, subsequent encounter
T23.122S	Burn of first degree of single left finger (nail) except thumb, sequela
T23.129A	Burn of first degree of unspecified single finger (nail) except thumb, initial encounter
T23.129D	Burn of first degree of unspecified single finger (nail) except thumb, subsequent encounter
T23.129S	Burn of first degree of unspecified single finger (nail) except thumb, sequela
T23.131A	Burn of first degree of multiple right fingers (nail), not including thumb, initial encounter
T23.131D	Burn of first degree of multiple right fingers (nail), not including thumb, subsequent encounter
T23.131S	Burn of first degree of multiple right fingers (nail), not including thumb, sequela
T23.132A	Burn of first degree of multiple left fingers (nail), not including thumb, initial encounter
T23.132D	Burn of first degree of multiple left fingers (nail), not including thumb, subsequent encounter
T23.132S	Burn of first degree of multiple left fingers (nail), not including thumb, sequela
T23.139A	Burn of first degree of unspecified multiple fingers (nail), not including thumb, initial encounter
T23.139D	Burn of first degree of unspecified multiple fingers (nail), not including thumb, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T23.139S	Burn of first degree of unspecified multiple fingers (nail), not including thumb, sequela
T23.141A	Burn of first degree of multiple right fingers (nail), including thumb, initial encounter
T23.141D	Burn of first degree of multiple right fingers (nail), including thumb, subsequent encounter
T23.141S	Burn of first degree of multiple right fingers (nail), including thumb, sequela
T23.142A	Burn of first degree of multiple left fingers (nail), including thumb, initial encounter
T23.142D	Burn of first degree of multiple left fingers (nail), including thumb, subsequent encounter
T23.142S	Burn of first degree of multiple left fingers (nail), including thumb, sequela
T23.149A	Burn of first degree of unspecified multiple fingers (nail), including thumb, initial encounter
T23.149D	Burn of first degree of unspecified multiple fingers (nail), including thumb, subsequent encounter
T23.149S	Burn of first degree of unspecified multiple fingers (nail), including thumb, sequela
T23.151A	Burn of first degree of right palm, initial encounter
T23.151D	Burn of first degree of right palm, subsequent encounter
T23.151S	Burn of first degree of right palm, sequela
T23.152A	Burn of first degree of left palm, initial encounter
T23.152D	Burn of first degree of left palm, subsequent encounter
T23.152S	Burn of first degree of left palm, sequela
T23.159A	Burn of first degree of unspecified palm, initial encounter
T23.159D	Burn of first degree of unspecified palm, subsequent encounter
T23.159S	Burn of first degree of unspecified palm, sequela

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T23.161A	Burn of first degree of back of right hand, initial encounter
T23.161D	Burn of first degree of back of right hand, subsequent encounter
T23.161S	Burn of first degree of back of right hand, sequela
T23.162A	Burn of first degree of back of left hand, initial encounter
T23.162D	Burn of first degree of back of left hand, subsequent encounter
T23.162S	Burn of first degree of back of left hand, sequela
T23.169A	Burn of first degree of back of unspecified hand, initial encounter
T23.169D	Burn of first degree of back of unspecified hand, subsequent encounter
T23.169S	Burn of first degree of back of unspecified hand, sequela
T23.171A	Burn of first degree of right wrist, initial encounter
T23.171D	Burn of first degree of right wrist, subsequent encounter
T23.171S	Burn of first degree of right wrist, sequela
T23.172A	Burn of first degree of left wrist, initial encounter
T23.172D	Burn of first degree of left wrist, subsequent encounter
T23.172S	Burn of first degree of left wrist, sequela
T23.179A	Burn of first degree of unspecified wrist, initial encounter
T23.179D	Burn of first degree of unspecified wrist, subsequent encounter
T23.179S	Burn of first degree of unspecified wrist, sequela
T23.191A	Burn of first degree of multiple sites of right wrist and hand, initial encounter
T23.191D	Burn of first degree of multiple sites of right wrist and hand, subsequent encounter
T23.191S	Burn of first degree of multiple sites of right wrist and hand, sequela
T23.192A	Burn of first degree of multiple sites of left wrist and hand, initial encounter

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T23.192D	Burn of first degree of multiple sites of left wrist and hand, subsequent encounter
T23.192S	Burn of first degree of multiple sites of left wrist and hand, sequela
T23.199A	Burn of first degree of multiple sites of unspecified wrist and hand, initial encounter
T23.199D	Burn of first degree of multiple sites of unspecified wrist and hand, subsequent encounter
T23.199S	Burn of first degree of multiple sites of unspecified wrist and hand, sequela
T23.201A	Burn of second degree of right hand, unspecified site, initial encounter
T23.201D	Burn of second degree of right hand, unspecified site, subsequent encounter
T23.201S	Burn of second degree of right hand, unspecified site, sequela
T23.202A	Burn of second degree of left hand, unspecified site, initial encounter
T23.202D	Burn of second degree of left hand, unspecified site, subsequent encounter
T23.202S	Burn of second degree of left hand, unspecified site, sequela
T23.209A	Burn of second degree of unspecified hand, unspecified site, initial encounter
T23.209D	Burn of second degree of unspecified hand, unspecified site, subsequent encounter
T23.209S	Burn of second degree of unspecified hand, unspecified site, sequela
T23.211A	Burn of second degree of right thumb (nail), initial encounter
T23.211D	Burn of second degree of right thumb (nail), subsequent encounter
T23.211S	Burn of second degree of right thumb (nail), sequela
T23.212A	Burn of second degree of left thumb (nail), initial encounter
T23.212D	Burn of second degree of left thumb (nail), subsequent encounter
T23.212S	Burn of second degree of left thumb (nail), sequela
T23.219A	Burn of second degree of unspecified thumb (nail), initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T23.219D	Burn of second degree of unspecified thumb (nail), subsequent encounter
T23.219S	Burn of second degree of unspecified thumb (nail), sequela
T23.221A	Burn of second degree of single right finger (nail) except thumb, initial encounter
T23.221D	Burn of second degree of single right finger (nail) except thumb, subsequent encounter
T23.221S	Burn of second degree of single right finger (nail) except thumb, sequela
T23.222A	Burn of second degree of single left finger (nail) except thumb, initial encounter
T23.222D	Burn of second degree of single left finger (nail) except thumb, subsequent encounter
T23.222S	Burn of second degree of single left finger (nail) except thumb, sequela
T23.229A	Burn of second degree of unspecified single finger (nail) except thumb, initial encounter
T23.229D	Burn of second degree of unspecified single finger (nail) except thumb, subsequent encounter
T23.229S	Burn of second degree of unspecified single finger (nail) except thumb, sequela
T23.231A	Burn of second degree of multiple right fingers (nail), not including thumb, initial encounter
T23.231D	Burn of second degree of multiple right fingers (nail), not including thumb, subsequent encounter
T23.231S	Burn of second degree of multiple right fingers (nail), not including thumb, sequela
T23.232A	Burn of second degree of multiple left fingers (nail), not including thumb, initial encounter
T23.232D	Burn of second degree of multiple left fingers (nail), not including thumb, subsequent encounter
T23.232S	Burn of second degree of multiple left fingers (nail), not including thumb, sequela

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T23.239A	Burn of second degree of unspecified multiple fingers (nail), not including thumb, initial encounter
T23.239D	Burn of second degree of unspecified multiple fingers (nail), not including thumb, subsequent encounter
T23.239S	Burn of second degree of unspecified multiple fingers (nail), not including thumb, sequela
T23.241A	Burn of second degree of multiple right fingers (nail), including thumb, initial encounter
T23.241D	Burn of second degree of multiple right fingers (nail), including thumb, subsequent encounter
T23.241S	Burn of second degree of multiple right fingers (nail), including thumb, sequela
T23.242A	Burn of second degree of multiple left fingers (nail), including thumb, initial encounter
T23.242D	Burn of second degree of multiple left fingers (nail), including thumb, subsequent encounter
T23.242S	Burn of second degree of multiple left fingers (nail), including thumb, sequela
T23.249A	Burn of second degree of unspecified multiple fingers (nail), including thumb, initial encounter
T23.249D	Burn of second degree of unspecified multiple fingers (nail), including thumb, subsequent encounter
T23.249S	Burn of second degree of unspecified multiple fingers (nail), including thumb, sequela
T23.251A	Burn of second degree of right palm, initial encounter
T23.251D	Burn of second degree of right palm, subsequent encounter
T23.251S	Burn of second degree of right palm, sequela
T23.252A	Burn of second degree of left palm, initial encounter
T23.252D	Burn of second degree of left palm, subsequent encounter
T23.252S	Burn of second degree of left palm, sequela

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T23.259A	Burn of second degree of unspecified palm, initial encounter
T23.259D	Burn of second degree of unspecified palm, subsequent encounter
T23.259S	Burn of second degree of unspecified palm, sequela
T23.261A	Burn of second degree of back of right hand, initial encounter
T23.261D	Burn of second degree of back of right hand, subsequent encounter
T23.261S	Burn of second degree of back of right hand, sequela
T23.262A	Burn of second degree of back of left hand, initial encounter
T23.262D	Burn of second degree of back of left hand, subsequent encounter
T23.262S	Burn of second degree of back of left hand, sequela
T23.269A	Burn of second degree of back of unspecified hand, initial encounter
T23.269D	Burn of second degree of back of unspecified hand, subsequent encounter
T23.269S	Burn of second degree of back of unspecified hand, sequela
T23.271A	Burn of second degree of right wrist, initial encounter
T23.271D	Burn of second degree of right wrist, subsequent encounter
T23.271S	Burn of second degree of right wrist, sequela
T23.272A	Burn of second degree of left wrist, initial encounter
T23.272D	Burn of second degree of left wrist, subsequent encounter
T23.272S	Burn of second degree of left wrist, sequela
T23.279A	Burn of second degree of unspecified wrist, initial encounter
T23.279D	Burn of second degree of unspecified wrist, subsequent encounter
T23.279S	Burn of second degree of unspecified wrist, sequela
T23.291A	Burn of second degree of multiple sites of right wrist and hand, initial encounter
T23.291D	Burn of second degree of multiple sites of right wrist and hand, subsequent encounter

Table 2	
ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met: <i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i>	
Code	Description
T23.291S	Burn of second degree of multiple sites of right wrist and hand, sequela
T23.292A	Burn of second degree of multiple sites of left wrist and hand, initial encounter
T23.292D	Burn of second degree of multiple sites of left wrist and hand, subsequent encounter
T23.292S	Burn of second degree of multiple sites of left wrist and hand, sequela
T23.299A	Burn of second degree of multiple sites of unspecified wrist and hand, initial encounter
T23.299D	Burn of second degree of multiple sites of unspecified wrist and hand, subsequent encounter
T23.299S	Burn of second degree of multiple sites of unspecified wrist and hand, sequela
T23.301A	Burn of third degree of right hand, unspecified site, initial encounter
T23.301D	Burn of third degree of right hand, unspecified site, subsequent encounter
T23.301S	Burn of third degree of right hand, unspecified site, sequela
T23.302A	Burn of third degree of left hand, unspecified site, initial encounter
T23.302D	Burn of third degree of left hand, unspecified site, subsequent encounter
T23.302S	Burn of third degree of left hand, unspecified site, sequela
T23.309A	Burn of third degree of unspecified hand, unspecified site, initial encounter
T23.309D	Burn of third degree of unspecified hand, unspecified site, subsequent encounter
T23.309S	Burn of third degree of unspecified hand, unspecified site, sequela
T23.311A	Burn of third degree of right thumb (nail), initial encounter
T23.311D	Burn of third degree of right thumb (nail), subsequent encounter
T23.311S	Burn of third degree of right thumb (nail), sequela
T23.312A	Burn of third degree of left thumb (nail), initial encounter
T23.312D	Burn of third degree of left thumb (nail), subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T23.312S	Burn of third degree of left thumb (nail), sequela
T23.319A	Burn of third degree of unspecified thumb (nail), initial encounter
T23.319D	Burn of third degree of unspecified thumb (nail), subsequent encounter
T23.319S	Burn of third degree of unspecified thumb (nail), sequela
T23.321A	Burn of third degree of single right finger (nail) except thumb, initial encounter
T23.321D	Burn of third degree of single right finger (nail) except thumb, subsequent encounter
T23.321S	Burn of third degree of single right finger (nail) except thumb, sequela
T23.322A	Burn of third degree of single left finger (nail) except thumb, initial encounter
T23.322D	Burn of third degree of single left finger (nail) except thumb, subsequent encounter
T23.322S	Burn of third degree of single left finger (nail) except thumb, sequela
T23.329A	Burn of third degree of unspecified single finger (nail) except thumb, initial encounter
T23.329D	Burn of third degree of unspecified single finger (nail) except thumb, subsequent encounter
T23.329S	Burn of third degree of unspecified single finger (nail) except thumb, sequela
T23.331A	Burn of third degree of multiple right fingers (nail), not including thumb, initial encounter
T23.331D	Burn of third degree of multiple right fingers (nail), not including thumb, subsequent encounter
T23.331S	Burn of third degree of multiple right fingers (nail), not including thumb, sequela
T23.332A	Burn of third degree of multiple left fingers (nail), not including thumb, initial encounter
T23.332D	Burn of third degree of multiple left fingers (nail), not including thumb, subsequent encounter
T23.332S	Burn of third degree of multiple left fingers (nail), not including thumb, sequela

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T23.339A	Burn of third degree of unspecified multiple fingers (nail), not including thumb, initial encounter
T23.339D	Burn of third degree of unspecified multiple fingers (nail), not including thumb, subsequent encounter
T23.339S	Burn of third degree of unspecified multiple fingers (nail), not including thumb, sequela
T23.341A	Burn of third degree of multiple right fingers (nail), including thumb, initial encounter
T23.341D	Burn of third degree of multiple right fingers (nail), including thumb, subsequent encounter
T23.341S	Burn of third degree of multiple right fingers (nail), including thumb, sequela
T23.342A	Burn of third degree of multiple left fingers (nail), including thumb, initial encounter
T23.342D	Burn of third degree of multiple left fingers (nail), including thumb, subsequent encounter
T23.342S	Burn of third degree of multiple left fingers (nail), including thumb, sequela
T23.349A	Burn of third degree of unspecified multiple fingers (nail), including thumb, initial encounter
T23.349D	Burn of third degree of unspecified multiple fingers (nail), including thumb, subsequent encounter
T23.349S	Burn of third degree of unspecified multiple fingers (nail), including thumb, sequela
T23.351A	Burn of third degree of right palm, initial encounter
T23.351D	Burn of third degree of right palm, subsequent encounter
T23.351S	Burn of third degree of right palm, sequela
T23.352A	Burn of third degree of left palm, initial encounter
T23.352D	Burn of third degree of left palm, subsequent encounter
T23.352S	Burn of third degree of left palm, sequela

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T23.359A	Burn of third degree of unspecified palm, initial encounter
T23.359D	Burn of third degree of unspecified palm, subsequent encounter
T23.359S	Burn of third degree of unspecified palm, sequela
T23.361A	Burn of third degree of back of right hand, initial encounter
T23.361D	Burn of third degree of back of right hand, subsequent encounter
T23.361S	Burn of third degree of back of right hand, sequela
T23.362A	Burn of third degree of back of left hand, initial encounter
T23.362D	Burn of third degree of back of left hand, subsequent encounter
T23.362S	Burn of third degree of back of left hand, sequela
T23.369A	Burn of third degree of back of unspecified hand, initial encounter
T23.369D	Burn of third degree of back of unspecified hand, subsequent encounter
T23.369S	Burn of third degree of back of unspecified hand, sequela
T23.371A	Burn of third degree of right wrist, initial encounter
T23.371D	Burn of third degree of right wrist, subsequent encounter
T23.371S	Burn of third degree of right wrist, sequela
T23.372A	Burn of third degree of left wrist, initial encounter
T23.372D	Burn of third degree of left wrist, subsequent encounter
T23.372S	Burn of third degree of left wrist, sequela
T23.379A	Burn of third degree of unspecified wrist, initial encounter
T23.379D	Burn of third degree of unspecified wrist, subsequent encounter
T23.379S	Burn of third degree of unspecified wrist, sequela
T23.391A	Burn of third degree of multiple sites of right wrist and hand, initial encounter
T23.391D	Burn of third degree of multiple sites of right wrist and hand, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T23.391S	Burn of third degree of multiple sites of right wrist and hand, sequela
T23.392A	Burn of third degree of multiple sites of left wrist and hand, initial encounter
T23.392D	Burn of third degree of multiple sites of left wrist and hand, subsequent encounter
T23.392S	Burn of third degree of multiple sites of left wrist and hand, sequela
T23.399A	Burn of third degree of multiple sites of unspecified wrist and hand, initial encounter
T23.399D	Burn of third degree of multiple sites of unspecified wrist and hand, subsequent encounter
T23.399S	Burn of third degree of multiple sites of unspecified wrist and hand, sequela
T23.401A	Corrosion of unspecified degree of right hand, unspecified site, initial encounter
T23.401D	Corrosion of unspecified degree of right hand, unspecified site, subsequent encounter
T23.401S	Corrosion of unspecified degree of right hand, unspecified site, sequela
T23.402A	Corrosion of unspecified degree of left hand, unspecified site, initial encounter
T23.402D	Corrosion of unspecified degree of left hand, unspecified site, subsequent encounter
T23.402S	Corrosion of unspecified degree of left hand, unspecified site, sequela
T23.409A	Corrosion of unspecified degree of unspecified hand, unspecified site, initial encounter
T23.409D	Corrosion of unspecified degree of unspecified hand, unspecified site, subsequent encounter
T23.409S	Corrosion of unspecified degree of unspecified hand, unspecified site, sequela
T23.411A	Corrosion of unspecified degree of right thumb (nail), initial encounter
T23.411D	Corrosion of unspecified degree of right thumb (nail), subsequent encounter
T23.411S	Corrosion of unspecified degree of right thumb (nail), sequela

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T23.412A	Corrosion of unspecified degree of left thumb (nail), initial encounter
T23.412D	Corrosion of unspecified degree of left thumb (nail), subsequent encounter
T23.412S	Corrosion of unspecified degree of left thumb (nail), sequela
T23.419A	Corrosion of unspecified degree of unspecified thumb (nail), initial encounter
T23.419D	Corrosion of unspecified degree of unspecified thumb (nail), subsequent encounter
T23.419S	Corrosion of unspecified degree of unspecified thumb (nail), sequela
T23.421A	Corrosion of unspecified degree of single right finger (nail) except thumb, initial encounter
T23.421D	Corrosion of unspecified degree of single right finger (nail) except thumb, subsequent encounter
T23.421S	Corrosion of unspecified degree of single right finger (nail) except thumb, sequela
T23.422A	Corrosion of unspecified degree of single left finger (nail) except thumb, initial encounter
T23.422D	Corrosion of unspecified degree of single left finger (nail) except thumb, subsequent encounter
T23.422S	Corrosion of unspecified degree of single left finger (nail) except thumb, sequela
T23.429A	Corrosion of unspecified degree of unspecified single finger (nail) except thumb, initial encounter
T23.429D	Corrosion of unspecified degree of unspecified single finger (nail) except thumb, subsequent encounter
T23.429S	Corrosion of unspecified degree of unspecified single finger (nail) except thumb, sequela
T23.431A	Corrosion of unspecified degree of multiple right fingers (nail), not including thumb, initial encounter
T23.431D	Corrosion of unspecified degree of multiple right fingers (nail), not including thumb, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T23.431S	Corrosion of unspecified degree of multiple right fingers (nail), not including thumb, sequela
T23.432A	Corrosion of unspecified degree of multiple left fingers (nail), not including thumb, initial encounter
T23.432D	Corrosion of unspecified degree of multiple left fingers (nail), not including thumb, subsequent encounter
T23.432S	Corrosion of unspecified degree of multiple left fingers (nail), not including thumb, sequela
T23.439A	Corrosion of unspecified degree of unspecified multiple fingers (nail), not including thumb, initial encounter
T23.439D	Corrosion of unspecified degree of unspecified multiple fingers (nail), not including thumb, subsequent encounter
T23.439S	Corrosion of unspecified degree of unspecified multiple fingers (nail), not including thumb, sequela
T23.441A	Corrosion of unspecified degree of multiple right fingers (nail), including thumb, initial encounter
T23.441D	Corrosion of unspecified degree of multiple right fingers (nail), including thumb, subsequent encounter
T23.441S	Corrosion of unspecified degree of multiple right fingers (nail), including thumb, sequela
T23.442A	Corrosion of unspecified degree of multiple left fingers (nail), including thumb, initial encounter
T23.442D	Corrosion of unspecified degree of multiple left fingers (nail), including thumb, subsequent encounter
T23.442S	Corrosion of unspecified degree of multiple left fingers (nail), including thumb, sequela
T23.449A	Corrosion of unspecified degree of unspecified multiple fingers (nail), including thumb, initial encounter
T23.449D	Corrosion of unspecified degree of unspecified multiple fingers (nail), including thumb, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T23.449S	Corrosion of unspecified degree of unspecified multiple fingers (nail), including thumb, sequela
T23.451A	Corrosion of unspecified degree of right palm, initial encounter
T23.451D	Corrosion of unspecified degree of right palm, subsequent encounter
T23.451S	Corrosion of unspecified degree of right palm, sequela
T23.452A	Corrosion of unspecified degree of left palm, initial encounter
T23.452D	Corrosion of unspecified degree of left palm, subsequent encounter
T23.452S	Corrosion of unspecified degree of left palm, sequela
T23.459A	Corrosion of unspecified degree of unspecified palm, initial encounter
T23.459D	Corrosion of unspecified degree of unspecified palm, subsequent encounter
T23.459S	Corrosion of unspecified degree of unspecified palm, sequela
T23.461A	Corrosion of unspecified degree of back of right hand, initial encounter
T23.461D	Corrosion of unspecified degree of back of right hand, subsequent encounter
T23.461S	Corrosion of unspecified degree of back of right hand, sequela
T23.462A	Corrosion of unspecified degree of back of left hand, initial encounter
T23.462D	Corrosion of unspecified degree of back of left hand, subsequent encounter
T23.462S	Corrosion of unspecified degree of back of left hand, sequela
T23.469A	Corrosion of unspecified degree of back of unspecified hand, initial encounter
T23.469D	Corrosion of unspecified degree of back of unspecified hand, subsequent encounter
T23.469S	Corrosion of unspecified degree of back of unspecified hand, sequela
T23.471A	Corrosion of unspecified degree of right wrist, initial encounter
T23.471D	Corrosion of unspecified degree of right wrist, subsequent encounter
T23.471S	Corrosion of unspecified degree of right wrist, sequela

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T23.472A	Corrosion of unspecified degree of left wrist, initial encounter
T23.472D	Corrosion of unspecified degree of left wrist, subsequent encounter
T23.472S	Corrosion of unspecified degree of left wrist, sequela
T23.479A	Corrosion of unspecified degree of unspecified wrist, initial encounter
T23.479D	Corrosion of unspecified degree of unspecified wrist, subsequent encounter
T23.479S	Corrosion of unspecified degree of unspecified wrist, sequela
T23.491A	Corrosion of unspecified degree of multiple sites of right wrist and hand, initial encounter
T23.491D	Corrosion of unspecified degree of multiple sites of right wrist and hand, subsequent encounter
T23.491S	Corrosion of unspecified degree of multiple sites of right wrist and hand, sequela
T23.492A	Corrosion of unspecified degree of multiple sites of left wrist and hand, initial encounter
T23.492D	Corrosion of unspecified degree of multiple sites of left wrist and hand, subsequent encounter
T23.492S	Corrosion of unspecified degree of multiple sites of left wrist and hand, sequela
T23.499A	Corrosion of unspecified degree of multiple sites of unspecified wrist and hand, initial encounter
T23.499D	Corrosion of unspecified degree of multiple sites of unspecified wrist and hand, subsequent encounter
T23.499S	Corrosion of unspecified degree of multiple sites of unspecified wrist and hand, sequela
T23.501A	Corrosion of first degree of right hand, unspecified site, initial encounter
T23.501D	Corrosion of first degree of right hand, unspecified site, subsequent encounter
T23.501S	Corrosion of first degree of right hand, unspecified site, sequela
T23.502A	Corrosion of first degree of left hand, unspecified site, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T23.502D	Corrosion of first degree of left hand, unspecified site, subsequent encounter
T23.502S	Corrosion of first degree of left hand, unspecified site, sequela
T23.509A	Corrosion of first degree of unspecified hand, unspecified site, initial encounter
T23.509D	Corrosion of first degree of unspecified hand, unspecified site, subsequent encounter
T23.509S	Corrosion of first degree of unspecified hand, unspecified site, sequela
T23.511A	Corrosion of first degree of right thumb (nail), initial encounter
T23.511D	Corrosion of first degree of right thumb (nail), subsequent encounter
T23.511S	Corrosion of first degree of right thumb (nail), sequela
T23.512A	Corrosion of first degree of left thumb (nail), initial encounter
T23.512D	Corrosion of first degree of left thumb (nail), subsequent encounter
T23.512S	Corrosion of first degree of left thumb (nail), sequela
T23.519A	Corrosion of first degree of unspecified thumb (nail), initial encounter
T23.519D	Corrosion of first degree of unspecified thumb (nail), subsequent encounter
T23.519S	Corrosion of first degree of unspecified thumb (nail), sequela
T23.521A	Corrosion of first degree of single right finger (nail) except thumb, initial encounter
T23.521D	Corrosion of first degree of single right finger (nail) except thumb, subsequent encounter
T23.521S	Corrosion of first degree of single right finger (nail) except thumb, sequela
T23.522A	Corrosion of first degree of single left finger (nail) except thumb, initial encounter
T23.522D	Corrosion of first degree of single left finger (nail) except thumb, subsequent encounter
T23.522S	Corrosion of first degree of single left finger (nail) except thumb, sequela

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T23.529A	Corrosion of first degree of unspecified single finger (nail) except thumb, initial encounter
T23.529D	Corrosion of first degree of unspecified single finger (nail) except thumb, subsequent encounter
T23.529S	Corrosion of first degree of unspecified single finger (nail) except thumb, sequela
T23.531A	Corrosion of first degree of multiple right fingers (nail), not including thumb, initial encounter
T23.531D	Corrosion of first degree of multiple right fingers (nail), not including thumb, subsequent encounter
T23.531S	Corrosion of first degree of multiple right fingers (nail), not including thumb, sequela
T23.532A	Corrosion of first degree of multiple left fingers (nail), not including thumb, initial encounter
T23.532D	Corrosion of first degree of multiple left fingers (nail), not including thumb, subsequent encounter
T23.532S	Corrosion of first degree of multiple left fingers (nail), not including thumb, sequela
T23.539A	Corrosion of first degree of unspecified multiple fingers (nail), not including thumb, initial encounter
T23.539D	Corrosion of first degree of unspecified multiple fingers (nail), not including thumb, subsequent encounter
T23.539S	Corrosion of first degree of unspecified multiple fingers (nail), not including thumb, sequela
T23.541A	Corrosion of first degree of multiple right fingers (nail), including thumb, initial encounter
T23.541D	Corrosion of first degree of multiple right fingers (nail), including thumb, subsequent encounter
T23.541S	Corrosion of first degree of multiple right fingers (nail), including thumb, sequela

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T23.542A	Corrosion of first degree of multiple left fingers (nail), including thumb, initial encounter
T23.542D	Corrosion of first degree of multiple left fingers (nail), including thumb, subsequent encounter
T23.542S	Corrosion of first degree of multiple left fingers (nail), including thumb, sequela
T23.549A	Corrosion of first degree of unspecified multiple fingers (nail), including thumb, initial encounter
T23.549D	Corrosion of first degree of unspecified multiple fingers (nail), including thumb, subsequent encounter
T23.549S	Corrosion of first degree of unspecified multiple fingers (nail), including thumb, sequela
T23.551A	Corrosion of first degree of right palm, initial encounter
T23.551D	Corrosion of first degree of right palm, subsequent encounter
T23.551S	Corrosion of first degree of right palm, sequela
T23.552A	Corrosion of first degree of left palm, initial encounter
T23.552D	Corrosion of first degree of left palm, subsequent encounter
T23.552S	Corrosion of first degree of left palm, sequela
T23.559A	Corrosion of first degree of unspecified palm, initial encounter
T23.559D	Corrosion of first degree of unspecified palm, subsequent encounter
T23.559S	Corrosion of first degree of unspecified palm, sequela
T23.561A	Corrosion of first degree of back of right hand, initial encounter
T23.561D	Corrosion of first degree of back of right hand, subsequent encounter
T23.561S	Corrosion of first degree of back of right hand, sequela
T23.562A	Corrosion of first degree of back of left hand, initial encounter
T23.562D	Corrosion of first degree of back of left hand, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T23.562S	Corrosion of first degree of back of left hand, sequela
T23.569A	Corrosion of first degree of back of unspecified hand, initial encounter
T23.569D	Corrosion of first degree of back of unspecified hand, subsequent encounter
T23.569S	Corrosion of first degree of back of unspecified hand, sequela
T23.571A	Corrosion of first degree of right wrist, initial encounter
T23.571D	Corrosion of first degree of right wrist, subsequent encounter
T23.571S	Corrosion of first degree of right wrist, sequela
T23.572A	Corrosion of first degree of left wrist, initial encounter
T23.572D	Corrosion of first degree of left wrist, subsequent encounter
T23.572S	Corrosion of first degree of left wrist, sequela
T23.579A	Corrosion of first degree of unspecified wrist, initial encounter
T23.579D	Corrosion of first degree of unspecified wrist, subsequent encounter
T23.579S	Corrosion of first degree of unspecified wrist, sequela
T23.591A	Corrosion of first degree of multiple sites of right wrist and hand, initial encounter
T23.591D	Corrosion of first degree of multiple sites of right wrist and hand, subsequent encounter
T23.591S	Corrosion of first degree of multiple sites of right wrist and hand, sequela
T23.592A	Corrosion of first degree of multiple sites of left wrist and hand, initial encounter
T23.592D	Corrosion of first degree of multiple sites of left wrist and hand, subsequent encounter
T23.592S	Corrosion of first degree of multiple sites of left wrist and hand, sequela
T23.599A	Corrosion of first degree of multiple sites of unspecified wrist and hand, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T23.599D	Corrosion of first degree of multiple sites of unspecified wrist and hand, subsequent encounter
T23.599S	Corrosion of first degree of multiple sites of unspecified wrist and hand, sequela
T23.601A	Corrosion of second degree of right hand, unspecified site, initial encounter
T23.601D	Corrosion of second degree of right hand, unspecified site, subsequent encounter
T23.601S	Corrosion of second degree of right hand, unspecified site, sequela
T23.602A	Corrosion of second degree of left hand, unspecified site, initial encounter
T23.602D	Corrosion of second degree of left hand, unspecified site, subsequent encounter
T23.602S	Corrosion of second degree of left hand, unspecified site, sequela
T23.609A	Corrosion of second degree of unspecified hand, unspecified site, initial encounter
T23.609D	Corrosion of second degree of unspecified hand, unspecified site, subsequent encounter
T23.609S	Corrosion of second degree of unspecified hand, unspecified site, sequela
T23.611A	Corrosion of second degree of right thumb (nail), initial encounter
T23.611D	Corrosion of second degree of right thumb (nail), subsequent encounter
T23.611S	Corrosion of second degree of right thumb (nail), sequela
T23.612A	Corrosion of second degree of left thumb (nail), initial encounter
T23.612D	Corrosion of second degree of left thumb (nail), subsequent encounter
T23.612S	Corrosion of second degree of left thumb (nail), sequela
T23.619A	Corrosion of second degree of unspecified thumb (nail), initial encounter
T23.619D	Corrosion of second degree of unspecified thumb (nail), subsequent encounter
T23.619S	Corrosion of second degree of unspecified thumb (nail), sequela

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T23.621A	Corrosion of second degree of single right finger (nail) except thumb, initial encounter
T23.621D	Corrosion of second degree of single right finger (nail) except thumb, subsequent encounter
T23.621S	Corrosion of second degree of single right finger (nail) except thumb, sequela
T23.622A	Corrosion of second degree of single left finger (nail) except thumb, initial encounter
T23.622D	Corrosion of second degree of single left finger (nail) except thumb, subsequent encounter
T23.622S	Corrosion of second degree of single left finger (nail) except thumb, sequela
T23.629A	Corrosion of second degree of unspecified single finger (nail) except thumb, initial encounter
T23.629D	Corrosion of second degree of unspecified single finger (nail) except thumb, subsequent encounter
T23.629S	Corrosion of second degree of unspecified single finger (nail) except thumb, sequela
T23.631A	Corrosion of second degree of multiple right fingers (nail), not including thumb, initial encounter
T23.631D	Corrosion of second degree of multiple right fingers (nail), not including thumb, subsequent encounter
T23.631S	Corrosion of second degree of multiple right fingers (nail), not including thumb, sequela
T23.632A	Corrosion of second degree of multiple left fingers (nail), not including thumb, initial encounter
T23.632D	Corrosion of second degree of multiple left fingers (nail), not including thumb, subsequent encounter
T23.632S	Corrosion of second degree of multiple left fingers (nail), not including thumb, sequela

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T23.639A	Corrosion of second degree of unspecified multiple fingers (nail), not including thumb, initial encounter
T23.639D	Corrosion of second degree of unspecified multiple fingers (nail), not including thumb, subsequent encounter
T23.639S	Corrosion of second degree of unspecified multiple fingers (nail), not including thumb, sequela
T23.641A	Corrosion of second degree of multiple right fingers (nail), including thumb, initial encounter
T23.641D	Corrosion of second degree of multiple right fingers (nail), including thumb, subsequent encounter
T23.641S	Corrosion of second degree of multiple right fingers (nail), including thumb, sequela
T23.642A	Corrosion of second degree of multiple left fingers (nail), including thumb, initial encounter
T23.642D	Corrosion of second degree of multiple left fingers (nail), including thumb, subsequent encounter
T23.642S	Corrosion of second degree of multiple left fingers (nail), including thumb, sequela
T23.649A	Corrosion of second degree of unspecified multiple fingers (nail), including thumb, initial encounter
T23.649D	Corrosion of second degree of unspecified multiple fingers (nail), including thumb, subsequent encounter
T23.649S	Corrosion of second degree of unspecified multiple fingers (nail), including thumb, sequela
T23.651A	Corrosion of second degree of right palm, initial encounter
T23.651D	Corrosion of second degree of right palm, subsequent encounter
T23.651S	Corrosion of second degree of right palm, sequela
T23.652A	Corrosion of second degree of left palm, initial encounter
T23.652D	Corrosion of second degree of left palm, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T23.652S	Corrosion of second degree of left palm, sequela
T23.659A	Corrosion of second degree of unspecified palm, initial encounter
T23.659D	Corrosion of second degree of unspecified palm, subsequent encounter
T23.659S	Corrosion of second degree of unspecified palm, sequela
T23.661A	Corrosion of second degree back of right hand, initial encounter
T23.661D	Corrosion of second degree back of right hand, subsequent encounter
T23.661S	Corrosion of second degree back of right hand, sequela
T23.662A	Corrosion of second degree back of left hand, initial encounter
T23.662D	Corrosion of second degree back of left hand, subsequent encounter
T23.662S	Corrosion of second degree back of left hand, sequela
T23.669A	Corrosion of second degree back of unspecified hand, initial encounter
T23.669D	Corrosion of second degree back of unspecified hand, subsequent encounter
T23.669S	Corrosion of second degree back of unspecified hand, sequela
T23.671A	Corrosion of second degree of right wrist, initial encounter
T23.671D	Corrosion of second degree of right wrist, subsequent encounter
T23.671S	Corrosion of second degree of right wrist, sequela
T23.672A	Corrosion of second degree of left wrist, initial encounter
T23.672D	Corrosion of second degree of left wrist, subsequent encounter
T23.672S	Corrosion of second degree of left wrist, sequela
T23.679A	Corrosion of second degree of unspecified wrist, initial encounter
T23.679D	Corrosion of second degree of unspecified wrist, subsequent encounter
T23.679S	Corrosion of second degree of unspecified wrist, sequela
T23.691A	Corrosion of second degree of multiple sites of right wrist and hand, initial encounter

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T23.691D	Corrosion of second degree of multiple sites of right wrist and hand, subsequent encounter
T23.691S	Corrosion of second degree of multiple sites of right wrist and hand, sequela
T23.692A	Corrosion of second degree of multiple sites of left wrist and hand, initial encounter
T23.692D	Corrosion of second degree of multiple sites of left wrist and hand, subsequent encounter
T23.692S	Corrosion of second degree of multiple sites of left wrist and hand, sequela
T23.699A	Corrosion of second degree of multiple sites of unspecified wrist and hand, initial encounter
T23.699D	Corrosion of second degree of multiple sites of unspecified wrist and hand, subsequent encounter
T23.699S	Corrosion of second degree of multiple sites of unspecified wrist and hand, sequela
T23.701A	Corrosion of third degree of right hand, unspecified site, initial encounter
T23.701D	Corrosion of third degree of right hand, unspecified site, subsequent encounter
T23.701S	Corrosion of third degree of right hand, unspecified site, sequela
T23.702A	Corrosion of third degree of left hand, unspecified site, initial encounter
T23.702D	Corrosion of third degree of left hand, unspecified site, subsequent encounter
T23.702S	Corrosion of third degree of left hand, unspecified site, sequela
T23.709A	Corrosion of third degree of unspecified hand, unspecified site, initial encounter
T23.709D	Corrosion of third degree of unspecified hand, unspecified site, subsequent encounter
T23.709S	Corrosion of third degree of unspecified hand, unspecified site, sequela
T23.711A	Corrosion of third degree of right thumb (nail), initial encounter
T23.711D	Corrosion of third degree of right thumb (nail), subsequent encounter

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T23.711S	Corrosion of third degree of right thumb (nail), sequela
T23.712A	Corrosion of third degree of left thumb (nail), initial encounter
T23.712D	Corrosion of third degree of left thumb (nail), subsequent encounter
T23.712S	Corrosion of third degree of left thumb (nail), sequela
T23.719A	Corrosion of third degree of unspecified thumb (nail), initial encounter
T23.719D	Corrosion of third degree of unspecified thumb (nail), subsequent encounter
T23.719S	Corrosion of third degree of unspecified thumb (nail), sequela
T23.721A	Corrosion of third degree of single right finger (nail) except thumb, initial encounter
T23.721D	Corrosion of third degree of single right finger (nail) except thumb, subsequent encounter
T23.721S	Corrosion of third degree of single right finger (nail) except thumb, sequela
T23.722A	Corrosion of third degree of single left finger (nail) except thumb, initial encounter
T23.722D	Corrosion of third degree of single left finger (nail) except thumb, subsequent encounter
T23.722S	Corrosion of third degree of single left finger (nail) except thumb, sequela
T23.729A	Corrosion of third degree of unspecified single finger (nail) except thumb, initial encounter
T23.729D	Corrosion of third degree of unspecified single finger (nail) except thumb, subsequent encounter
T23.729S	Corrosion of third degree of unspecified single finger (nail) except thumb, sequela
T23.731A	Corrosion of third degree of multiple right fingers (nail), not including thumb, initial encounter
T23.731D	Corrosion of third degree of multiple right fingers (nail), not including thumb, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T23.731S	Corrosion of third degree of multiple right fingers (nail), not including thumb, sequela
T23.732A	Corrosion of third degree of multiple left fingers (nail), not including thumb, initial encounter
T23.732D	Corrosion of third degree of multiple left fingers (nail), not including thumb, subsequent encounter
T23.732S	Corrosion of third degree of multiple left fingers (nail), not including thumb, sequela
T23.739A	Corrosion of third degree of unspecified multiple fingers (nail), not including thumb, initial encounter
T23.739D	Corrosion of third degree of unspecified multiple fingers (nail), not including thumb, subsequent encounter
T23.739S	Corrosion of third degree of unspecified multiple fingers (nail), not including thumb, sequela
T23.741A	Corrosion of third degree of multiple right fingers (nail), including thumb, initial encounter
T23.741D	Corrosion of third degree of multiple right fingers (nail), including thumb, subsequent encounter
T23.741S	Corrosion of third degree of multiple right fingers (nail), including thumb, sequela
T23.742A	Corrosion of third degree of multiple left fingers (nail), including thumb, initial encounter
T23.742D	Corrosion of third degree of multiple left fingers (nail), including thumb, subsequent encounter
T23.742S	Corrosion of third degree of multiple left fingers (nail), including thumb, sequela
T23.749A	Corrosion of third degree of unspecified multiple fingers (nail), including thumb, initial encounter
T23.749D	Corrosion of third degree of unspecified multiple fingers (nail), including thumb, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T23.749S	Corrosion of third degree of unspecified multiple fingers (nail), including thumb, sequela
T23.751A	Corrosion of third degree of right palm, initial encounter
T23.751D	Corrosion of third degree of right palm, subsequent encounter
T23.751S	Corrosion of third degree of right palm, sequela
T23.752A	Corrosion of third degree of left palm, initial encounter
T23.752D	Corrosion of third degree of left palm, subsequent encounter
T23.752S	Corrosion of third degree of left palm, sequela
T23.759A	Corrosion of third degree of unspecified palm, initial encounter
T23.759D	Corrosion of third degree of unspecified palm, subsequent encounter
T23.759S	Corrosion of third degree of unspecified palm, sequela
T23.761A	Corrosion of third degree of back of right hand, initial encounter
T23.761D	Corrosion of third degree of back of right hand, subsequent encounter
T23.761S	Corrosion of third degree of back of right hand, sequela
T23.762A	Corrosion of third degree of back of left hand, initial encounter
T23.762D	Corrosion of third degree of back of left hand, subsequent encounter
T23.762S	Corrosion of third degree of back of left hand, sequela
T23.769A	Corrosion of third degree back of unspecified hand, initial encounter
T23.769D	Corrosion of third degree back of unspecified hand, subsequent encounter
T23.769S	Corrosion of third degree back of unspecified hand, sequela
T23.771A	Corrosion of third degree of right wrist, initial encounter
T23.771D	Corrosion of third degree of right wrist, subsequent encounter
T23.771S	Corrosion of third degree of right wrist, sequela
T23.772A	Corrosion of third degree of left wrist, initial encounter

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
<i>Code</i>	<i>Description</i>
T23.772D	Corrosion of third degree of left wrist, subsequent encounter
T23.772S	Corrosion of third degree of left wrist, sequela
T23.779A	Corrosion of third degree of unspecified wrist, initial encounter
T23.779D	Corrosion of third degree of unspecified wrist, subsequent encounter
T23.779S	Corrosion of third degree of unspecified wrist, sequela
T23.791A	Corrosion of third degree of multiple sites of right wrist and hand, initial encounter
T23.791D	Corrosion of third degree of multiple sites of right wrist and hand, subsequent encounter
T23.791S	Corrosion of third degree of multiple sites of right wrist and hand, sequela
T23.792A	Corrosion of third degree of multiple sites of left wrist and hand, initial encounter
T23.792D	Corrosion of third degree of multiple sites of left wrist and hand, subsequent encounter
T23.792S	Corrosion of third degree of multiple sites of left wrist and hand, sequela
T23.799A	Corrosion of third degree of multiple sites of unspecified wrist and hand, initial encounter
T23.799D	Corrosion of third degree of multiple sites of unspecified wrist and hand, subsequent encounter
T23.799S	Corrosion of third degree of multiple sites of unspecified wrist and hand, sequela
T24.001A	Burn of unspecified degree of unspecified site of right lower limb, except ankle and foot, initial encounter
T24.001D	Burn of unspecified degree of unspecified site of right lower limb, except ankle and foot, subsequent encounter
T24.001S	Burn of unspecified degree of unspecified site of right lower limb, except ankle and foot, sequela
T24.002A	Burn of unspecified degree of unspecified site of left lower limb, except ankle and foot, initial encounter

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T24.002D	Burn of unspecified degree of unspecified site of left lower limb, except ankle and foot, subsequent encounter
T24.002S	Burn of unspecified degree of unspecified site of left lower limb, except ankle and foot, sequela
T24.009A	Burn of unspecified degree of unspecified site of unspecified lower limb, except ankle and foot, initial encounter
T24.009D	Burn of unspecified degree of unspecified site of unspecified lower limb, except ankle and foot, subsequent encounter
T24.009S	Burn of unspecified degree of unspecified site of unspecified lower limb, except ankle and foot, sequela
T24.011A	Burn of unspecified degree of right thigh, initial encounter
T24.011D	Burn of unspecified degree of right thigh, subsequent encounter
T24.011S	Burn of unspecified degree of right thigh, sequela
T24.012A	Burn of unspecified degree of left thigh, initial encounter
T24.012D	Burn of unspecified degree of left thigh, subsequent encounter
T24.012S	Burn of unspecified degree of left thigh, sequela
T24.019A	Burn of unspecified degree of unspecified thigh, initial encounter
T24.019D	Burn of unspecified degree of unspecified thigh, subsequent encounter
T24.019S	Burn of unspecified degree of unspecified thigh, sequela
T24.021A	Burn of unspecified degree of right knee, initial encounter
T24.021D	Burn of unspecified degree of right knee, subsequent encounter
T24.021S	Burn of unspecified degree of right knee, sequela
T24.022A	Burn of unspecified degree of left knee, initial encounter
T24.022D	Burn of unspecified degree of left knee, subsequent encounter
T24.022S	Burn of unspecified degree of left knee, sequela

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T24.029A	Burn of unspecified degree of unspecified knee, initial encounter
T24.029D	Burn of unspecified degree of unspecified knee, subsequent encounter
T24.029S	Burn of unspecified degree of unspecified knee, sequela
T24.031A	Burn of unspecified degree of right lower leg, initial encounter
T24.031D	Burn of unspecified degree of right lower leg, subsequent encounter
T24.031S	Burn of unspecified degree of right lower leg, sequela
T24.032A	Burn of unspecified degree of left lower leg, initial encounter
T24.032D	Burn of unspecified degree of left lower leg, subsequent encounter
T24.032S	Burn of unspecified degree of left lower leg, sequela
T24.039A	Burn of unspecified degree of unspecified lower leg, initial encounter
T24.039D	Burn of unspecified degree of unspecified lower leg, subsequent encounter
T24.039S	Burn of unspecified degree of unspecified lower leg, sequela
T24.091A	Burn of unspecified degree of multiple sites of right lower limb, except ankle and foot, initial encounter
T24.091D	Burn of unspecified degree of multiple sites of right lower limb, except ankle and foot, subsequent encounter
T24.091S	Burn of unspecified degree of multiple sites of right lower limb, except ankle and foot, sequela
T24.092A	Burn of unspecified degree of multiple sites of left lower limb, except ankle and foot, initial encounter
T24.092D	Burn of unspecified degree of multiple sites of left lower limb, except ankle and foot, subsequent encounter
T24.092S	Burn of unspecified degree of multiple sites of left lower limb, except ankle and foot, sequela
T24.099A	Burn of unspecified degree of multiple sites of unspecified lower limb, except ankle and foot, initial encounter

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T24.099D	Burn of unspecified degree of multiple sites of unspecified lower limb, except ankle and foot, subsequent encounter
T24.099S	Burn of unspecified degree of multiple sites of unspecified lower limb, except ankle and foot, sequela
T24.101A	Burn of first degree of unspecified site of right lower limb, except ankle and foot, initial encounter
T24.101D	Burn of first degree of unspecified site of right lower limb, except ankle and foot, subsequent encounter
T24.101S	Burn of first degree of unspecified site of right lower limb, except ankle and foot, sequela
T24.102A	Burn of first degree of unspecified site of left lower limb, except ankle and foot, initial encounter
T24.102D	Burn of first degree of unspecified site of left lower limb, except ankle and foot, subsequent encounter
T24.102S	Burn of first degree of unspecified site of left lower limb, except ankle and foot, sequela
T24.109A	Burn of first degree of unspecified site of unspecified lower limb, except ankle and foot, initial encounter
T24.109D	Burn of first degree of unspecified site of unspecified lower limb, except ankle and foot, subsequent encounter
T24.109S	Burn of first degree of unspecified site of unspecified lower limb, except ankle and foot, sequela
T24.111A	Burn of first degree of right thigh, initial encounter
T24.111D	Burn of first degree of right thigh, subsequent encounter
T24.111S	Burn of first degree of right thigh, sequela
T24.112A	Burn of first degree of left thigh, initial encounter
T24.112D	Burn of first degree of left thigh, subsequent encounter
T24.112S	Burn of first degree of left thigh, sequela

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T24.119A	Burn of first degree of unspecified thigh, initial encounter
T24.119D	Burn of first degree of unspecified thigh, subsequent encounter
T24.119S	Burn of first degree of unspecified thigh, sequela
T24.121A	Burn of first degree of right knee, initial encounter
T24.121D	Burn of first degree of right knee, subsequent encounter
T24.121S	Burn of first degree of right knee, sequela
T24.122A	Burn of first degree of left knee, initial encounter
T24.122D	Burn of first degree of left knee, subsequent encounter
T24.122S	Burn of first degree of left knee, sequela
T24.129A	Burn of first degree of unspecified knee, initial encounter
T24.129D	Burn of first degree of unspecified knee, subsequent encounter
T24.129S	Burn of first degree of unspecified knee, sequela
T24.131A	Burn of first degree of right lower leg, initial encounter
T24.131D	Burn of first degree of right lower leg, subsequent encounter
T24.131S	Burn of first degree of right lower leg, sequela
T24.132A	Burn of first degree of left lower leg, initial encounter
T24.132D	Burn of first degree of left lower leg, subsequent encounter
T24.132S	Burn of first degree of left lower leg, sequela
T24.139A	Burn of first degree of unspecified lower leg, initial encounter
T24.139D	Burn of first degree of unspecified lower leg, subsequent encounter
T24.139S	Burn of first degree of unspecified lower leg, sequela
T24.191A	Burn of first degree of multiple sites of right lower limb, except ankle and foot, initial encounter

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T24.191D	Burn of first degree of multiple sites of right lower limb, except ankle and foot, subsequent encounter
T24.191S	Burn of first degree of multiple sites of right lower limb, except ankle and foot, sequela
T24.192A	Burn of first degree of multiple sites of left lower limb, except ankle and foot, initial encounter
T24.192D	Burn of first degree of multiple sites of left lower limb, except ankle and foot, subsequent encounter
T24.192S	Burn of first degree of multiple sites of left lower limb, except ankle and foot, sequela
T24.199A	Burn of first degree of multiple sites of unspecified lower limb, except ankle and foot, initial encounter
T24.199D	Burn of first degree of multiple sites of unspecified lower limb, except ankle and foot, subsequent encounter
T24.199S	Burn of first degree of multiple sites of unspecified lower limb, except ankle and foot, sequela
T24.201A	Burn of second degree of unspecified site of right lower limb, except ankle and foot, initial encounter
T24.201D	Burn of second degree of unspecified site of right lower limb, except ankle and foot, subsequent encounter
T24.201S	Burn of second degree of unspecified site of right lower limb, except ankle and foot, sequela
T24.202A	Burn of second degree of unspecified site of left lower limb, except ankle and foot, initial encounter
T24.202D	Burn of second degree of unspecified site of left lower limb, except ankle and foot, subsequent encounter
T24.202S	Burn of second degree of unspecified site of left lower limb, except ankle and foot, sequela
T24.209A	Burn of second degree of unspecified site of unspecified lower limb, except ankle and foot, initial encounter

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T24.209D	Burn of second degree of unspecified site of unspecified lower limb, except ankle and foot, subsequent encounter
T24.209S	Burn of second degree of unspecified site of unspecified lower limb, except ankle and foot, sequela
T24.211A	Burn of second degree of right thigh, initial encounter
T24.211D	Burn of second degree of right thigh, subsequent encounter
T24.211S	Burn of second degree of right thigh, sequela
T24.212A	Burn of second degree of left thigh, initial encounter
T24.212D	Burn of second degree of left thigh, subsequent encounter
T24.212S	Burn of second degree of left thigh, sequela
T24.219A	Burn of second degree of unspecified thigh, initial encounter
T24.219D	Burn of second degree of unspecified thigh, subsequent encounter
T24.219S	Burn of second degree of unspecified thigh, sequela
T24.221A	Burn of second degree of right knee, initial encounter
T24.221D	Burn of second degree of right knee, subsequent encounter
T24.221S	Burn of second degree of right knee, sequela
T24.222A	Burn of second degree of left knee, initial encounter
T24.222D	Burn of second degree of left knee, subsequent encounter
T24.222S	Burn of second degree of left knee, sequela
T24.229A	Burn of second degree of unspecified knee, initial encounter
T24.229D	Burn of second degree of unspecified knee, subsequent encounter
T24.229S	Burn of second degree of unspecified knee, sequela
T24.231A	Burn of second degree of right lower leg, initial encounter
T24.231D	Burn of second degree of right lower leg, subsequent encounter

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T24.231S	Burn of second degree of right lower leg, sequela
T24.232A	Burn of second degree of left lower leg, initial encounter
T24.232D	Burn of second degree of left lower leg, subsequent encounter
T24.232S	Burn of second degree of left lower leg, sequela
T24.239A	Burn of second degree of unspecified lower leg, initial encounter
T24.239D	Burn of second degree of unspecified lower leg, subsequent encounter
T24.239S	Burn of second degree of unspecified lower leg, sequela
T24.291A	Burn of second degree of multiple sites of right lower limb, except ankle and foot, initial encounter
T24.291D	Burn of second degree of multiple sites of right lower limb, except ankle and foot, subsequent encounter
T24.291S	Burn of second degree of multiple sites of right lower limb, except ankle and foot, sequela
T24.292A	Burn of second degree of multiple sites of left lower limb, except ankle and foot, initial encounter
T24.292D	Burn of second degree of multiple sites of left lower limb, except ankle and foot, subsequent encounter
T24.292S	Burn of second degree of multiple sites of left lower limb, except ankle and foot, sequela
T24.299A	Burn of second degree of multiple sites of unspecified lower limb, except ankle and foot, initial encounter
T24.299D	Burn of second degree of multiple sites of unspecified lower limb, except ankle and foot, subsequent encounter
T24.299S	Burn of second degree of multiple sites of unspecified lower limb, except ankle and foot, sequela
T24.301A	Burn of third degree of unspecified site of right lower limb, except ankle and foot, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T24.301D	Burn of third degree of unspecified site of right lower limb, except ankle and foot, subsequent encounter
T24.301S	Burn of third degree of unspecified site of right lower limb, except ankle and foot, sequela
T24.302A	Burn of third degree of unspecified site of left lower limb, except ankle and foot, initial encounter
T24.302D	Burn of third degree of unspecified site of left lower limb, except ankle and foot, subsequent encounter
T24.302S	Burn of third degree of unspecified site of left lower limb, except ankle and foot, sequela
T24.309A	Burn of third degree of unspecified site of unspecified lower limb, except ankle and foot, initial encounter
T24.309D	Burn of third degree of unspecified site of unspecified lower limb, except ankle and foot, subsequent encounter
T24.309S	Burn of third degree of unspecified site of unspecified lower limb, except ankle and foot, sequela
T24.311A	Burn of third degree of right thigh, initial encounter
T24.311D	Burn of third degree of right thigh, subsequent encounter
T24.311S	Burn of third degree of right thigh, sequela
T24.312A	Burn of third degree of left thigh, initial encounter
T24.312D	Burn of third degree of left thigh, subsequent encounter
T24.312S	Burn of third degree of left thigh, sequela
T24.319A	Burn of third degree of unspecified thigh, initial encounter
T24.319D	Burn of third degree of unspecified thigh, subsequent encounter
T24.319S	Burn of third degree of unspecified thigh, sequela
T24.321A	Burn of third degree of right knee, initial encounter
T24.321D	Burn of third degree of right knee, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T24.321S	Burn of third degree of right knee, sequela
T24.322A	Burn of third degree of left knee, initial encounter
T24.322D	Burn of third degree of left knee, subsequent encounter
T24.322S	Burn of third degree of left knee, sequela
T24.329A	Burn of third degree of unspecified knee, initial encounter
T24.329D	Burn of third degree of unspecified knee, subsequent encounter
T24.329S	Burn of third degree of unspecified knee, sequela
T24.331A	Burn of third degree of right lower leg, initial encounter
T24.331D	Burn of third degree of right lower leg, subsequent encounter
T24.331S	Burn of third degree of right lower leg, sequela
T24.332A	Burn of third degree of left lower leg, initial encounter
T24.332D	Burn of third degree of left lower leg, subsequent encounter
T24.332S	Burn of third degree of left lower leg, sequela
T24.339A	Burn of third degree of unspecified lower leg, initial encounter
T24.339D	Burn of third degree of unspecified lower leg, subsequent encounter
T24.339S	Burn of third degree of unspecified lower leg, sequela
T24.391A	Burn of third degree of multiple sites of right lower limb, except ankle and foot, initial encounter
T24.391D	Burn of third degree of multiple sites of right lower limb, except ankle and foot, subsequent encounter
T24.391S	Burn of third degree of multiple sites of right lower limb, except ankle and foot, sequela
T24.392A	Burn of third degree of multiple sites of left lower limb, except ankle and foot, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T24.392D	Burn of third degree of multiple sites of left lower limb, except ankle and foot, subsequent encounter
T24.392S	Burn of third degree of multiple sites of left lower limb, except ankle and foot, sequela
T24.399A	Burn of third degree of multiple sites of unspecified lower limb, except ankle and foot, initial encounter
T24.399D	Burn of third degree of multiple sites of unspecified lower limb, except ankle and foot, subsequent encounter
T24.399S	Burn of third degree of multiple sites of unspecified lower limb, except ankle and foot, sequela
T24.401A	Corrosion of unspecified degree of unspecified site of right lower limb, except ankle and foot, initial encounter
T24.401D	Corrosion of unspecified degree of unspecified site of right lower limb, except ankle and foot, subsequent encounter
T24.401S	Corrosion of unspecified degree of unspecified site of right lower limb, except ankle and foot, sequela
T24.402A	Corrosion of unspecified degree of unspecified site of left lower limb, except ankle and foot, initial encounter
T24.402D	Corrosion of unspecified degree of unspecified site of left lower limb, except ankle and foot, subsequent encounter
T24.402S	Corrosion of unspecified degree of unspecified site of left lower limb, except ankle and foot, sequela
T24.409A	Corrosion of unspecified degree of unspecified site of unspecified lower limb, except ankle and foot, initial encounter
T24.409D	Corrosion of unspecified degree of unspecified site of unspecified lower limb, except ankle and foot, subsequent encounter
T24.409S	Corrosion of unspecified degree of unspecified site of unspecified lower limb, except ankle and foot, sequela
T24.411A	Corrosion of unspecified degree of right thigh, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T24.411D	Corrosion of unspecified degree of right thigh, subsequent encounter
T24.411S	Corrosion of unspecified degree of right thigh, sequela
T24.412A	Corrosion of unspecified degree of left thigh, initial encounter
T24.412D	Corrosion of unspecified degree of left thigh, subsequent encounter
T24.412S	Corrosion of unspecified degree of left thigh, sequela
T24.419A	Corrosion of unspecified degree of unspecified thigh, initial encounter
T24.419D	Corrosion of unspecified degree of unspecified thigh, subsequent encounter
T24.419S	Corrosion of unspecified degree of unspecified thigh, sequela
T24.421A	Corrosion of unspecified degree of right knee, initial encounter
T24.421D	Corrosion of unspecified degree of right knee, subsequent encounter
T24.421S	Corrosion of unspecified degree of right knee, sequela
T24.422A	Corrosion of unspecified degree of left knee, initial encounter
T24.422D	Corrosion of unspecified degree of left knee, subsequent encounter
T24.422S	Corrosion of unspecified degree of left knee, sequela
T24.429A	Corrosion of unspecified degree of unspecified knee, initial encounter
T24.429D	Corrosion of unspecified degree of unspecified knee, subsequent encounter
T24.429S	Corrosion of unspecified degree of unspecified knee, sequela
T24.431A	Corrosion of unspecified degree of right lower leg, initial encounter
T24.431D	Corrosion of unspecified degree of right lower leg, subsequent encounter
T24.431S	Corrosion of unspecified degree of right lower leg, sequela
T24.432A	Corrosion of unspecified degree of left lower leg, initial encounter
T24.432D	Corrosion of unspecified degree of left lower leg, subsequent encounter
T24.432S	Corrosion of unspecified degree of left lower leg, sequela

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
<i>Code</i>	<i>Description</i>
T24.439A	Corrosion of unspecified degree of unspecified lower leg, initial encounter
T24.439D	Corrosion of unspecified degree of unspecified lower leg, subsequent encounter
T24.439S	Corrosion of unspecified degree of unspecified lower leg, sequela
T24.491A	Corrosion of unspecified degree of multiple sites of right lower limb, except ankle and foot, initial encounter
T24.491D	Corrosion of unspecified degree of multiple sites of right lower limb, except ankle and foot, subsequent encounter
T24.491S	Corrosion of unspecified degree of multiple sites of right lower limb, except ankle and foot, sequela
T24.492A	Corrosion of unspecified degree of multiple sites of left lower limb, except ankle and foot, initial encounter
T24.492D	Corrosion of unspecified degree of multiple sites of left lower limb, except ankle and foot, subsequent encounter
T24.492S	Corrosion of unspecified degree of multiple sites of left lower limb, except ankle and foot, sequela
T24.499A	Corrosion of unspecified degree of multiple sites of unspecified lower limb, except ankle and foot, initial encounter
T24.499D	Corrosion of unspecified degree of multiple sites of unspecified lower limb, except ankle and foot, subsequent encounter
T24.499S	Corrosion of unspecified degree of multiple sites of unspecified lower limb, except ankle and foot, sequela
T24.501A	Corrosion of first degree of unspecified site of right lower limb, except ankle and foot, initial encounter
T24.501D	Corrosion of first degree of unspecified site of right lower limb, except ankle and foot, subsequent encounter
T24.501S	Corrosion of first degree of unspecified site of right lower limb, except ankle and foot, sequela
T24.502A	Corrosion of first degree of unspecified site of left lower limb, except ankle and foot, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T24.502D	Corrosion of first degree of unspecified site of left lower limb, except ankle and foot, subsequent encounter
T24.502S	Corrosion of first degree of unspecified site of left lower limb, except ankle and foot, sequela
T24.509A	Corrosion of first degree of unspecified site of unspecified lower limb, except ankle and foot, initial encounter
T24.509D	Corrosion of first degree of unspecified site of unspecified lower limb, except ankle and foot, subsequent encounter
T24.509S	Corrosion of first degree of unspecified site of unspecified lower limb, except ankle and foot, sequela
T24.511A	Corrosion of first degree of right thigh, initial encounter
T24.511D	Corrosion of first degree of right thigh, subsequent encounter
T24.511S	Corrosion of first degree of right thigh, sequela
T24.512A	Corrosion of first degree of left thigh, initial encounter
T24.512D	Corrosion of first degree of left thigh, subsequent encounter
T24.512S	Corrosion of first degree of left thigh, sequela
T24.519A	Corrosion of first degree of unspecified thigh, initial encounter
T24.519D	Corrosion of first degree of unspecified thigh, subsequent encounter
T24.519S	Corrosion of first degree of unspecified thigh, sequela
T24.521A	Corrosion of first degree of right knee, initial encounter
T24.521D	Corrosion of first degree of right knee, subsequent encounter
T24.521S	Corrosion of first degree of right knee, sequela
T24.522A	Corrosion of first degree of left knee, initial encounter
T24.522D	Corrosion of first degree of left knee, subsequent encounter
T24.522S	Corrosion of first degree of left knee, sequela

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T24.529A	Corrosion of first degree of unspecified knee, initial encounter
T24.529D	Corrosion of first degree of unspecified knee, subsequent encounter
T24.529S	Corrosion of first degree of unspecified knee, sequela
T24.531A	Corrosion of first degree of right lower leg, initial encounter
T24.531D	Corrosion of first degree of right lower leg, subsequent encounter
T24.531S	Corrosion of first degree of right lower leg, sequela
T24.532A	Corrosion of first degree of left lower leg, initial encounter
T24.532D	Corrosion of first degree of left lower leg, subsequent encounter
T24.532S	Corrosion of first degree of left lower leg, sequela
T24.539A	Corrosion of first degree of unspecified lower leg, initial encounter
T24.539D	Corrosion of first degree of unspecified lower leg, subsequent encounter
T24.539S	Corrosion of first degree of unspecified lower leg, sequela
T24.591A	Corrosion of first degree of multiple sites of right lower limb, except ankle and foot, initial encounter
T24.591D	Corrosion of first degree of multiple sites of right lower limb, except ankle and foot, subsequent encounter
T24.591S	Corrosion of first degree of multiple sites of right lower limb, except ankle and foot, sequela
T24.592A	Corrosion of first degree of multiple sites of left lower limb, except ankle and foot, initial encounter
T24.592D	Corrosion of first degree of multiple sites of left lower limb, except ankle and foot, subsequent encounter
T24.592S	Corrosion of first degree of multiple sites of left lower limb, except ankle and foot, sequela
T24.599A	Corrosion of first degree of multiple sites of unspecified lower limb, except ankle and foot, initial encounter

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T24.599D	Corrosion of first degree of multiple sites of unspecified lower limb, except ankle and foot, subsequent encounter
T24.599S	Corrosion of first degree of multiple sites of unspecified lower limb, except ankle and foot, sequela
T24.601A	Corrosion of second degree of unspecified site of right lower limb, except ankle and foot, initial encounter
T24.601D	Corrosion of second degree of unspecified site of right lower limb, except ankle and foot, subsequent encounter
T24.601S	Corrosion of second degree of unspecified site of right lower limb, except ankle and foot, sequela
T24.602A	Corrosion of second degree of unspecified site of left lower limb, except ankle and foot, initial encounter
T24.602D	Corrosion of second degree of unspecified site of left lower limb, except ankle and foot, subsequent encounter
T24.602S	Corrosion of second degree of unspecified site of left lower limb, except ankle and foot, sequela
T24.609A	Corrosion of second degree of unspecified site of unspecified lower limb, except ankle and foot, initial encounter
T24.609D	Corrosion of second degree of unspecified site of unspecified lower limb, except ankle and foot, subsequent encounter
T24.609S	Corrosion of second degree of unspecified site of unspecified lower limb, except ankle and foot, sequela
T24.611A	Corrosion of second degree of right thigh, initial encounter
T24.611D	Corrosion of second degree of right thigh, subsequent encounter
T24.611S	Corrosion of second degree of right thigh, sequela
T24.612A	Corrosion of second degree of left thigh, initial encounter
T24.612D	Corrosion of second degree of left thigh, subsequent encounter
T24.612S	Corrosion of second degree of left thigh, sequela

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T24.619A	Corrosion of second degree of unspecified thigh, initial encounter
T24.619D	Corrosion of second degree of unspecified thigh, subsequent encounter
T24.619S	Corrosion of second degree of unspecified thigh, sequela
T24.621A	Corrosion of second degree of right knee, initial encounter
T24.621D	Corrosion of second degree of right knee, subsequent encounter
T24.621S	Corrosion of second degree of right knee, sequela
T24.622A	Corrosion of second degree of left knee, initial encounter
T24.622D	Corrosion of second degree of left knee, subsequent encounter
T24.622S	Corrosion of second degree of left knee, sequela
T24.629A	Corrosion of second degree of unspecified knee, initial encounter
T24.629D	Corrosion of second degree of unspecified knee, subsequent encounter
T24.629S	Corrosion of second degree of unspecified knee, sequela
T24.631A	Corrosion of second degree of right lower leg, initial encounter
T24.631D	Corrosion of second degree of right lower leg, subsequent encounter
T24.631S	Corrosion of second degree of right lower leg, sequela
T24.632A	Corrosion of second degree of left lower leg, initial encounter
T24.632D	Corrosion of second degree of left lower leg, subsequent encounter
T24.632S	Corrosion of second degree of left lower leg, sequela
T24.639A	Corrosion of second degree of unspecified lower leg, initial encounter
T24.639D	Corrosion of second degree of unspecified lower leg, subsequent encounter
T24.639S	Corrosion of second degree of unspecified lower leg, sequela
T24.691A	Corrosion of second degree of multiple sites of right lower limb, except ankle and foot, initial encounter

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T24.691D	Corrosion of second degree of multiple sites of right lower limb, except ankle and foot, subsequent encounter
T24.691S	Corrosion of second degree of multiple sites of right lower limb, except ankle and foot, sequela
T24.692A	Corrosion of second degree of multiple sites of left lower limb, except ankle and foot, initial encounter
T24.692D	Corrosion of second degree of multiple sites of left lower limb, except ankle and foot, subsequent encounter
T24.692S	Corrosion of second degree of multiple sites of left lower limb, except ankle and foot, sequela
T24.699A	Corrosion of second degree of multiple sites of unspecified lower limb, except ankle and foot, initial encounter
T24.699D	Corrosion of second degree of multiple sites of unspecified lower limb, except ankle and foot, subsequent encounter
T24.699S	Corrosion of second degree of multiple sites of unspecified lower limb, except ankle and foot, sequela
T24.701A	Corrosion of third degree of unspecified site of right lower limb, except ankle and foot, initial encounter
T24.701D	Corrosion of third degree of unspecified site of right lower limb, except ankle and foot, subsequent encounter
T24.701S	Corrosion of third degree of unspecified site of right lower limb, except ankle and foot, sequela
T24.702A	Corrosion of third degree of unspecified site of left lower limb, except ankle and foot, initial encounter
T24.702D	Corrosion of third degree of unspecified site of left lower limb, except ankle and foot, subsequent encounter
T24.702S	Corrosion of third degree of unspecified site of left lower limb, except ankle and foot, sequela
T24.709A	Corrosion of third degree of unspecified site of unspecified lower limb, except ankle and foot, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T24.709D	Corrosion of third degree of unspecified site of unspecified lower limb, except ankle and foot, subsequent encounter
T24.709S	Corrosion of third degree of unspecified site of unspecified lower limb, except ankle and foot, sequela
T24.711A	Corrosion of third degree of right thigh, initial encounter
T24.711D	Corrosion of third degree of right thigh, subsequent encounter
T24.711S	Corrosion of third degree of right thigh, sequela
T24.712A	Corrosion of third degree of left thigh, initial encounter
T24.712D	Corrosion of third degree of left thigh, subsequent encounter
T24.712S	Corrosion of third degree of left thigh, sequela
T24.719A	Corrosion of third degree of unspecified thigh, initial encounter
T24.719D	Corrosion of third degree of unspecified thigh, subsequent encounter
T24.719S	Corrosion of third degree of unspecified thigh, sequela
T24.721A	Corrosion of third degree of right knee, initial encounter
T24.721D	Corrosion of third degree of right knee, subsequent encounter
T24.721S	Corrosion of third degree of right knee, sequela
T24.722A	Corrosion of third degree of left knee, initial encounter
T24.722D	Corrosion of third degree of left knee, subsequent encounter
T24.722S	Corrosion of third degree of left knee, sequela
T24.729A	Corrosion of third degree of unspecified knee, initial encounter
T24.729D	Corrosion of third degree of unspecified knee, subsequent encounter
T24.729S	Corrosion of third degree of unspecified knee, sequela
T24.731A	Corrosion of third degree of right lower leg, initial encounter
T24.731D	Corrosion of third degree of right lower leg, subsequent encounter

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T24.731S	Corrosion of third degree of right lower leg, sequela
T24.732A	Corrosion of third degree of left lower leg, initial encounter
T24.732D	Corrosion of third degree of left lower leg, subsequent encounter
T24.732S	Corrosion of third degree of left lower leg, sequela
T24.739A	Corrosion of third degree of unspecified lower leg, initial encounter
T24.739D	Corrosion of third degree of unspecified lower leg, subsequent encounter
T24.739S	Corrosion of third degree of unspecified lower leg, sequela
T24.791A	Corrosion of third degree of multiple sites of right lower limb, except ankle and foot, initial encounter
T24.791D	Corrosion of third degree of multiple sites of right lower limb, except ankle and foot, subsequent encounter
T24.791S	Corrosion of third degree of multiple sites of right lower limb, except ankle and foot, sequela
T24.792A	Corrosion of third degree of multiple sites of left lower limb, except ankle and foot, initial encounter
T24.792D	Corrosion of third degree of multiple sites of left lower limb, except ankle and foot, subsequent encounter
T24.792S	Corrosion of third degree of multiple sites of left lower limb, except ankle and foot, sequela
T24.799A	Corrosion of third degree of multiple sites of unspecified lower limb, except ankle and foot, initial encounter
T24.799D	Corrosion of third degree of multiple sites of unspecified lower limb, except ankle and foot, subsequent encounter
T24.799S	Corrosion of third degree of multiple sites of unspecified lower limb, except ankle and foot, sequela
T25.011A	Burn of unspecified degree of right ankle, initial encounter
T25.011D	Burn of unspecified degree of right ankle, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T25.011S	Burn of unspecified degree of right ankle, sequela
T25.012A	Burn of unspecified degree of left ankle, initial encounter
T25.012D	Burn of unspecified degree of left ankle, subsequent encounter
T25.012S	Burn of unspecified degree of left ankle, sequela
T25.019A	Burn of unspecified degree of unspecified ankle, initial encounter
T25.019D	Burn of unspecified degree of unspecified ankle, subsequent encounter
T25.019S	Burn of unspecified degree of unspecified ankle, sequela
T25.021A	Burn of unspecified degree of right foot, initial encounter
T25.021D	Burn of unspecified degree of right foot, subsequent encounter
T25.021S	Burn of unspecified degree of right foot, sequela
T25.022A	Burn of unspecified degree of left foot, initial encounter
T25.022D	Burn of unspecified degree of left foot, subsequent encounter
T25.022S	Burn of unspecified degree of left foot, sequela
T25.029A	Burn of unspecified degree of unspecified foot, initial encounter
T25.029D	Burn of unspecified degree of unspecified foot, subsequent encounter
T25.029S	Burn of unspecified degree of unspecified foot, sequela
T25.031A	Burn of unspecified degree of right toe(s) (nail), initial encounter
T25.031D	Burn of unspecified degree of right toe(s) (nail), subsequent encounter
T25.031S	Burn of unspecified degree of right toe(s) (nail), sequela
T25.032A	Burn of unspecified degree of left toe(s) (nail), initial encounter
T25.032D	Burn of unspecified degree of left toe(s) (nail), subsequent encounter
T25.032S	Burn of unspecified degree of left toe(s) (nail), sequela
T25.039A	Burn of unspecified degree of unspecified toe(s) (nail), initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T25.039D	Burn of unspecified degree of unspecified toe(s) (nail), subsequent encounter
T25.039S	Burn of unspecified degree of unspecified toe(s) (nail), sequela
T25.091A	Burn of unspecified degree of multiple sites of right ankle and foot, initial encounter
T25.091D	Burn of unspecified degree of multiple sites of right ankle and foot, subsequent encounter
T25.091S	Burn of unspecified degree of multiple sites of right ankle and foot, sequela
T25.092A	Burn of unspecified degree of multiple sites of left ankle and foot, initial encounter
T25.092D	Burn of unspecified degree of multiple sites of left ankle and foot, subsequent encounter
T25.092S	Burn of unspecified degree of multiple sites of left ankle and foot, sequela
T25.099A	Burn of unspecified degree of multiple sites of unspecified ankle and foot, initial encounter
T25.099D	Burn of unspecified degree of multiple sites of unspecified ankle and foot, subsequent encounter
T25.099S	Burn of unspecified degree of multiple sites of unspecified ankle and foot, sequela
T25.111A	Burn of first degree of right ankle, initial encounter
T25.111D	Burn of first degree of right ankle, subsequent encounter
T25.111S	Burn of first degree of right ankle, sequela
T25.112A	Burn of first degree of left ankle, initial encounter
T25.112D	Burn of first degree of left ankle, subsequent encounter
T25.112S	Burn of first degree of left ankle, sequela
T25.119A	Burn of first degree of unspecified ankle, initial encounter
T25.119D	Burn of first degree of unspecified ankle, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T25.119S	Burn of first degree of unspecified ankle, sequela
T25.121A	Burn of first degree of right foot, initial encounter
T25.121D	Burn of first degree of right foot, subsequent encounter
T25.121S	Burn of first degree of right foot, sequela
T25.122A	Burn of first degree of left foot, initial encounter
T25.122D	Burn of first degree of left foot, subsequent encounter
T25.122S	Burn of first degree of left foot, sequela
T25.129A	Burn of first degree of unspecified foot, initial encounter
T25.129D	Burn of first degree of unspecified foot, subsequent encounter
T25.129S	Burn of first degree of unspecified foot, sequela
T25.131A	Burn of first degree of right toe(s) (nail), initial encounter
T25.131D	Burn of first degree of right toe(s) (nail), subsequent encounter
T25.131S	Burn of first degree of right toe(s) (nail), sequela
T25.132A	Burn of first degree of left toe(s) (nail), initial encounter
T25.132D	Burn of first degree of left toe(s) (nail), subsequent encounter
T25.132S	Burn of first degree of left toe(s) (nail), sequela
T25.139A	Burn of first degree of unspecified toe(s) (nail), initial encounter
T25.139D	Burn of first degree of unspecified toe(s) (nail), subsequent encounter
T25.139S	Burn of first degree of unspecified toe(s) (nail), sequela
T25.191A	Burn of first degree of multiple sites of right ankle and foot, initial encounter
T25.191D	Burn of first degree of multiple sites of right ankle and foot, subsequent encounter
T25.191S	Burn of first degree of multiple sites of right ankle and foot, sequela
T25.192A	Burn of first degree of multiple sites of left ankle and foot, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T25.192D	Burn of first degree of multiple sites of left ankle and foot, subsequent encounter
T25.192S	Burn of first degree of multiple sites of left ankle and foot, sequela
T25.199A	Burn of first degree of multiple sites of unspecified ankle and foot, initial encounter
T25.199D	Burn of first degree of multiple sites of unspecified ankle and foot, subsequent encounter
T25.199S	Burn of first degree of multiple sites of unspecified ankle and foot, sequela
T25.211A	Burn of second degree of right ankle, initial encounter
T25.211D	Burn of second degree of right ankle, subsequent encounter
T25.211S	Burn of second degree of right ankle, sequela
T25.212A	Burn of second degree of left ankle, initial encounter
T25.212D	Burn of second degree of left ankle, subsequent encounter
T25.212S	Burn of second degree of left ankle, sequela
T25.219A	Burn of second degree of unspecified ankle, initial encounter
T25.219D	Burn of second degree of unspecified ankle, subsequent encounter
T25.219S	Burn of second degree of unspecified ankle, sequela
T25.221A	Burn of second degree of right foot, initial encounter
T25.221D	Burn of second degree of right foot, subsequent encounter
T25.221S	Burn of second degree of right foot, sequela
T25.222A	Burn of second degree of left foot, initial encounter
T25.222D	Burn of second degree of left foot, subsequent encounter
T25.222S	Burn of second degree of left foot, sequela
T25.229A	Burn of second degree of unspecified foot, initial encounter
T25.229D	Burn of second degree of unspecified foot, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T25.229S	Burn of second degree of unspecified foot, sequela
T25.231A	Burn of second degree of right toe(s) (nail), initial encounter
T25.231D	Burn of second degree of right toe(s) (nail), subsequent encounter
T25.231S	Burn of second degree of right toe(s) (nail), sequela
T25.232A	Burn of second degree of left toe(s) (nail), initial encounter
T25.232D	Burn of second degree of left toe(s) (nail), subsequent encounter
T25.232S	Burn of second degree of left toe(s) (nail), sequela
T25.239A	Burn of second degree of unspecified toe(s) (nail), initial encounter
T25.239D	Burn of second degree of unspecified toe(s) (nail), subsequent encounter
T25.239S	Burn of second degree of unspecified toe(s) (nail), sequela
T25.291A	Burn of second degree of multiple sites of right ankle and foot, initial encounter
T25.291D	Burn of second degree of multiple sites of right ankle and foot, subsequent encounter
T25.291S	Burn of second degree of multiple sites of right ankle and foot, sequela
T25.292A	Burn of second degree of multiple sites of left ankle and foot, initial encounter
T25.292D	Burn of second degree of multiple sites of left ankle and foot, subsequent encounter
T25.292S	Burn of second degree of multiple sites of left ankle and foot, sequela
T25.299A	Burn of second degree of multiple sites of unspecified ankle and foot, initial encounter
T25.299D	Burn of second degree of multiple sites of unspecified ankle and foot, subsequent encounter
T25.299S	Burn of second degree of multiple sites of unspecified ankle and foot, sequela
T25.311A	Burn of third degree of right ankle, initial encounter
T25.311D	Burn of third degree of right ankle, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T25.311S	Burn of third degree of right ankle, sequela
T25.312A	Burn of third degree of left ankle, initial encounter
T25.312D	Burn of third degree of left ankle, subsequent encounter
T25.312S	Burn of third degree of left ankle, sequela
T25.319A	Burn of third degree of unspecified ankle, initial encounter
T25.319D	Burn of third degree of unspecified ankle, subsequent encounter
T25.319S	Burn of third degree of unspecified ankle, sequela
T25.321A	Burn of third degree of right foot, initial encounter
T25.321D	Burn of third degree of right foot, subsequent encounter
T25.321S	Burn of third degree of right foot, sequela
T25.322A	Burn of third degree of left foot, initial encounter
T25.322D	Burn of third degree of left foot, subsequent encounter
T25.322S	Burn of third degree of left foot, sequela
T25.329A	Burn of third degree of unspecified foot, initial encounter
T25.329D	Burn of third degree of unspecified foot, subsequent encounter
T25.329S	Burn of third degree of unspecified foot, sequela
T25.331A	Burn of third degree of right toe(s) (nail), initial encounter
T25.331D	Burn of third degree of right toe(s) (nail), subsequent encounter
T25.331S	Burn of third degree of right toe(s) (nail), sequela
T25.332A	Burn of third degree of left toe(s) (nail), initial encounter
T25.332D	Burn of third degree of left toe(s) (nail), subsequent encounter
T25.332S	Burn of third degree of left toe(s) (nail), sequela
T25.339A	Burn of third degree of unspecified toe(s) (nail), initial encounter

Table 2	
ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met: <i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i>	
Code	Description
T25.339D	Burn of third degree of unspecified toe(s) (nail), subsequent encounter
T25.339S	Burn of third degree of unspecified toe(s) (nail), sequela
T25.391A	Burn of third degree of multiple sites of right ankle and foot, initial encounter
T25.391D	Burn of third degree of multiple sites of right ankle and foot, subsequent encounter
T25.391S	Burn of third degree of multiple sites of right ankle and foot, sequela
T25.392A	Burn of third degree of multiple sites of left ankle and foot, initial encounter
T25.392D	Burn of third degree of multiple sites of left ankle and foot, subsequent encounter
T25.392S	Burn of third degree of multiple sites of left ankle and foot, sequela
T25.399A	Burn of third degree of multiple sites of unspecified ankle and foot, initial encounter
T25.399D	Burn of third degree of multiple sites of unspecified ankle and foot, subsequent encounter
T25.399S	Burn of third degree of multiple sites of unspecified ankle and foot, sequela
T25.411A	Corrosion of unspecified degree of right ankle, initial encounter
T25.411D	Corrosion of unspecified degree of right ankle, subsequent encounter
T25.411S	Corrosion of unspecified degree of right ankle, sequela
T25.412A	Corrosion of unspecified degree of left ankle, initial encounter
T25.412D	Corrosion of unspecified degree of left ankle, subsequent encounter
T25.412S	Corrosion of unspecified degree of left ankle, sequela
T25.419A	Corrosion of unspecified degree of unspecified ankle, initial encounter
T25.419D	Corrosion of unspecified degree of unspecified ankle, subsequent encounter
T25.419S	Corrosion of unspecified degree of unspecified ankle, sequela
T25.421A	Corrosion of unspecified degree of right foot, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T25.421D	Corrosion of unspecified degree of right foot, subsequent encounter
T25.421S	Corrosion of unspecified degree of right foot, sequela
T25.422A	Corrosion of unspecified degree of left foot, initial encounter
T25.422D	Corrosion of unspecified degree of left foot, subsequent encounter
T25.422S	Corrosion of unspecified degree of left foot, sequela
T25.429A	Corrosion of unspecified degree of unspecified foot, initial encounter
T25.429D	Corrosion of unspecified degree of unspecified foot, subsequent encounter
T25.429S	Corrosion of unspecified degree of unspecified foot, sequela
T25.431A	Corrosion of unspecified degree of right toe(s) (nail), initial encounter
T25.431D	Corrosion of unspecified degree of right toe(s) (nail), subsequent encounter
T25.431S	Corrosion of unspecified degree of right toe(s) (nail), sequela
T25.432A	Corrosion of unspecified degree of left toe(s) (nail), initial encounter
T25.432D	Corrosion of unspecified degree of left toe(s) (nail), subsequent encounter
T25.432S	Corrosion of unspecified degree of left toe(s) (nail), sequela
T25.439A	Corrosion of unspecified degree of unspecified toe(s) (nail), initial encounter
T25.439D	Corrosion of unspecified degree of unspecified toe(s) (nail), subsequent encounter
T25.439S	Corrosion of unspecified degree of unspecified toe(s) (nail), sequela
T25.491A	Corrosion of unspecified degree of multiple sites of right ankle and foot, initial encounter
T25.491D	Corrosion of unspecified degree of multiple sites of right ankle and foot, subsequent encounter
T25.491S	Corrosion of unspecified degree of multiple sites of right ankle and foot, sequela
T25.492A	Corrosion of unspecified degree of multiple sites of left ankle and foot, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T25.492D	Corrosion of unspecified degree of multiple sites of left ankle and foot, subsequent encounter
T25.492S	Corrosion of unspecified degree of multiple sites of left ankle and foot, sequela
T25.499A	Corrosion of unspecified degree of multiple sites of unspecified ankle and foot, initial encounter
T25.499D	Corrosion of unspecified degree of multiple sites of unspecified ankle and foot, subsequent encounter
T25.499S	Corrosion of unspecified degree of multiple sites of unspecified ankle and foot, sequela
T25.511A	Corrosion of first degree of right ankle, initial encounter
T25.511D	Corrosion of first degree of right ankle, subsequent encounter
T25.511S	Corrosion of first degree of right ankle, sequela
T25.512A	Corrosion of first degree of left ankle, initial encounter
T25.512D	Corrosion of first degree of left ankle, subsequent encounter
T25.512S	Corrosion of first degree of left ankle, sequela
T25.519A	Corrosion of first degree of unspecified ankle, initial encounter
T25.519D	Corrosion of first degree of unspecified ankle, subsequent encounter
T25.519S	Corrosion of first degree of unspecified ankle, sequela
T25.521A	Corrosion of first degree of right foot, initial encounter
T25.521D	Corrosion of first degree of right foot, subsequent encounter
T25.521S	Corrosion of first degree of right foot, sequela
T25.522A	Corrosion of first degree of left foot, initial encounter
T25.522D	Corrosion of first degree of left foot, subsequent encounter
T25.522S	Corrosion of first degree of left foot, sequela
T25.529A	Corrosion of first degree of unspecified foot, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T25.529D	Corrosion of first degree of unspecified foot, subsequent encounter
T25.529S	Corrosion of first degree of unspecified foot, sequela
T25.531A	Corrosion of first degree of right toe(s) (nail), initial encounter
T25.531D	Corrosion of first degree of right toe(s) (nail), subsequent encounter
T25.531S	Corrosion of first degree of right toe(s) (nail), sequela
T25.532A	Corrosion of first degree of left toe(s) (nail), initial encounter
T25.532D	Corrosion of first degree of left toe(s) (nail), subsequent encounter
T25.532S	Corrosion of first degree of left toe(s) (nail), sequela
T25.539A	Corrosion of first degree of unspecified toe(s) (nail), initial encounter
T25.539D	Corrosion of first degree of unspecified toe(s) (nail), subsequent encounter
T25.539S	Corrosion of first degree of unspecified toe(s) (nail), sequela
T25.591A	Corrosion of first degree of multiple sites of right ankle and foot, initial encounter
T25.591D	Corrosion of first degree of multiple sites of right ankle and foot, subsequent encounter
T25.591S	Corrosion of first degree of multiple sites of right ankle and foot, sequela
T25.592A	Corrosion of first degree of multiple sites of left ankle and foot, initial encounter
T25.592D	Corrosion of first degree of multiple sites of left ankle and foot, subsequent encounter
T25.592S	Corrosion of first degree of multiple sites of left ankle and foot, sequela
T25.599A	Corrosion of first degree of multiple sites of unspecified ankle and foot, initial encounter
T25.599D	Corrosion of first degree of multiple sites of unspecified ankle and foot, subsequent encounter
T25.599S	Corrosion of first degree of multiple sites of unspecified ankle and foot, sequela
T25.611A	Corrosion of second degree of right ankle, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T25.611D	Corrosion of second degree of right ankle, subsequent encounter
T25.611S	Corrosion of second degree of right ankle, sequela
T25.612A	Corrosion of second degree of left ankle, initial encounter
T25.612D	Corrosion of second degree of left ankle, subsequent encounter
T25.612S	Corrosion of second degree of left ankle, sequela
T25.619A	Corrosion of second degree of unspecified ankle, initial encounter
T25.619D	Corrosion of second degree of unspecified ankle, subsequent encounter
T25.619S	Corrosion of second degree of unspecified ankle, sequela
T25.621A	Corrosion of second degree of right foot, initial encounter
T25.621D	Corrosion of second degree of right foot, subsequent encounter
T25.621S	Corrosion of second degree of right foot, sequela
T25.622A	Corrosion of second degree of left foot, initial encounter
T25.622D	Corrosion of second degree of left foot, subsequent encounter
T25.622S	Corrosion of second degree of left foot, sequela
T25.629A	Corrosion of second degree of unspecified foot, initial encounter
T25.629D	Corrosion of second degree of unspecified foot, subsequent encounter
T25.629S	Corrosion of second degree of unspecified foot, sequela
T25.631A	Corrosion of second degree of right toe(s) (nail), initial encounter
T25.631D	Corrosion of second degree of right toe(s) (nail), subsequent encounter
T25.631S	Corrosion of second degree of right toe(s) (nail), sequela
T25.632A	Corrosion of second degree of left toe(s) (nail), initial encounter
T25.632D	Corrosion of second degree of left toe(s) (nail), subsequent encounter
T25.632S	Corrosion of second degree of left toe(s) (nail), sequela

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T25.639A	Corrosion of second degree of unspecified toe(s) (nail), initial encounter
T25.639D	Corrosion of second degree of unspecified toe(s) (nail), subsequent encounter
T25.639S	Corrosion of second degree of unspecified toe(s) (nail), sequela
T25.691A	Corrosion of second degree of right ankle and foot, initial encounter
T25.691D	Corrosion of second degree of right ankle and foot, subsequent encounter
T25.691S	Corrosion of second degree of right ankle and foot, sequela
T25.692A	Corrosion of second degree of left ankle and foot, initial encounter
T25.692D	Corrosion of second degree of left ankle and foot, subsequent encounter
T25.692S	Corrosion of second degree of left ankle and foot, sequela
T25.699A	Corrosion of second degree of unspecified ankle and foot, initial encounter
T25.699D	Corrosion of second degree of unspecified ankle and foot, subsequent encounter
T25.699S	Corrosion of second degree of unspecified ankle and foot, sequela
T25.711A	Corrosion of third degree of right ankle, initial encounter
T25.711D	Corrosion of third degree of right ankle, subsequent encounter
T25.711S	Corrosion of third degree of right ankle, sequela
T25.712A	Corrosion of third degree of left ankle, initial encounter
T25.712D	Corrosion of third degree of left ankle, subsequent encounter
T25.712S	Corrosion of third degree of left ankle, sequela
T25.719A	Corrosion of third degree of unspecified ankle, initial encounter
T25.719D	Corrosion of third degree of unspecified ankle, subsequent encounter
T25.719S	Corrosion of third degree of unspecified ankle, sequela
T25.721A	Corrosion of third degree of right foot, initial encounter
T25.721D	Corrosion of third degree of right foot, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T25.721S	Corrosion of third degree of right foot, sequela
T25.722A	Corrosion of third degree of left foot, initial encounter
T25.722D	Corrosion of third degree of left foot, subsequent encounter
T25.722S	Corrosion of third degree of left foot, sequela
T25.729A	Corrosion of third degree of unspecified foot, initial encounter
T25.729D	Corrosion of third degree of unspecified foot, subsequent encounter
T25.729S	Corrosion of third degree of unspecified foot, sequela
T25.731A	Corrosion of third degree of right toe(s) (nail), initial encounter
T25.731D	Corrosion of third degree of right toe(s) (nail), subsequent encounter
T25.731S	Corrosion of third degree of right toe(s) (nail), sequela
T25.732A	Corrosion of third degree of left toe(s) (nail), initial encounter
T25.732D	Corrosion of third degree of left toe(s) (nail), subsequent encounter
T25.732S	Corrosion of third degree of left toe(s) (nail), sequela
T25.739A	Corrosion of third degree of unspecified toe(s) (nail), initial encounter
T25.739D	Corrosion of third degree of unspecified toe(s) (nail), subsequent encounter
T25.739S	Corrosion of third degree of unspecified toe(s) (nail), sequela
T25.791A	Corrosion of third degree of multiple sites of right ankle and foot, initial encounter
T25.791D	Corrosion of third degree of multiple sites of right ankle and foot, subsequent encounter
T25.791S	Corrosion of third degree of multiple sites of right ankle and foot, sequela
T25.792A	Corrosion of third degree of multiple sites of left ankle and foot, initial encounter
T25.792D	Corrosion of third degree of multiple sites of left ankle and foot, subsequent encounter
T25.792S	Corrosion of third degree of multiple sites of left ankle and foot, sequela

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T25.799A	Corrosion of third degree of multiple sites of unspecified ankle and foot, initial encounter
T25.799D	Corrosion of third degree of multiple sites of unspecified ankle and foot, subsequent encounter
T25.799S	Corrosion of third degree of multiple sites of unspecified ankle and foot, sequela
T26.00XA	Burn of unspecified eyelid and periocular area, initial encounter
T26.00XD	Burn of unspecified eyelid and periocular area, subsequent encounter
T26.00XS	Burn of unspecified eyelid and periocular area, sequela
T26.01XA	Burn of right eyelid and periocular area, initial encounter
T26.01XD	Burn of right eyelid and periocular area, subsequent encounter
T26.01XS	Burn of right eyelid and periocular area, sequela
T26.02XA	Burn of left eyelid and periocular area, initial encounter
T26.02XD	Burn of left eyelid and periocular area, subsequent encounter
T26.02XS	Burn of left eyelid and periocular area, sequela
T26.10XA	Burn of cornea and conjunctival sac, unspecified eye, initial encounter
T26.10XD	Burn of cornea and conjunctival sac, unspecified eye, subsequent encounter
T26.10XS	Burn of cornea and conjunctival sac, unspecified eye, sequela
T26.11XA	Burn of cornea and conjunctival sac, right eye, initial encounter
T26.11XD	Burn of cornea and conjunctival sac, right eye, subsequent encounter
T26.11XS	Burn of cornea and conjunctival sac, right eye, sequela
T26.12XA	Burn of cornea and conjunctival sac, left eye, initial encounter
T26.12XD	Burn of cornea and conjunctival sac, left eye, subsequent encounter
T26.12XS	Burn of cornea and conjunctival sac, left eye, sequela
T26.20XA	Burn with resulting rupture and destruction of unspecified eyeball, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T26.20XD	Burn with resulting rupture and destruction of unspecified eyeball, subsequent encounter
T26.20XS	Burn with resulting rupture and destruction of unspecified eyeball, sequela
T26.21XA	Burn with resulting rupture and destruction of right eyeball, initial encounter
T26.21XD	Burn with resulting rupture and destruction of right eyeball, subsequent encounter
T26.21XS	Burn with resulting rupture and destruction of right eyeball, sequela
T26.22XA	Burn with resulting rupture and destruction of left eyeball, initial encounter
T26.22XD	Burn with resulting rupture and destruction of left eyeball, subsequent encounter
T26.22XS	Burn with resulting rupture and destruction of left eyeball, sequela
T26.30XA	Burns of other specified parts of unspecified eye and adnexa, initial encounter
T26.30XD	Burns of other specified parts of unspecified eye and adnexa, subsequent encounter
T26.30XS	Burns of other specified parts of unspecified eye and adnexa, sequela
T26.31XA	Burns of other specified parts of right eye and adnexa, initial encounter
T26.31XD	Burns of other specified parts of right eye and adnexa, subsequent encounter
T26.31XS	Burns of other specified parts of right eye and adnexa, sequela
T26.32XA	Burns of other specified parts of left eye and adnexa, initial encounter
T26.32XD	Burns of other specified parts of left eye and adnexa, subsequent encounter
T26.32XS	Burns of other specified parts of left eye and adnexa, sequela
T26.40XA	Burn of unspecified eye and adnexa, part unspecified, initial encounter
T26.40XD	Burn of unspecified eye and adnexa, part unspecified, subsequent encounter
T26.40XS	Burn of unspecified eye and adnexa, part unspecified, sequela
T26.41XA	Burn of right eye and adnexa, part unspecified, initial encounter
T26.41XD	Burn of right eye and adnexa, part unspecified, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T26.41XS	Burn of right eye and adnexa, part unspecified, sequela
T26.42XA	Burn of left eye and adnexa, part unspecified, initial encounter
T26.42XD	Burn of left eye and adnexa, part unspecified, subsequent encounter
T26.42XS	Burn of left eye and adnexa, part unspecified, sequela
T26.50XA	Corrosion of unspecified eyelid and periocular area, initial encounter
T26.50XD	Corrosion of unspecified eyelid and periocular area, subsequent encounter
T26.50XS	Corrosion of unspecified eyelid and periocular area, sequela
T26.51XA	Corrosion of right eyelid and periocular area, initial encounter
T26.51XD	Corrosion of right eyelid and periocular area, subsequent encounter
T26.51XS	Corrosion of right eyelid and periocular area, sequela
T26.52XA	Corrosion of left eyelid and periocular area, initial encounter
T26.52XD	Corrosion of left eyelid and periocular area, subsequent encounter
T26.52XS	Corrosion of left eyelid and periocular area, sequela
T26.60XA	Corrosion of cornea and conjunctival sac, unspecified eye, initial encounter
T26.60XD	Corrosion of cornea and conjunctival sac, unspecified eye, subsequent encounter
T26.60XS	Corrosion of cornea and conjunctival sac, unspecified eye, sequela
T26.61XA	Corrosion of cornea and conjunctival sac, right eye, initial encounter
T26.61XD	Corrosion of cornea and conjunctival sac, right eye, subsequent encounter
T26.61XS	Corrosion of cornea and conjunctival sac, right eye, sequela
T26.62XA	Corrosion of cornea and conjunctival sac, left eye, initial encounter
T26.62XD	Corrosion of cornea and conjunctival sac, left eye, subsequent encounter
T26.62XS	Corrosion of cornea and conjunctival sac, left eye, sequela

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T26.70XA	Corrosion with resulting rupture and destruction of unspecified eyeball, initial encounter
T26.70XD	Corrosion with resulting rupture and destruction of unspecified eyeball, subsequent encounter
T26.70XS	Corrosion with resulting rupture and destruction of unspecified eyeball, sequela
T26.71XA	Corrosion with resulting rupture and destruction of right eyeball, initial encounter
T26.71XD	Corrosion with resulting rupture and destruction of right eyeball, subsequent encounter
T26.71XS	Corrosion with resulting rupture and destruction of right eyeball, sequela
T26.72XA	Corrosion with resulting rupture and destruction of left eyeball, initial encounter
T26.72XD	Corrosion with resulting rupture and destruction of left eyeball, subsequent encounter
T26.72XS	Corrosion with resulting rupture and destruction of left eyeball, sequela
T26.80XA	Corrosions of other specified parts of unspecified eye and adnexa, initial encounter
T26.80XD	Corrosions of other specified parts of unspecified eye and adnexa, subsequent encounter
T26.80XS	Corrosions of other specified parts of unspecified eye and adnexa, sequela
T26.81XA	Corrosions of other specified parts of right eye and adnexa, initial encounter
T26.81XD	Corrosions of other specified parts of right eye and adnexa, subsequent encounter
T26.81XS	Corrosions of other specified parts of right eye and adnexa, sequela
T26.82XA	Corrosions of other specified parts of left eye and adnexa, initial encounter
T26.82XD	Corrosions of other specified parts of left eye and adnexa, subsequent encounter
T26.82XS	Corrosions of other specified parts of left eye and adnexa, sequela
T26.90XA	Corrosion of unspecified eye and adnexa, part unspecified, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T26.90XD	Corrosion of unspecified eye and adnexa, part unspecified, subsequent encounter
T26.90XS	Corrosion of unspecified eye and adnexa, part unspecified, sequela
T26.91XA	Corrosion of right eye and adnexa, part unspecified, initial encounter
T26.91XD	Corrosion of right eye and adnexa, part unspecified, subsequent encounter
T26.91XS	Corrosion of right eye and adnexa, part unspecified, sequela
T26.92XA	Corrosion of left eye and adnexa, part unspecified, initial encounter
T26.92XD	Corrosion of left eye and adnexa, part unspecified, subsequent encounter
T26.92XS	Corrosion of left eye and adnexa, part unspecified, sequela
T27.0XXA	Burn of larynx and trachea, initial encounter
T27.0XXD	Burn of larynx and trachea, subsequent encounter
T27.0XXS	Burn of larynx and trachea, sequela
T27.1XXA	Burn involving larynx and trachea with lung, initial encounter
T27.1XXD	Burn involving larynx and trachea with lung, subsequent encounter
T27.1XXS	Burn involving larynx and trachea with lung, sequela
T27.2XXA	Burn of other parts of respiratory tract, initial encounter
T27.2XXD	Burn of other parts of respiratory tract, subsequent encounter
T27.2XXS	Burn of other parts of respiratory tract, sequela
T27.3XXA	Burn of respiratory tract, part unspecified, initial encounter
T27.3XXD	Burn of respiratory tract, part unspecified, subsequent encounter
T27.3XXS	Burn of respiratory tract, part unspecified, sequela
T27.4XXA	Corrosion of larynx and trachea, initial encounter
T27.4XXD	Corrosion of larynx and trachea, subsequent encounter
T27.4XXS	Corrosion of larynx and trachea, sequela

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T27.5XXA	Corrosion involving larynx and trachea with lung, initial encounter
T27.5XXD	Corrosion involving larynx and trachea with lung, subsequent encounter
T27.5XXS	Corrosion involving larynx and trachea with lung, sequela
T27.6XXA	Corrosion of other parts of respiratory tract, initial encounter
T27.6XXD	Corrosion of other parts of respiratory tract, subsequent encounter
T27.6XXS	Corrosion of other parts of respiratory tract, sequela
T27.7XXA	Corrosion of respiratory tract, part unspecified, initial encounter
T27.7XXD	Corrosion of respiratory tract, part unspecified, subsequent encounter
T27.7XXS	Corrosion of respiratory tract, part unspecified, sequela
T28.0XXA	Burn of mouth and pharynx, initial encounter
T28.0XXD	Burn of mouth and pharynx, subsequent encounter
T28.0XXS	Burn of mouth and pharynx, sequela
T28.1XXA	Burn of esophagus, initial encounter
T28.1XXD	Burn of esophagus, subsequent encounter
T28.1XXS	Burn of esophagus, sequela
T28.2XXA	Burn of other parts of alimentary tract, initial encounter
T28.2XXD	Burn of other parts of alimentary tract, subsequent encounter
T28.2XXS	Burn of other parts of alimentary tract, sequela
T28.3XXA	Burn of internal genitourinary organs, initial encounter
T28.3XXD	Burn of internal genitourinary organs, subsequent encounter
T28.3XXS	Burn of internal genitourinary organs, sequela
T28.40XA	Burn of unspecified internal organ, initial encounter
T28.40XD	Burn of unspecified internal organ, subsequent encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T28.40XS	Burn of unspecified internal organ, sequela
T28.411A	Burn of right ear drum, initial encounter
T28.411D	Burn of right ear drum, subsequent encounter
T28.411S	Burn of right ear drum, sequela
T28.412A	Burn of left ear drum, initial encounter
T28.412D	Burn of left ear drum, subsequent encounter
T28.412S	Burn of left ear drum, sequela
T28.419A	Burn of unspecified ear drum, initial encounter
T28.419D	Burn of unspecified ear drum, subsequent encounter
T28.419S	Burn of unspecified ear drum, sequela
T28.49XA	Burn of other internal organ, initial encounter
T28.49XD	Burn of other internal organ, subsequent encounter
T28.49XS	Burn of other internal organ, sequela
T28.5XXA	Corrosion of mouth and pharynx, initial encounter
T28.5XXD	Corrosion of mouth and pharynx, subsequent encounter
T28.5XXS	Corrosion of mouth and pharynx, sequela
T28.6XXA	Corrosion of esophagus, initial encounter
T28.6XXD	Corrosion of esophagus, subsequent encounter
T28.6XXS	Corrosion of esophagus, sequela
T28.7XXA	Corrosion of other parts of alimentary tract, initial encounter
T28.7XXD	Corrosion of other parts of alimentary tract, subsequent encounter
T28.7XXS	Corrosion of other parts of alimentary tract, sequela
T28.8XXA	Corrosion of internal genitourinary organs, initial encounter

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T28.8XXD	Corrosion of internal genitourinary organs, subsequent encounter
T28.8XXS	Corrosion of internal genitourinary organs, sequela
T28.90XA	Corrosions of unspecified internal organs, initial encounter
T28.90XD	Corrosions of unspecified internal organs, subsequent encounter
T28.90XS	Corrosions of unspecified internal organs, sequela
T28.911A	Corrosions of right ear drum, initial encounter
T28.911D	Corrosions of right ear drum, subsequent encounter
T28.911S	Corrosions of right ear drum, sequela
T28.912A	Corrosions of left ear drum, initial encounter
T28.912D	Corrosions of left ear drum, subsequent encounter
T28.912S	Corrosions of left ear drum, sequela
T28.919A	Corrosions of unspecified ear drum, initial encounter
T28.919D	Corrosions of unspecified ear drum, subsequent encounter
T28.919S	Corrosions of unspecified ear drum, sequela
T28.99XA	Corrosions of other internal organs, initial encounter
T28.99XD	Corrosions of other internal organs, subsequent encounter
T28.99XS	Corrosions of other internal organs, sequela
T30.0	Burn of unspecified body region, unspecified degree
T30.4	Corrosion of unspecified body region, unspecified degree
T31.0	Burns involving less than 10% of body surface
T31.10	Burns involving 10-19% of body surface with 0% to 9% third degree burns
T31.11	Burns involving 10-19% of body surface with 10-19% third degree burns
T31.20	Burns involving 20-29% of body surface with 0% to 9% third degree burns

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T31.21	Burns involving 20-29% of body surface with 10-19% third degree burns
T31.22	Burns involving 20-29% of body surface with 20-29% third degree burns
T31.30	Burns involving 30-39% of body surface with 0% to 9% third degree burns
T31.31	Burns involving 30-39% of body surface with 10-19% third degree burns
T31.32	Burns involving 30-39% of body surface with 20-29% third degree burns
T31.33	Burns involving 30-39% of body surface with 30-39% third degree burns
T31.40	Burns involving 40-49% of body surface with 0% to 9% third degree burns
T31.41	Burns involving 40-49% of body surface with 10-19% third degree burns
T31.42	Burns involving 40-49% of body surface with 20-29% third degree burns
T31.43	Burns involving 40-49% of body surface with 30-39% third degree burns
T31.44	Burns involving 40-49% of body surface with 40-49% third degree burns
T31.50	Burns involving 50-59% of body surface with 0% to 9% third degree burns
T31.51	Burns involving 50-59% of body surface with 10-19% third degree burns
T31.52	Burns involving 50-59% of body surface with 20-29% third degree burns
T31.53	Burns involving 50-59% of body surface with 30-39% third degree burns
T31.54	Burns involving 50-59% of body surface with 40-49% third degree burns
T31.55	Burns involving 50-59% of body surface with 50-59% third degree burns
T31.60	Burns involving 60-69% of body surface with 0% to 9% third degree burns
T31.61	Burns involving 60-69% of body surface with 10-19% third degree burns
T31.62	Burns involving 60-69% of body surface with 20-29% third degree burns
T31.63	Burns involving 60-69% of body surface with 30-39% third degree burns
T31.64	Burns involving 60-69% of body surface with 40-49% third degree burns
T31.65	Burns involving 60-69% of body surface with 50-59% third degree burns

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T31.66	Burns involving 60-69% of body surface with 60-69% third degree burns
T31.70	Burns involving 70-79% of body surface with 0% to 9% third degree burns
T31.71	Burns involving 70-79% of body surface with 10-19% third degree burns
T31.72	Burns involving 70-79% of body surface with 20-29% third degree burns
T31.73	Burns involving 70-79% of body surface with 30-39% third degree burns
T31.74	Burns involving 70-79% of body surface with 40-49% third degree burns
T31.75	Burns involving 70-79% of body surface with 50-59% third degree burns
T31.76	Burns involving 70-79% of body surface with 60-69% third degree burns
T31.77	Burns involving 70-79% of body surface with 70-79% third degree burns
T31.80	Burns involving 80-89% of body surface with 0% to 9% third degree burns
T31.81	Burns involving 80-89% of body surface with 10-19% third degree burns
T31.82	Burns involving 80-89% of body surface with 20-29% third degree burns
T31.83	Burns involving 80-89% of body surface with 30-39% third degree burns
T31.84	Burns involving 80-89% of body surface with 40-49% third degree burns
T31.85	Burns involving 80-89% of body surface with 50-59% third degree burns
T31.86	Burns involving 80-89% of body surface with 60-69% third degree burns
T31.87	Burns involving 80-89% of body surface with 70-79% third degree burns
T31.88	Burns involving 80-89% of body surface with 80-89% third degree burns
T31.90	Burns involving 90% or more of body surface with 0% to 9% third degree burns
T31.91	Burns involving 90% or more of body surface with 10-19% third degree burns
T31.92	Burns involving 90% or more of body surface with 20-29% third degree burns
T31.93	Burns involving 90% or more of body surface with 30-39% third degree burns
T31.94	Burns involving 90% or more of body surface with 40-49% third degree burns

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T31.95	Burns involving 90% or more of body surface with 50-59% third degree burns
T31.96	Burns involving 90% or more of body surface with 60-69% third degree burns
T31.97	Burns involving 90% or more of body surface with 70-79% third degree burns
T31.98	Burns involving 90% or more of body surface with 80-89% third degree burns
T31.99	Burns involving 90% or more of body surface with 90% or more third degree burns
T32.0	Corrosions involving less than 10% of body surface
T32.10	Corrosions involving 10-19% of body surface with 0% to 9% third degree corrosion
T32.11	Corrosions involving 10-19% of body surface with 10-19% third degree corrosion
T32.20	Corrosions involving 20-29% of body surface with 0% to 9% third degree corrosion
T32.21	Corrosions involving 20-29% of body surface with 10-19% third degree corrosion
T32.22	Corrosions involving 20-29% of body surface with 20-29% third degree corrosion
T32.30	Corrosions involving 30-39% of body surface with 0% to 9% third degree corrosion
T32.31	Corrosions involving 30-39% of body surface with 10-19% third degree corrosion
T32.32	Corrosions involving 30-39% of body surface with 20-29% third degree corrosion
T32.33	Corrosions involving 30-39% of body surface with 30-39% third degree corrosion
T32.40	Corrosions involving 40-49% of body surface with 0% to 9% third degree corrosion
T32.41	Corrosions involving 40-49% of body surface with 10-19% third degree corrosion
T32.42	Corrosions involving 40-49% of body surface with 20-29% third degree corrosion
T32.43	Corrosions involving 40-49% of body surface with 30-39% third degree corrosion
T32.44	Corrosions involving 40-49% of body surface with 40-49% third degree corrosion

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T32.50	Corrosions involving 50-59% of body surface with 0% to 9% third degree corrosion
T32.51	Corrosions involving 50-59% of body surface with 10-19% third degree corrosion
T32.52	Corrosions involving 50-59% of body surface with 20-29% third degree corrosion
T32.53	Corrosions involving 50-59% of body surface with 30-39% third degree corrosion
T32.54	Corrosions involving 50-59% of body surface with 40-49% third degree corrosion
T32.55	Corrosions involving 50-59% of body surface with 50-59% third degree corrosion
T32.60	Corrosions involving 60-69% of body surface with 0% to 9% third degree corrosion
T32.61	Corrosions involving 60-69% of body surface with 10-19% third degree corrosion
T32.62	Corrosions involving 60-69% of body surface with 20-29% third degree corrosion
T32.63	Corrosions involving 60-69% of body surface with 30-39% third degree corrosion
T32.64	Corrosions involving 60-69% of body surface with 40-49% third degree corrosion
T32.65	Corrosions involving 60-69% of body surface with 50-59% third degree corrosion
T32.66	Corrosions involving 60-69% of body surface with 60-69% third degree corrosion
T32.70	Corrosions involving 70-79% of body surface with 0% to 9% third degree corrosion
T32.71	Corrosions involving 70-79% of body surface with 10-19% third degree corrosion
T32.72	Corrosions involving 70-79% of body surface with 20-29% third degree corrosion
T32.73	Corrosions involving 70-79% of body surface with 30-39% third degree corrosion
T32.74	Corrosions involving 70-79% of body surface with 40-49% third degree corrosion
T32.75	Corrosions involving 70-79% of body surface with 50-59% third degree corrosion
T32.76	Corrosions involving 70-79% of body surface with 60-69% third degree corrosion
T32.77	Corrosions involving 70-79% of body surface with 70-79% third degree corrosion

Table 2

ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:

Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).

<i>Code</i>	<i>Description</i>
T32.80	Corrosions involving 80-89% of body surface with 0% to 9% third degree corrosion
T32.81	Corrosions involving 80-89% of body surface with 10-19% third degree corrosion
T32.82	Corrosions involving 80-89% of body surface with 20-29% third degree corrosion
T32.83	Corrosions involving 80-89% of body surface with 30-39% third degree corrosion
T32.84	Corrosions involving 80-89% of body surface with 40-49% third degree corrosion
T32.85	Corrosions involving 80-89% of body surface with 50-59% third degree corrosion
T32.86	Corrosions involving 80-89% of body surface with 60-69% third degree corrosion
T32.87	Corrosions involving 80-89% of body surface with 70-79% third degree corrosion
T32.88	Corrosions involving 80-89% of body surface with 80-89% third degree corrosion
T32.90	Corrosions involving 90% or more of body surface with 0% to 9% third degree corrosion
T32.91	Corrosions involving 90% or more of body surface with 10-19% third degree corrosion
T32.92	Corrosions involving 90% or more of body surface with 20-29% third degree corrosion
T32.93	Corrosions involving 90% or more of body surface with 30-39% third degree corrosion
T32.94	Corrosions involving 90% or more of body surface with 40-49% third degree corrosion
T32.95	Corrosions involving 90% or more of body surface with 50-59% third degree corrosion
T32.96	Corrosions involving 90% or more of body surface with 60-69% third degree corrosion
T32.97	Corrosions involving 90% or more of body surface with 70-79% third degree corrosion
T32.98	Corrosions involving 90% or more of body surface with 80-89% third degree corrosion

Table 2	
<p>ICD-10 diagnosis codes considered medically necessary for chronic dermal ulcers or severe burns with Table 1 (CPT/HCPCS) codes if criteria are met:</p> <p><i>Please note that this list is not exhaustive, and the specific code used will depend on the type and location of the ulcer or burn injuries, as well as any associated complications (i.e., other codes may still be applicable depending on the clinical context).</i></p>	
Code	Description
T32.99	Corrosions involving 90% or more of body surface with 90% or more third degree corrosion
Y26.XXXA	Exposure to smoke, fire and flames, undetermined intent, initial encounter
Y26.XXXD	Exposure to smoke, fire and flames, undetermined intent, subsequent encounter
Y27.3XXA	Contact with hot household appliance, undetermined intent, initial encounter
Y27.3XXD	Contact with hot household appliance, undetermined intent, subsequent encounter
Y27.8XXA	Contact with other hot objects, undetermined intent, initial encounter
Y27.8XXD	Contact with other hot objects, undetermined intent, subsequent encounter
Y27.9XXA	Contact with unspecified hot objects, undetermined intent, initial encounter
Y27.9XXD	Contact with unspecified hot objects, undetermined intent, subsequent encounter

References

1. Anderson, K., & Hamm, R. L. (2014). Factors That Impair Wound Healing. *The journal of the American College of Clinical Wound Specialists*, 4(4), 84–91. doi:10.1016/j.jccw.2014.03.001
2. Carter MJ, Gilligan AM, Waycaster CR, Fife CE. Treating pressure ulcers with clostridial collagenase ointment: results from the US Wound Registry. *Wound Repair Regen.* 24(5), 904–912 (2016).
3. Carter MJ, Gilligan AM, Waycaster CR, Schaum K, Fife CE. Cost effectiveness of adding clostridial collagenase ointment to selective debridement in individuals with stage IV pressure ulcers. *J. Med. Econ.* 20(3), 253–265 (2017).
4. De Maeseneer MG, Kakkos SK, Aherne T, et al. Editor's Choice - European Society for Vascular Surgery (ESVS) 2022 Clinical Practice Guidelines on the Management of Chronic Venous Disease of the Lower Limbs. *Eur J Vasc Endovasc Surg.* 2022 Feb;63(2):184-267. doi: 10.1016/j.ejvs.2021.12.024. Epub 2022 Jan 11. Erratum in: *Eur J Vasc Endovasc Surg.* 2022 Aug-Sep;64(2-3):284-285. doi: 10.1016/j.ejvs.2022.05.044.
5. Demidova-Rice TN, Geevarghese A, Herman IM. Bioactive peptides derived from vascular endothelial cell extracellular matrices promote microvascular morphogenesis and wound healing in vitro. *Wound Repair Regen.* 2011 Jan-Feb;19(1):59-70. doi: 10.1111/j.1524-475X.2010.00642.x. Epub 2010 Dec 6. PMID: 21134032; PMCID: PMC3059781.

6. Dent C, Coutelle N, Gill M, Simon P, Doarn M, Nydick J. Clinical Effectiveness of an Orthosis After Collagenase *Clostridium Histolyticum* Injection for Dupuytren Contracture. *J Hand Surg Am.* 2025 May;50(5):547-553. doi: 10.1016/j.jhsa.2025.01.023. Epub 2025 Mar 6.
7. Dove CR, Snyder RJ, Zarbiv KD, et al. Bromelain-based debridement versus collagenase ointment debridement of venous leg ulcers: post hoc analysis of the ChronEx trial. *Wounds.* 2025 Apr;37(4):166-173. doi: 10.25270/wnds/24148.
8. Dreyfus J, Delhougne G, James R, Gayle J, Waycaster C. Clostridial collagenase ointment and medicinal honey utilization for pressure ulcers in US hospitals. *J Med Econ.* 2018 Apr;21(4):390-397. doi: 10.1080/13696998.2017.1423489. Epub 2018 Jan 15.
9. Eriksson E, Liu PY, Schultz GS, et al. Chronic wounds: Treatment consensus. *Wound Repair Regen.* 2022 Mar;30(2):156-171. doi: 10.1111/wrr.12994. Epub 2022 Feb 7. Erratum in: *Wound Repair Regen.* 2022 Jul;30(4):536. doi: 10.1111/wrr.13035.
10. Gould LJ, Alderden J, Aslam R, et al. WHS guidelines for the treatment of pressure ulcers-2023 update. *Wound Repair Regen.* 2024 Jan-Feb;32(1):6-33. doi: 10.1111/wrr.13130. Epub 2023 Dec 20.
11. Jimenez JC, Agnew PS, Mayer P, et al. Enzymatic debridement of chronic non-ischemic diabetic foot ulcers: results of a randomized, controlled trial. *Wounds.* 2017;29:133-139.
12. Lantis J, Gordon I. Clostridial Collagenase for the Management of Diabetic Foot Ulcers: Results of Four Randomized Controlled Trials. 2017; 29(10):297-305.
13. Lavery LA, Suludere MA, Attinger CE, et al. WHS (Wound Healing Society) guidelines update: Diabetic foot ulcer treatment guidelines. *Wound Repair Regen.* 2024 Jan-Feb;32(1):34-46. doi: 10.1111/wrr.13133. Epub 2023 Dec 21.
14. McCallon SK, Frilot C. A retrospective study of the effects of clostridial collagenase ointment and negative pressure wound therapy for the treatment of chronic pressure ulcers. *Wounds* 27(3), 44–53 (2015).
15. Milne C, Ciccarelli A, Lassy M. A Comparison of Collagenase to Hydrogel Dressings in Maintenance Debridement and Wound Closure. 2012; 24(11):317–322.
16. Motley T, Caporusso J, Lange D, et al. Clinical Outcomes for Diabetic Foot Ulcers Treated with Clostridial Collagenase Ointment or with a Product Containing Silver. *Advances in Wound Care.* 2018; 7(10): 339-348.
17. Motley TA, Gilligan AM, Lange DL, Waycaster CR, Dickerson JE Jr. Cost-effectiveness of clostridial collagenase ointment on wound closure in patients with diabetic foot ulcers: economic analysis of results from a multicenter, randomized, open-label trial. *J. Foot Ankle Res.* 8, 7 (2015).
18. Motley TA, Lange DL, Dickerson JE, Slade HB. Clinical outcomes associated with serial sharp debridement of diabetic foot ulcers with and without clostridial collagenase ointment. *Wounds.* 2014;26:57-64.
19. Motley, T. A., Caporusso, J. M., Lange, D. L., Eichelkraut, R. A., Cargill, D. I., & Dickerson, J. E., Jr (2018). Clinical Outcomes for Diabetic Foot Ulcers Treated with Clostridial Collagenase Ointment or with a Product Containing Silver. *Advances in wound care*, 7(10), 339–348. doi:10.1089/wound.2018.0784
20. Ostlie DJ, Juang D, Aguayo P et al. Topical silver sulfadiazine vs collagenase ointment for the treatment of partial thickness burns in children: a prospective randomized trial. *J. Pediatr. Surg.* 47(6), 1204–1207 (2012).
21. Ozcan C, Ergun O, Celik A, Corduk N, Ozok G. Enzymatic debridement of burn wound with collagenase in children with partial-thickness burns. *Burns* 28(8), 791–794 (2002).
22. Patry J, Blanchette V. Enzymatic debridement with collagenase in wounds and ulcers: a systematic review and meta-analysis. *Int Wound J.* 2017 Dec;14(6):1055-1065. doi: 10.1111/iwj.12760. Epub 2017 Apr 25.
23. Santyl (collagenase) [prescribing information]. Fort Worth, TX; Smith & Nephew; 2016.
24. Saranholi TL, Sampaio NCFM, Miot HA, Dantas STA, Rall VLM, Abbade LPF. A randomized clinical trial of silver hydrofiber dressing versus collagenase ointment for venous ulcer: analysis of biofilm-producing bacteria and bacterial clonality. *An Bras Dermatol.* 2025 Sep-Oct;100(5):501162. doi: 10.1016/j.abd.2025.501162. Epub 2025 Jul 14.

25. Schaper NC, van Netten JJ, Apelqvist J, et al. Practical guidelines on the prevention and management of diabetes-related foot disease (IWGDF 2023 update). *Diabetes Metab Res Rev*. 2024 Mar;40(3):e3657. doi: 10.1002/dmrr.3657. Epub 2023 May 27.
26. Sheets AR, Demidova-Rice TN, Shi L, Ronfard V, Grover KV, Herman IM (2016) Identification and Characterization of Novel Matrix-Derived Bioactive Peptides: A Role for Collagenase from Santyl® Ointment in Post-Debridement Wound Healing? *PLoS ONE* 11(7): e0159598.
27. Tallis A, Motley TA, Wunderlich RP, et al. Clinical and economic assessment of diabetic foot ulcer debridement with collagenase: results of a randomized controlled study. *Clin Ther*. 2013 Nov;35(11):1805-20. doi: 10.1016/j.clinthera.2013.09.013. Epub 2013 Oct 18.

Clinical Guideline Revision / History Information

Original Date: 06/01/2023

Reviewed/Revised: 06/27/2024, 10/01/2025, 09/01/2026