

Oscar Clinical Guideline: (Commercial) Preferred Physician-Administered Specialty Drugs (CG052, Ver. 17)

(Commercial) Preferred Physician-Administered Specialty Drugs

Disclaimer

Clinical guidelines are developed and adopted to establish evidence-based clinical criteria for utilization management decisions. Clinical guidelines are applicable according to policy and plan type. The Plan may delegate utilization management decisions of certain services to third parties who may develop and adopt their own clinical criteria.

Coverage of services is subject to the terms, conditions, and limitations of a member's policy, as well as applicable state and federal law. Clinical guidelines are also subject to in-force criteria such as the Centers for Medicare & Medicaid Services (CMS) national coverage determination (NCD) or local coverage determination (LCD) for Medicare Advantage plans. Please refer to the member's policy documents (e.g., Certificate/Evidence of Coverage, Schedule of Benefits, Plan Formulary) or contact the Plan to confirm coverage.

Summary

The Plan's Preferred Medication List encourages the utilization of clinically appropriate and cost-effective physician-administered specialty drugs. The Medical Preferred Drug List Table below lists both the preferred and non-preferred medications within a therapeutic class or drug group.

In most cases, the preferred medications must be used first as long as they are considered safe and effective for use by your provider. Preferred medications are selected based upon clinical effectiveness and safety in alignment with FDA-approved labeling or medically accepted compendia-supported literature or treatment guidelines that represent best practices. Requests for non-preferred medications may be subject to **CVS Exceptions Criteria**, and this criteria is available upon request. Approval for non-preferred medications may be provided if the member has tried and failed, or is unable to use the Plan's preferred drug(s). Qualifying exceptions may include, but are not limited to the following:

1. The member has a documented trial and failure, inadequate response, intolerance, or contraindication to the preferred drug(s); **or**
2. The member has a risk factor(s) for poor response to the preferred drug(s); **or**

3. The member is not a candidate for the preferred drug(s) based on the member's condition(s), individual needs, treatment history, or accepted standards of medical practice.

For more information or to request an exception, please contact the Plan.

Medical Preferred Drug List

| Drug Class | Preferred Medications | Non-Preferred Medications subject to CVS Exceptions Criteria or Plan's Preferred Physician-Administered Drug(s) Requirement |
|--|---|---|
| Acromegaly | <ul style="list-style-type: none"> ❖ Sandostatin LAR Depot (octreotide acetate) ❖ Somatuline Depot (lanreotide) | <ul style="list-style-type: none"> ❖ Signifor LAR (pasireotide) ❖ Somavert (pegvisomant) |
| Alpha-1 Antitrypsin Deficiency | <ul style="list-style-type: none"> ❖ Prolastin-C (alpha1-proteinase inhibitor [human]) | <ul style="list-style-type: none"> ❖ Aralast (alpha1-proteinase inhibitor [human]) ❖ Glassia (alpha1-proteinase inhibitor [human]) ❖ Zemaira (alpha1-proteinase inhibitor [human]) |
| Autoimmune - Drugs for autoimmune conditions | <ul style="list-style-type: none"> ❖ Entyvio (vedolizumab) ❖ Ilumya (tildrakizumab-asmn) ❖ Simponi Aria (golimumab) ❖ Stelara (ustekinumab) | <ul style="list-style-type: none"> ❖ Actemra (tocilizumab) ❖ Cimzia (certolizumab pegol) ❖ Orencia (abatacept) ❖ Skyrizi (risankizumab-rzaa) |
| Autoimmune - Infliximab Products | <ul style="list-style-type: none"> ❖ Inflectra (infliximab-dyyb) | <ul style="list-style-type: none"> ❖ Avsola (infliximab-axxq) ❖ Infliximab ❖ Remicade (infliximab) ❖ Renflexis (infliximab-abda) |
| Avastin/Biosimilars (Oncology) | <ul style="list-style-type: none"> ❖ Alymsys (Bevacizumab-maly) ❖ Mvasi (Bevacizumab-awwb) ❖ Zirabev (Bevacizumab-bvzr) | <ul style="list-style-type: none"> ❖ Avastin (Bevacizumab) |
| Botulinum Toxins | <ul style="list-style-type: none"> ❖ Botox (onabotulinumtoxinA) ❖ Dysport (abobotulinumtoxinA) ❖ Xeomin (incobotulinumtoxinA) | <ul style="list-style-type: none"> ❖ Myobloc (rimabotulinumtoxinB) |

| | | |
|--|--|--|
| Breast Cancer-Antineoplastic Monoclonal Antibodies Targeting HER2/neu | <ul style="list-style-type: none"> ❖ Enhertu (fam-trastuzumab deruxtecan-nxki) ❖ Kadcyla (ado-trastuzumab emt) ❖ Perjeta (pertuzumab) ❖ Phesgo (pertuzumab / trastuzumab / hyaluronidase-zzxf) | <ul style="list-style-type: none"> ❖ Margenza (margetuximab-cmkb) |
| Fertility Regulators - FSH | <ul style="list-style-type: none"> ❖ Gonal-F (follitropin alfa) | <ul style="list-style-type: none"> ❖ Follistim AQ (follitropin beta) |
| Hematologic, Erythropoiesis-Stimulating Agents (ESA) | <ul style="list-style-type: none"> ❖ Aranesp (darbepoetin alfa) ❖ Procrit (epoetin alfa) | <ul style="list-style-type: none"> ❖ Epogen (epoetin alfa) ❖ Mircera (methoxy polyethylene glycol-epoetin beta) ❖ Retacrit (epoetin alfa-epbx) |
| Hematologic, Neutropenia Colony Stimulating Factors, Long-Acting | <ul style="list-style-type: none"> ❖ Neulasta (pegfilgrastim) ❖ Zixtenzo (pegfilgrastim-bmez) | <ul style="list-style-type: none"> ❖ Fulphila (pegfilgrastim-jmdb) ❖ Fylnetra (pegfilgrastim-pbbk) injection ❖ Nyvepria (pegfilgrastim-apgf) ❖ Rolvedon (eflapegrastim-xnst) ❖ Stimufend (pegfilgrastim-fpgk) ❖ Udenyca (pegfilgrastim-cbqv) |
| Hematologic, Neutropenia Colony Stimulating Factors, Short-Acting | <ul style="list-style-type: none"> ❖ Zarxio (filgrastim-sndz) | <ul style="list-style-type: none"> ❖ Granix (tbo-filgrastim) Injection ❖ Leukine (sargramostim) ❖ Neupogen (filgrastim) ❖ Nivestym (filgrastim-aafi) ❖ Releuko (filgrastim-ayow) |
| Hemophilia - Factor IX | <ul style="list-style-type: none"> ❖ Alprolix (Coagulation Factor IX (Recombinant), Fc Fusion Protein) ❖ Idelvion [Coagulation Factor IX (Recombinant), Albumin Fusion Protein (rIX-FP)] ❖ Rebintyn (Coagulation Factor IX (Recombinant), GlycoPEGylated) | <ul style="list-style-type: none"> ❖ BeneFIX® [coagulation factor IX (recombinant)] ❖ Ixinity [coagulation factor IX (recombinant)] ❖ Rixubis[Coagulation Factor IX (Recombinant)] |
| Hemophilia - Factor VIII | <ul style="list-style-type: none"> ❖ Advate [antihemophilic factor (recombinant)] ❖ Adynovate (antihemophilic factor (recombinant), | <ul style="list-style-type: none"> ❖ Esperoct [antihemophilic factor (recombinant), glycoPEGylated-exei] ❖ Helixate FS (Antihemophilic |

| | | |
|--|--|--|
| | <ul style="list-style-type: none"> ❖ PEGylated) ❖ Afystyla, Antihemophilic Factor (Recombinant) ❖ Eloctate (antihemophilic factor (recombinant), Fc fusion protein) ❖ Jivi (antihemophilic factor (recombinant), PEGylated-auc1) ❖ Kogenate FS (antihemophilic factor (recombinant)) ❖ Kovaltry (antihemophilic Factor (Recombinant)) ❖ Novoeight (antihemophilic factor (recombinant), glycopegylated-exei) ❖ Nuwiq (Antihemophilic Factor (Recombinant)) ❖ Xyntha (antihemophilic factor [recombinant]) | <ul style="list-style-type: none"> ❖ Factor (Recombinant)) ❖ Recombinate [Antihemophilic Factor (Recombinant)] |
| Hereditary Angioedema | <ul style="list-style-type: none"> ❖ Ruconest (C1 esterase inhibitor [recombinant]) for Intravenous Injection | <ul style="list-style-type: none"> ❖ Berinert (C1 Esterase Inhibitor, Human) |
| Hereditary Transthyretin Amyloidosis | <ul style="list-style-type: none"> ❖ Onpattro (patisiran) | <ul style="list-style-type: none"> ❖ Tegsedi (inotersen) |
| Long-Acting Reversible Contraceptives | <ul style="list-style-type: none"> ❖ Kyleena (levonorgestrel) ❖ Mirena (levonorgestrel) ❖ Skyla (levonorgestrel) | <ul style="list-style-type: none"> ❖ Liletta (levonorgestrel) ❖ Nexplanon (etonogestrel) |
| Lysosomal Storage Disorders - Gaucher Disease | <ul style="list-style-type: none"> ❖ Elelyso (taliglucerase alfa) | <ul style="list-style-type: none"> ❖ Cerezyme (Imiglucerase) ❖ VPRTIV (velaglucerase alfa for injection) |
| Multiple Myeloma - Small Molecule Antineoplastic Proteosome Inhibitors | <ul style="list-style-type: none"> ❖ Ninlaro (ixazomib) ❖ Velcade (bortezomib) | <ul style="list-style-type: none"> ❖ Kyprolis (carfilzomib) |
| Multiple Sclerosis (Infused) | <ul style="list-style-type: none"> ❖ Ocrevus (ocrelizumab) ❖ Tysabri (natalizumab) | <ul style="list-style-type: none"> ❖ Briumvi (ublituximab) ❖ Lemtrada (alemtuzumab) |

| | | |
|---|--|---|
| Osteoarthritis, Viscosupplements (Single Injection) | ❖ Monovisc (high molecular weight hyaluronan) | ❖ Durolane (hyaluronic acid) ❖ Gel-One (cross-linked hyaluronate) ❖ Synvisc-One (hylan G-F 20) |
| Osteoarthritis, Viscosupplements (Multi Injection) | ❖ Euflexxa (1% sodium hyaluronate) ❖ Orthovisc (high molecular weight hyaluronan) | ❖ Gelsyn-3 (sodium hyaluronate 0.84%) ❖ GenVisc 850 (sodium hyaluronate) ❖ Hyalgan (sodium hyaluronate) ❖ Hymovis (high molecular weight viscoelastic hyaluronan) ❖ Supartz FX (sodium hyaluronate) ❖ Synvisc (hylan G-F 20) ❖ Trivisc (sodium hyaluronate) ❖ Visco-3 (sodium hyaluronate) |
| Paroxysmal Nocturnal Hemoglobinuria (PNH) | ❖ Soliris (eculizumab) ❖ Ultomiris (ravulizumab-cwz) | ❖ Empaveli (pegcetacoplan) |
| Prostate Cancer – Luteinizing Hormone Releasing Hormone (LHRH) Agents | ❖ Eligard (leuprolide acetate) | ❖ Lupron Depot (leuprolide acetate) ❖ Trelstar (triptorelin pamoate) ❖ Zoladex (goserelin acetate) |
| Prostate Cancer- Luteinizing Hormone Releasing Hormone (LHRH) Antagonist Agents | ❖ Firmagon (degarelix) | |
| Retinal Disorders Agents | ❖ Avastin (bevacizumab) | ❖ Byooviz (ranibizumab-nuna) ❖ Eylea (aflibercept) ❖ Eylea HD (aflibercept) ❖ Lucentis (ranibizumab) ❖ Vabysmo (faricimab-svoa) |
| Rituximab Products | ❖ Riabni (rituximab-arrx) ❖ Truxima (rituximab-abbs) ❖ Ruxience (rituximab-pvvr) | ❖ Rituxan (rituximab) ❖ Rituxan Hycela (rituximab/hyaluronidase human) |
| Severe Asthma | ❖ Dupixent (dupilumab) ❖ Fasenra (benralizumab) | ❖ Cinqair (reslizumab) |

| | | |
|---|--|---|
| | <ul style="list-style-type: none"> ❖ Nucala (mepolizumab) ❖ Tezspire (tezepelumab-ekko) ❖ Xolair (omalizumab) | |
| Spinal Muscular Atrophy | <ul style="list-style-type: none"> ❖ Zolgensma (onasemnogene abeparvovec-xioi) | |
| Systemic Lupus Erythematosus (SLE) Agents | <ul style="list-style-type: none"> ❖ Benlysta IV (belimumab) | <ul style="list-style-type: none"> ❖ Saphnelo (anifrolumab-fnia) |
| Antineoplastic Monoclonal Antibodies Targeting HER2/neu | <ul style="list-style-type: none"> ❖ Kanjinti (trastuzumab-anns) ❖ Ogviri (trastuzumab-dkst) | <ul style="list-style-type: none"> ❖ Herceptin (trastuzumab) ❖ Herceptin Hylecta (trastuzumab and hyaluronidase-oysk) ❖ Herzuma (trastuzumab-pkrb) ❖ Ontruzant (trastuzumab-dttb) ❖ Trazimera (trastuzumab-qyyp) |

Applicable Billing Codes

| Acromegaly | |
|---------------------------------------|--|
| J1930 | Somatuline Depot Injection, lanreotide, 1 mg |
| J2353 | SandoSTATIN LAR Depot Injection, octreotide, depot form for intramuscular injection, 1 mg |
| J2502 | Signifor LAR Injection, pasireotide long acting, 1 mg |
| J3490 J3590 | Somavert (pegvisomant) Unclassified drugs Unclassified biologics |
| Alpha-1 Antitrypsin Deficiency | |
| J0256 | Aralast NP Injection, alpha 1-proteinase inhibitor (human), not otherwise specified, 10 mg |
| J0256 | Prolastin-C Injection, alpha 1-proteinase inhibitor (human), not otherwise specified, 10 mg |
| J0256 | Zemaira |

| | |
|-------------------|---|
| | Injection, alpha 1-proteinase inhibitor (human), not otherwise specified, 10 mg |
| J0257 | Glassia Injection, alpha 1 proteinase inhibitor (human), (Glassia), 10 mg |
| Autoimmune | |
| J2327 | Skyrizi (intravenous) Injection, risankizumab-rzaa, intravenous, 1 mg |
| J0129 | Orencia; Orencia ClickJect Injection, abatacept, 10 mg |
| J0717 | Cimzia; Cimzia Prefilled; Cimzia Starter Kit Injection, certolizumab pegol, 1 mg |
| J1602 | Simponi Aria Injection, golimumab, 1 mg, for intravenous use |
| J1745 | Remicade Injection, infliximab, excludes biosimilar, 10 mg |
| J1745 | Injection, infliximab, 10 mg |
| J3245 | Ilumya Injection, tildrakizumab, 1 mg |
| J3262 | Actemra Injection, tocilizumab, 1 mg |
| J3357 | Stelara Ustekinumab, for subcutaneous injection, 1 mg |
| J3358 | Stelara Ustekinumab, for intravenous injection, 1 mg |
| J3380 | Entyvio Injection, vedolizumab, 1 mg |
| Q5103 | Inflectra Injection, infliximab-dyyb, biosimilar, (Inflectra), 10 mg |
| Q5104 | Renflexis Injection, infliximab-abda, biosimilar, (Renflexis), 10 mg |
| Q5121 | Avsola Injection, infliximab-axxq, biosimilar, (Avsola), 10 mg |

| | |
|---|---|
| Avastin/Biosimilars (Oncology) | |
| J9035 | Avastin Injection, bevacizumab, 10 mg |
| Q5107 | Mvasi Inj mvasi 10 mg |
| Q5118 | Zirabev Inj., zirabev, 10 mg |
| Q5126 | Alymsys Injection, bevacizumab-maly, biosimilar, (alymys), 10 mg |
| Botulinum Toxins | |
| J0585 | Botox Injection, onabotulinumtoxinA, 1 unit |
| J0586 | Dysport Injection, abobotulinumtoxinA, 5 units |
| J0587 | Myobloc Injection, rimabotulinumtoxinB, 100 units |
| J0588 | Xeomin Injection, incobotulinumtoxinA, 1 unit |
| Breast Cancer- Antineoplastic Monoclonal Antibodies Targeting HER2/neu | |
| J9306 | Perjeta Injection, pertuzumab, 1 mg |
| J9316 | Phesgo Injection, pertuzumab, trastuzumab, and hyaluronidase-zzxf, per 10 mg |
| J9353 | Margetuximab-cmkb Inj, margetuximab-cmkb, 5 mg |
| J9354 | Kadcyla Inj, ado-trastuzumab emt 1mg |
| J9358 | Enhertu Inj, fam-trastuzumab deruxtecan-nxki, 1 mg |
| Fertility Regulators - FSH | |

| | |
|---|--|
| S0126 | Gonal-F Injection, follitropin alfa, 75 IU |
| S0128 | Follistim AQ Injection, follitropin beta, 75 IU |
| Hematologic, Erythropoiesis-Stimulating Agents (ESA) | |
| J0881 | Aranesp Injection, darbepoetin alfa, 1 mcg (for non-ESRD use) |
| J0882 | Aranesp Injection, darbepoetin alfa, 1 mcg (for ESRD on dialysis) |
| J0885 | Epogen Injection, epoetin alfa, (for non-ESRD use), 1000 units |
| Q4081 | Epogen Injection, epoetin alfa, 100 units (for ESRD on dialysis) |
| J0885 | Procrit Injection, epoetin alfa, (for non-ESRD use), 1000 units |
| Q4081 | Procrit Injection, epoetin alfa, 100 units (for ESRD on dialysis) |
| J0887 | Mircera Injection, epoetin beta, 1 microgram, (for ESRD on dialysis) |
| J0888 | Mircera Injection, epoetin beta, 1 microgram, (for non-ESRD use) |
| Q5105 | Retacrit Injection, epoetin alfa, biosimilar, (Retacrit) (for ESRD on dialysis), 100 units |
| Q5106 | Retacrit Injection, epoetin alfa, biosimilar, (Retacrit) (for non-ESRD use), 1000 units |
| Hemophilia - Factor IX | |
| J7195 | BeneFIX Injection, factor ix (antihemophilic factor, recombinant) per IU, not otherwise specified |
| J7195 | Ixinity Injection, factor ix (antihemophilic factor, recombinant) per IU, not otherwise specified |

| | |
|---------------------------------|--|
| J7200 | Rixubis Injection, factor ix, (antihemophilic factor, recombinant), Rixubis, per IU |
| J7201 | Alprolix Injection, Factor IX, Fc fusion protein, (recombinant), Alprolix, 1 IU |
| J7202 | Idelvion Injection, Factor IX, albumin fusion protein, (recombinant), Idelvion, 1 IU |
| J7203 | Rebinyn Injection Factor IX, (antihemophilic factor, recombinant), glycoPEGylated, (Rebinyn), 1 IU |
| J7213 | Ixinity Injection, coagulation factor IX (recombinant), Ixinity, 1 IU |
| Hemophilia - Factor VIII | |
| J7182 | Novoeight Injection, Factor VIII, (antihemophilic factor, recombinant), (NovoEight), per IU |
| J7185 | Xyntha Injection, factor viii (antihemophilic factor, recombinant) (Xyntha), per IU |
| J7192 | Advate Factor viii (antihemophilic factor, recombinant) per IU, not otherwise specified |
| J7192 | Helixate FS Factor VIII (antihemophilic factor, recombinant) per IU, not otherwise specified |
| J7192 | Kogenate FS; Kogenate FS Bio-Set Factor VIII (antihemophilic factor, recombinant) per IU, not otherwise specified |
| J7192 | Recombinate Factor viii (antihemophilic factor, recombinant) per IU, not otherwise specified |
| J7204 | Esperoct Injection, Factor VIII, antihemophilic factor (recombinant), (Esperoct), glycopegylated-exei, per IU |
| J7205 | Eloctate Injection, Factor VIII Fc fusion protein (recombinant), per IU |
| J7207 | Adynovate Injection, Factor VIII, (antihemophilic factor, recombinant), PEGylated, 1 IU |
| J7208 | Jivi Injection, Factor VIII, (antihemophilic factor, recombinant), PEGylated-auci, (Jivi), 1 IU |

| | |
|--|--|
| J7209 | Nuwiq Injection, Factor VIII, (antihemophilic factor, recombinant), (Nuwiq), 1 IU |
| J7210 | Afstyla Injection, factor viii, (antihemophilic factor, recombinant), (Afstyla), 1 IU |
| J7211 | Kovaltry Injection, Factor VIII, (antihemophilic factor, recombinant), (Kovaltry), 1 IU |
| Hematologic, Neutropenia Colony Stimulating Factors, Long-Acting | |
| J2506 | Neulasta Injection, pegfilgrastim, excludes biosimilar, 0.5 mg |
| Q5108 | Fulphila Injection, pegfilgrastim-jmdb, biosimilar, (Fulphila), 0.5 mg |
| Q5111 | Udenyca Injection, pegfilgrastim-cbqv, biosimilar, (Udenyca), 0.5 mg |
| Q5120 | Ziextenzo Injection, pegfilgrastim-bmez, biosimilar, (Ziextenzo), 0.5 mg |
| Q5122 | Nyvepria Injection, pegfilgrastim-apgf, biosimilar, (Nyvepria), 0.5 mg |
| Q5130 | Fylnetra Injection, pegfilgrastim-pbbk (Fylnetra), biosimilar, 0.5 mg |
| Q5127 | Stimufend Injection, pegfilgrastim-fpgk (Stimufend), biosimilar, 0.5 mg |
| J1449 | Rolvedon Injection, eflapegrastim-xnst, 0.1 mg |
| Hematologic, Neutropenia Colony Stimulating Factors, Short-Acting | |
| J1442 | Neupogen Injection, filgrastim (G-CSF), excludes biosimilars, 1 microgram |
| J1447 | Granix Injection, tbo-filgrastim, 1 microgram |
| J2820 | Leukine Injection, sargramostim (GM-CSF), 50 mcg |
| Q5101 | Zarxio Injection, filgrastim-sndz, biosimilar, (Zarxio), 1 mcg |

| | |
|--|---|
| Q5110 | Nivestym Injection, filgrastim-aafi, biosimilar, (Nivestym), 1 mcg |
| Q5125 | Releuko Injection, filgrastim-ayow, biosimilar, (Releuko), 1 mcg |
| Hereditary Angioedema | |
| J0596 | Ruconest Injection, C1 esterase inhibitor (recombinant), Ruconest, 10 units |
| J0597 | Berinert Injection, C-1 esterase inhibitor (human), Berinert, 10 units |
| Hereditary Transthyretin Amyloidosis | |
| J0222 | Onpattro Injection, patisiran, 0.1 mg |
| C9399 | Tegsedi (inotersen) Unclassified drugs or biologicals |
| J3490 | Tegsedi (inotersen) Unclassified drugs |
| Long- Acting Reversible Contraceptives | |
| J7296 | Kyleena Levonorgestrel-releasing intrauterine contraceptive system, (Kyleena), 19.5 mg |
| J7297 | Liletta Levonorgestrel-releasing intrauterine contraceptive system (Liletta), 52 mg |
| J7298 | Mirena Levonorgestrel-releasing intrauterine contraceptive system (Mirena), 52 mg |
| J7301 | Skyla Levonorgestrel-releasing intrauterine contraceptive system (Skyla), 13.5 mg |
| J7307 | Nexplanon Etonogestrel (contraceptive) implant system, including implant and supplies |
| Lysosomal Storage Disorders - Gaucher Disease | |
| J1786 | Cerezyme Injection, imiglucerase, 10 units |
| J3060 | Elelyso |

| | |
|---|--|
| | Injection, taliglucerase alfa, 10 units |
| J3385 | VPRIV Injection, velaglucerase alfa, 100 units |
| Multiple Myeloma - Small Molecule Antineoplastic Proteosome Inhibitors | |
| J8999 | Ninlaro (Ixazomib) Prescription drug, oral, chemotherapeutic, nos |
| J9041 | Velcade Injection, bortezomib, 0.1 mg |
| J9047 | Kyprolis Injection, carfilzomib, 1 mg |
| Multiple Sclerosis (Infused) | |
| J0202 | Lemtrada Injection, alemtuzumab, 1 mg |
| J2323 | Tysabri Injection, natalizumab, 1 mg |
| J2350 | Ocrevus Injection, ocrelizumab, 1 mg |
| J2329 | Briumvi (ublituximab) Injection, ublituximab-xiiy, 1mg |
| Osteoarthritis, Viscosupplements Single Injection | |
| J7318 | Durolane Hyaluronan or derivative, Durolane, for intra-articular injection, 1 mg |
| J7325 | Synvisc-One Hyaluronan or derivative, Synvisc or Synvisc-One, for intra-articular injection, 1 mg |
| J7326 | Gel-One Hyaluronan or derivative, Gel-One, for intra-articular injection, per dose |
| J7327 | Monovisc Hyaluronan or derivative, Monovisc, for intra-articular injection, per dose |
| Osteoarthritis, Viscosupplements Multi Injection | |

| | |
|--|--|
| J7320 | Genvisc 850 Hyaluronan or derivative, GenVisc 850, for intra-articular injection, 1 mg |
| J7321 | Hyalgan Hyaluronan or derivative, Hyalgan, Supartz or Visco-3, for intra-articular injection, per dose |
| J7321 | Supartz FX Hyaluronan or derivative, Hyalgan, Supartz or Visco-3, for intra-articular injection, per dose |
| J7321 | Visco-3 Hyaluronan or derivative, Hyalgan, Supartz or Visco-3, for intra-articular injection, per dose |
| J7322 | Hymovis Hyaluronan or derivative, Hymovis, for intra-articular injection, 1 mg |
| J7323 | Euflexxa Hyaluronan or derivative, Euflexxa, for intra-articular injection, per dose |
| J7324 | Orthovisc Hyaluronan or derivative, Orthovisc, for intra-articular injection, per dose |
| J7325 | Synvisc-One Hyaluronan or derivative, Synvisc or Synvisc-One, for intra-articular injection, 1 mg |
| J7328 | Gelsyn-3 Hyaluronan or derivative, GELSYN-3, for intra-articular injection, 0.1 mg |
| J7329 | Trivisc Hyaluronan or derivative, Trivisc, for intra-articular injection, 1 mg |
| Paroxysmal Nocturnal Hemoglobinuria (PNH) | |
| C9151 | Empaveli (pegcetacoplan) Injection, pegcetacoplan, 1 mg |
| J1300 | Soliris Injection, eculizumab, 10 mg |
| J1303 | Ultomiris Injection, ravulizumab-cwvz, 10 mg |
| Prostate Cancer – Luteinizing Hormone Releasing Hormone (LHRH) Agents | |
| J9217 | Eligard |

| | |
|--|--|
| | Leuprorelin acetate (for depot suspension), 7.5 mg |
| J9217 | Lupron Depot Leuprorelin acetate (for depot suspension), 7.5 mg |
| J1950 | Lupron Depot Injection, leuprorelin acetate (for depot suspension), per 3.75 mg |
| J3315 | Trelstar Injection, triptorelin pamoate, 3.75 mg |
| J9202 | Zoladex Goserelin acetate implant, per 3.6 mg |
| Prostate Cancer- Luteinizing Hormone Releasing Hormone (LHRH) Antagonist Agents | |
| J9155 | Firmagon Injection, degarelix, 1 mg |
| Retinal Disorders Agents | |
| C9257 | Avastin Injection, bevacizumab, 0.25 mg |
| J0178 | Eylea Injection, afibbercept, 1 mg |
| C9399 | Eylea HD (afibbercept) Unclassified drugs or biologicals |
| J3490 | Eylea HD (afibbercept) Unclassified drugs |
| J3590 | Eylea HD (afibbercept) Unclassified biologicals |
| J2777 | Vabysmo (faricimab-svoa) Injection, faricimab-svoa, 0.1 mg |
| J2778 | Lucentis Injection, ranibizumab, 0.1 mg |
| J9035 | Avastin Injection, bevacizumab, 10 mg |
| Q5124 | Byooviz Injection, ranibizumab-nuna, biosimilar, (Byooviz), 0.1 mg |

| Rituximab Products | |
|--|---|
| J9311 | Rituxan Hycela (rituximab/hyaluronidase human) Injection, rituximab 10 mg and hyaluronidase |
| J9312 | Rituxan (rituximab) Injection, rituximab, 10 mg |
| Q5115 | Truxima (rituximab-abbs) Injection, rituximab-abbs, biosimilar, (Truxima), 10 mg |
| Q5119 | Ruxience (rituximab-pvvr) Injection, rituximab-pvvr, biosimilar, (Ruxience), 10 mg |
| Q5123 | Riabni (rituximab-arrx) Injection, rituximab-arrx, biosimilar, (Riabni), 10 mg |
| Severe Asthma | |
| J0517 | Fasenra Injection, benralizumab, 1 mg |
| J2182 | Nucala Injection, mepolizumab, 1 mg |
| J2356 | Tezspire Injection, tezepelumab-ekko, 1 mg |
| J2357 | Xolair Injection, omalizumab, 5 mg |
| J2786 | Cinqueair Injection, reslizumab, 1 mg |
| J3490 | Dupixent (dupilumab) Unclassified drugs |
| J3590 | Dupixent (dupilumab) Unclassified biologics |
| Spinal Muscular Atrophy | |
| J3399 | Zolgensma Injection, onasemnogene abeparvovec-xioi, per treatment, up to 5x10 vector genomes |
| Systemic Lupus Erythematosus (SLE) Agents | |

| | |
|--------------------|---|
| J0490 | Benlysta IV (belimumab) Injection, belimumab, 10 mg |
| J0491 | Saphnelo (anifrolumab-fnia) Injection, anifrolumab-fnia, 1 mg |
| Trastuzumab | |
| J9355 | Herceptin Injection, trastuzumab, excludes biosimilar, 10 mg |
| J9356 | Herceptin Hylecta Injection, trastuzumab, 10 mg and hyaluronidase-oysk |
| Q5112 | Ontruzant Injection, trastuzumab-dttb, biosimilar, (Ontruzant), 10 mg |
| Q5113 | Herzuma Injection, trastuzumab-pkrb, biosimilar, (Herzuma), 10 mg |
| Q5114 | Ogivri Injection, trastuzumab-dkst, biosimilar, (Ogivri), 10 mg |
| Q5116 | Trazimera Injection, trastuzumab-qyyp, biosimilar, (Trazimera), 10 mg |
| Q5117 | Kanjinti Injection, trastuzumab-anns, biosimilar, (Kanjinti), 10 mg |

References

- Anderson LJ, Henley W, Wyatt KM, et al. Long-term effectiveness of enzyme replacement therapy in adults with Gaucher disease: results from the NCS-LSD cohort study. *J Inherit Metab Dis* 2014; 37:953.
- Anderson LJ, Henley W, Wyatt KM, et al. Long-term effectiveness of enzyme replacement therapy in children with Gaucher disease: results from the NCS-LSD cohort study. *J Inherit Metab Dis* 2014; 37:961.
- Baroncini D, Ghezzi A, Annovazzi PO, et al. Natalizumab versus fingolimod in patients with relapsing-remitting multiple sclerosis non-responding to first-line injectable therapies. *Mult Scler*. 2016;22(10):1315-26.
- Beveridge RA, Miller JA, Kales AN, et al. A comparison of efficacy of sargramostim (yeast-derived RhuGM-CSF) and filgrastim (bacteria-derived RhuG-CSF) in the therapeutic setting of chemotherapy-induced myelosuppression. *Cancer Invest* 1998; 16:366.
- Biosimilar and interchangeable products. US Food and Drug Administration. Updated 10/23/2017. Available at

<https://www.fda.gov/Drugs/DevelopmentApprovalProcess/HowDrugsareDevelopedandApproved/ApprovalApplications/TherapeuticBiologicApplications/Biosimilars/ucm580419.htm>

6. Bridges, S. Louis et al. "The Science Behind Biosimilars: Entering a New Era of Biologic Therapy." *Arthritis & rheumatology* 70 3 (2018): 334-344.
7. Brown DM, Kaiser PK, Michels M, et al. Ranibizumab versus verteporfin for neovascular age-related macular degeneration. *N Engl J Med.* 2006;355(14):1432-44.
8. Busse W, Chupp G, Nagase H, et al. Anti-IL-5 treatments in patients with severe asthma by blood eosinophil thresholds: Indirect treatment comparison. *J Allergy Clin Immunol.* 2019;143(1):190-200.e20.
9. Chakravarthy U, Adamis AP, Cunningham ET, et al. Year 2 efficacy results of 2 randomized controlled clinical trials of pegaptanib for neovascular age-related macular degeneration. *Ophthalmology.* 2006;113(9):1508.e1-25.
10. Chakravarthy U, Harding SP, Rogers CA, et al. Alternative treatments to inhibit VEGF in age-related choroidal neovascularisation: 2-year findings of the IVAN randomised controlled trial. *Lancet.* 2013;382(9900):1258-67.
11. Chang AA, Li H, Broadhead GK, et al. Intravitreal afibercept for treatment-resistant neovascular age-related macular degeneration. *Ophthalmology.* 2014;121(1):188-192.
12. Charrow J, Andersson HC, Kaplan P, et al. Enzyme replacement therapy and monitoring for children with type 1 Gaucher disease: consensus recommendations. *J Pediatr* 2004; 144:112.
13. Chingcuanco F, Segal J, Kim S, Alexander C. Bioequivalence of Biosimilar Tumor Necrosis Factor- α Inhibitors Compared With Their Reference Biologics: A Systematic Review. *Ann Intern Med.* 2016;165(8):565-74. doi: 10.7326/M16-0428.
14. Cicardi M. Hereditary angioedema (due to C1 inhibitor deficiency): General care and long-term prophylaxis. Ed. Saini S. UpToDate. Waltham, MA. UpToDate.com
15. Ghigo E, Biller BM, Colao A, et al. Comparison of pegvisomant and long-acting octreotide in patients with acromegaly naïve to radiation and medical therapy. *J Endocrinol Invest.* 2009;32(11):924-33.
16. Gragoudas ES, Adamis AP, Cunningham ET, Feinsod M, Guyer DR. Pegaptanib for neovascular age-related macular degeneration. *N Engl J Med.* 2004;351(27):2805-16.
17. Heier JS, Brown DM, Chong V, et al. Intravitreal afibercept (VEGF trap-eye) in wet age-related macular degeneration. *Ophthalmology.* 2012;119(12):2537-48.
18. Hoots WK. Hemophilia A and B: Routine management including prophylaxis. Ed. Mahony DH. UpToDate. Waltham, MA. UpToDate.com
19. Kalincik T, Brown JW, Robertson N, et al. Treatment effectiveness of alemtuzumab compared with natalizumab, fingolimod, and interferon beta in relapsing-remitting multiple sclerosis: a cohort study. *Lancet Neurol.* 2017;16(4):271-281.

20. Kalincik T, et al "Comparison of 5-year treatment outcomes between alemtuzumab versus natalizumab, fingolimod and interferon β -1a" ECTRIMS 2016; Abstract 251.
21. Kannicht C, Ramström M, Kohla G, et al. Characterisation of the post-translational modifications of a novel, human cell line-derived recombinant human factor VIII. Thromb Res. 2013;131(1):78-88.
22. Klukowska A, Szczepański T, Vdovin V, Knaub S, Jansen M, Liesner R. Novel, human cell line-derived recombinant factor VIII (Human-cl rhFVIII, Nuwiq) in children with severe haemophilia A: efficacy, safety and pharmacokinetics. Haemophilia. 2016;22(2):232-239.
23. Lieuw K. Many factor VIII products available in the treatment of hemophilia A: an embarrassment of riches? J Blood Med. 2017;8:67-73.
24. Martin DF, Maguire MG, Fine SL, et al. Ranibizumab and bevacizumab for treatment of neovascular age-related macular degeneration: two-year results. Ophthalmology. 2012;119(7):1388-98.
25. MASAC . MASAC Recommendation on SIPPET (Survey of Inhibitors in Plasma-Product-Exposed Toddlers): REsults and Recommendations for Treatment Products for Previously Untreated Patients with Hemophilia A. MASAC; 2016.
26. Melmed S. Treatment of acromegaly. Ed. Snyder PJ. UpToDate. Waltham, MA. UpToDate.com)
27. Milkovich G, Moleski RJ, Reitan JF, et al. Comparative safety of filgrastim versus sargramostim in patients receiving myelosuppressive chemotherapy. Pharmacotherapy 2000; 20:1432.
28. Peyvandi F, Mannucci PM, Garagiola I, et al. A Randomized Trial of Factor VIII and Neutralizing Antibodies in Hemophilia A. N Engl J Med. 2016;374(21):2054-64.
29. Schmidt-erfurth U, Kaiser PK, Korobelnik JF, et al. Intravitreal afibercept injection for neovascular age-related macular degeneration: ninety-six-week results of the VIEW studies. Ophthalmology. 2014;121(1):193-201.
30. Smith TJ, Bohlke K, Lyman GH, et al. Recommendations for the Use of WBC Growth Factors: American Society of Clinical Oncology Clinical Practice Guideline Update. J Clin Oncol. 2015;33(28):3199-212.
31. Stull DM, Bilmes R, Kim H, Fichtl R. Comparison of sargramostim and filgrastim in the treatment of chemotherapy-induced neutropenia. Am J Health Syst Pharm 2005; 62:83.
32. Thadhani R, Guilletco R, Hymes J, Maddux FW, Ahuja A. Switching from Epoetin Alfa (Epogen®) to Epoetin Alfa-Epbx (RetacritTM) Using a Specified Dosing Algorithm: A Randomized, Non-Inferiority Study in Adults on Hemodialysis. Am J Nephrol. 2018;48(3):214-224.
33. Tiede A, Brand B, Fischer R, et al. Enhancing the pharmacokinetic properties of recombinant factor VIII: first-in-human trial of glycoPEGylated recombinant factor VIII in patients with hemophilia A. J Thromb Haemost. 2013;11(4):670-8.

34. Trainer PJ, Ezzat S, D'souza GA, Layton G, Strasburger CJ. A randomized, controlled, multicentre trial comparing pegvisomant alone with combination therapy of pegvisomant and long-acting octreotide in patients with acromegaly. *Clin Endocrinol (Oxf)*. 2009;71(4):549-57.
35. Wang L, Qi CH, Zhong R, Yuan C, Zhong QY. Efficacy of alemtuzumab and natalizumab in the treatment of different stages of multiple sclerosis patients. *Medicine (Baltimore)*. 2018;97(8):e9908.
36. Weinreb NJ, Charrow J, Andersson HC, et al. Effectiveness of enzyme replacement therapy in 1028 patients with type 1 Gaucher disease after 2 to 5 years of treatment: a report from the Gaucher Registry. *Am J Med* 2002; 113:112.
37. Wenzel S. Treatment of severe asthma in adolescents and adults. Ed Bochner BS. UpToDate. Waltham, MA.
38. Wong SF, Chan HO. Effects of a formulary change from granulocyte colony-stimulating factor to granulocyte-macrophage colony-stimulating factor on outcomes in patients treated with myelosuppressive chemotherapy. *Pharmacotherapy* 2005; 25:372.

Clinical Guideline Revision / History Information

| | |
|-------------------|--|
| Original Date: | 3/6/2019 |
| Reviewed/Revised: | 10/21/2019, 5/5/2020, 7/21/2020, 11/5/2020, 12/31/2020, 4/21/2021, 1/1/2022, 1/26/2022, 06/23/2022, 12/08/2022, 01/21/2023, 3/23/2023, 06/01/2023, 06/29/2023, 07/31/2023, 9/21/2023 |