

Home Care - Home Health Aides (HHA)

Disclaimer

Clinical guidelines are developed and adopted to establish evidence-based clinical criteria for utilization management decisions. Clinical guidelines are applicable according to policy and plan type. The Plan may delegate utilization management decisions of certain services to third parties who may develop and adopt their own clinical criteria.

Coverage of services is subject to the terms, conditions, and limitations of a member's policy, as well as applicable state and federal law. Clinical guidelines are also subject to in-force criteria such as the Centers for Medicare & Medicaid Services (CMS) national coverage determination (NCD) or local coverage determination (LCD) for Medicare Advantage plans. Please refer to the member's policy documents (e.g., Certificate/Evidence of Coverage, Schedule of Benefits, Plan Formulary) or contact the Plan to confirm coverage.

Home Care - Home Health Aides (HHA)	1
Summary	1
Definitions	2
Medical Necessity Criteria for Initial Clinical Review	3
General Medical Necessity Criteria	3
General Medical Necessity Criteria - Hospice / End-of-Life or Palliative Care	4
Medical Necessity Criteria for Subsequent Clinical Review	5
Subsequent Medical Necessity Criteria	5
Subsequent Medical Necessity Criteria - Hospice / End-of-Life or Palliative Care	5
Experimental or Investigational / Not Medically Necessary	6
Applicable Billing Codes	7
References	7
Clinical Guideline Revision / History Information	9

Summary

Members recently discharged from the hospital and/or those diagnosed with certain medical conditions may require short-term skilled care in the home for rehabilitation. When medically necessary, such services can be used to restore or improve functional independence, and to help train caregivers and

family members in the ongoing care of the member. Home health aides (HHAs) assist skilled providers by caring for members who cannot leave the home.

HHAs provide assistance with activities of daily living such as bathing and mobility. An HHA may also provide routine care of prosthetic/orthotic devices, record vital signs or other health monitoring values such as blood glucose, assist with a prescribed home exercise program, assist with elimination, or assist in feeding and providing a prescribed diet. The services of home health aides are typically considered medically necessary only when they are part of a skilled treatment plan and when the services fall under many of the same criteria. The member's need for HHA should be reassessed regularly, especially when there has been a substantial change in the member's condition or medical needs. This guideline provides clinical criteria regarding the indications, exclusions, and benefit details for home health aides.

Information about coverage and benefit limitations can be found in the member's plan contract at hioscar.com/forms.

Definitions

"Homebound" refers to members who have a normal inability to leave home without considerable and taxing effort (i.e., require an assistive device or the assistance of another person to leave home) AND one of the following:

- Members who cannot leave home due to a medical condition, chronic disease, or injury; *or*
- Members advised by a treating provider not to leave home for various reasons (e.g. safety, ongoing medical treatment needs, etc.); *or*
- Members who need the aid of supportive devices such as crutches, canes, wheelchairs, and walkers, special transportation (when the member is unable to use common transportation such as a private automobile, bus, or taxi due to a medical condition), or the assistance of others to leave their place of residence.

When the member does leave home, the absence of the member from the home is infrequent or for short periods of time, such as to receive health treatment or adult daycare (non-residential program providing services during the day).

"Home health aide (HHA)" is a provider who assists a homebound member with activities of daily living (ADLs) and other non-skilled needs to facilitate function in the home environment. Some home health aides may be able to perform specific non-skilled services (e.g., glucometer test, ostomy or Foley care, tube feeding, monitor adherence to medications, etc.) and more advanced delegated tasks from nurses depending on the scope of practice within the state. HHAs are trained and certified personnel, but do not fall under the realm of "skilled" professionals because their level of training is general. Home health aides who are personally employed by the consumer are typically permitted to provide additional or more expansive services than home health aides employed by an organization. Home health aides provide intermittent care.

“Activities of daily living (ADLs)” are routine activities that most healthy persons perform daily without requiring assistance, including but not limited to: bathing, communication, dressing, feeding, grooming, mobility, personal hygiene, self-maintenance, skin management, and toileting.

“Instrumental activities of daily living (IADLs)” are activities that may be performed daily but are not fundamental for daily functioning. These include, but are not limited to: the use of public transportation, balancing a checkbook, community living activities, meal preparation, laundry, leisure activities and sports, and motor vehicle operation.

“Custodial care” or “long-term care” is non-skilled, personal care to maintain the member’s ADLs or IADLs over a long-term duration and do not require oversight or skilled services by trained health professionals or technical personnel. These services are not part of a medical treatment plan for recovery, rehabilitation, habilitation, or improvement in sickness or injury. Custodial services may be provided in the home, assisted living facilities, nursing homes, or other settings. This type of care typically does not apply to plan benefits; please see the member’s plan benefits.

“Hospice care / end-of-life care” is interdisciplinary and holistic care provided when curative or life-prolonging treatments are no longer beneficial. Services may focus on symptom control, psychosocial and spiritual care, nursing, or short-term acute services. Trained clinicians and support staff support individual and family quality-of-life goals. Hospice care can be provided in the home, skilled nursing facility (SNF), or hospital setting (for acute symptom management and stabilization before returning to the previous level of hospice care).

“Palliative care” is interdisciplinary and holistic care that focuses on symptom management, relieving suffering in all stages of disease, supporting communication, and assessing psychosocial, spiritual, social, and economic resources. Members may receive curative or life-prolonging treatment, and may not choose to receive hospice care or end-of-life care. Furthermore, palliative care provides support for individual and family quality-of-life goals.

Medical Necessity Criteria for Initial Clinical Review

General Medical Necessity Criteria

Home health aide (HHA) services are considered medically necessary for initial requests when ALL of the following criteria are met:

1. The treatment plan is prescribed by a licensed provider (MD, DO, NP, or PA) as per individual state law and must be provided by a licensed or certified HHA; *and*
2. Member meets the definition of homebound (see [Definitions](#) section); *and*
3. Medical necessity criteria in the appropriate MCG Home Care Optimal Recovery Guidelines or MCG Home Care General Recovery Guidelines are met; *and*
4. A licensed clinician assesses and documents the necessity of HHA services; *and*

5. HHA services are a necessary and reasonable component of a care plan that exceeds the scope of custodial care and may include non-skilled services in addition to activities of daily living (see [Definitions](#) section); *and*
6. The plan of care is sufficiently detailed to determine the necessity of HHA services and includes the following elements:
 - a. A medical evaluation (qualified provider or practitioner within scope of state specific licensure) has been conducted within 30 days of the service dates; *and*
 - b. The diagnosis, the date of onset or exacerbation of the disorder/diagnosis, the duration, the severity, the anticipated course (stable, progressive or improving), and the prognosis; *and*
 - c. Prior level of functioning and current level of functioning; *and*
 - d. Long-term and short-term goals that are specific, quantitative, objective, and provide a reasonable estimate of when the goals will be reached; *and*
 - e. Frequency and duration of treatment; *and*
 - f. Specific treatment services to be provided; *and*
 - g. Discharge plan; *and*
7. Documentation of medical necessity should be reviewed when ANY of the following occur:
 - a. The plan of care exceeds the expected duration and/or estimated frequency of care; *or*
 - b. There is a change in the member's condition that may impact the plan of care; *or*
 - c. The specific goals are no longer expected to be achieved in a reasonable or expected duration of time.

General Medical Necessity Criteria - Hospice / End-of-Life or Palliative Care

For members receiving hospice/end-of-life or palliative care (please check plan benefits to verify hospice or palliative care benefit timeframes), home health aide (HHA) services are considered medically necessary for initial requests when ALL of the following criteria are met:

1. The treatment plan is prescribed by a licensed provider (MD, DO, NP, or PA) as per individual state law and must be provided by a licensed or certified HHA; and
2. Member meets the definition of homebound (see [Definitions](#) section); and
3. Member is terminally ill, presents with functional decline, and is certified by a medical practitioner for life expectancy less than twelve months for palliative care and less than six months for hospice/end-of-life care; and
4. The home health aide is under the supervision of a registered nurse and services are rendered as part of a hospice/end-of-life or palliative care program; and
5. ONE of the below:
 - a. Member may receive curative treatment while receiving palliative care; *or*
 - b. Member is not receiving curative treatment while in hospice/end-of-life care; and
6. A licensed clinician assesses and documents the necessity of HHA services; and
7. HHA services are a necessary and reasonable component of a care plan that exceeds the scope of custodial care, which includes non-skilled services in addition to activities of daily living (see [Definitions](#) section); and

8. The plan of care is sufficiently detailed to determine the necessity of HHA services and includes the following elements:
 - a. A medical evaluation (qualified provider or practitioner within scope of state specific licensure) has been conducted within 30 days of the service dates; and
 - b. The diagnosis, the date of onset or exacerbation of the disorder/diagnosis, the duration, the severity, the anticipated course (stable, progressive or improving), and the prognosis; and
 - c. Prior level of functioning and current level of functioning; and
 - d. Long-term and short-term goals that are specific, quantitative, objective, and provide a reasonable estimate of when the goals will be reached; and
 - e. Frequency and duration of treatment; and
 - f. Specific treatment services to be provided; and
 - g. Discharge plan; and
9. Documentation of medical necessity should be reviewed when ANY of the following occur:
 - a. The plan of care exceeds the expected duration and/or estimated frequency of care; or
 - b. There is a change in the member's condition that may impact the plan of care; or
 - c. The specific goals are no longer expected to be achieved in a reasonable or expected duration of time.

Continued Care

Medical Necessity Criteria for Subsequent Clinical Review

Subsequent Medical Necessity Criteria

Plan members who require continued home health aide visits beyond the original plan of care may receive extended treatment when BOTH of the following criteria are met:

1. A medical re-evaluation (qualified provider or practitioner within scope of state-specific licensure) has been conducted within 30 days of the service dates; *and*
2. ONE of the below:
 - a. Within the appropriate MCG Home Care Optimal Recovery Guidelines, the Extended Visits criteria are met; *or*
 - b. Within the appropriate MCG Home Care General Recovery Guidelines, the member is still in General Treatment Course Stage 2 or has not met all milestones in Stage 3.

Subsequent Medical Necessity Criteria - Hospice / End-of-Life or Palliative Care

Plan members who require continued home health aide visits beyond the original plan of care may receive extended treatment when BOTH of the following criteria are met:

1. For an extension request/recertification for hospice/end-of-life or palliative care, please see plan benefits and requirements; *and*
2. Member meets medical necessity for extension requests when General Medical Necessity Criteria - Hospice / End-of-Life or Palliative Care continue to be met.

Experimental or Investigational / Not Medically Necessary

Skilled care, and thus home health aide services, should be discontinued when ONE of the following is present:

1. Homebound status is no longer met; *or*
2. Member reaches the predetermined goals or skilled treatment is no longer required; *or*
3. Member has reached maximum rehabilitation potential; *or*
4. Goals will not be met and there is no expectation of meeting them in reasonable time; *or*
5. Member can safely and effectively continue their rehabilitation independently; *or*
6. Member's medical condition prevents further need; *or*
7. Member refuses treatment on a regular basis.

Home health aide services are NOT considered medically necessary for the following:

1. Member does not meet the definition of homebound; *or*
2. Skilled care is not medically necessary or is not provided for a specific illness or injury; *or*
3. Chronic illness / chronic flare-ups or exacerbations that did not result in a decline in function or related to an acute exacerbation; *or*
4. Home health aide services ordered solely for ADL or IADL assistance; *or*
5. Home health aide services for any of the following:
 - a. Babysitting or childcare services
 - b. Housekeeping, except for the member's immediate surrounding area
 - c. Transportation
6. Long-term maintenance therapy, as it is aimed to preserve the present level of function or preventing regression below an acceptable level of functioning; *or*
7. Custodial care or long-term care services, which may include:
 - a. Personal care aides (PCAs) or personal care workers (PCWs)
 - b. If solely for long-term or non-skilled assistance with ADLs
 - c. If solely for long-term or non-skilled assistance with IADLs
 - d. Turning or positioning
 - e. Application of skin creams or lotions
 - f. Routine care for incontinence
 - g. Routine administration of oral medications
 - h. General maintenance of colostomy and ileostomy
 - i. Routine indwelling bladder catheter care
 - j. Routine supervision of exercises that have already been taught to the member or caregiver

Applicable Billing Codes

Table 1	
CPT/HCPCS codes considered medically necessary if criteria are met:	
<i>Code</i>	<i>Description</i>
99509	Home visit for assistance with activities of daily living and personal care
G0156	Services of home health/hospice aide in home health or hospice settings, each 15 minutes
S9122	Home health aide or certified nurse assistant, providing care in the home; per hour
T1004	Services of a qualified nursing aide, up to 15 minutes
T1021	Home health aide or certified nurse assistant, per visit

Table 2	
CPT/HCPCS codes <u>not considered medically necessary</u> for indications in this guideline:	
<i>Code</i>	<i>Description</i>
S5120	Chore services; per 15 minutes
S5121	Chore services; per diem
S5125	Attendant care services; per 15 minutes
S5126	Attendant care services; per diem
S5130	Assistance with household management and upkeep, provided in 15-minute increments.
S5131	Homemaker service, NOS; per diem
S5135	Companion care, adult (e.g., IADL/ADL); per 15 minutes
S5136	Companion care, adult (e.g., IADL/ADL); per diem
T1019	Personal care services, per 15 minutes, not for an inpatient or resident of a hospital, nursing facility, ICF/MR or IMD, part of the individualized plan of treatment (code may not be used to identify services provided by home health aide or certified nurse assistant)
T1020	Personal care services, per diem, not for an inpatient or resident of a hospital, nursing facility, ICF/MR or IMD, part of the individualized plan of treatment (code may not be used to identify services provided by home health aide or certified nurse assistant)

References

1. AARP Foundation. (n.d.). *Long-term services & supports*. <https://www.longtermscorecard.org/>
2. Centers for Medicare & Medicaid Services (CMS). *Glossary*. <https://www.cms.gov/glossary>

3. Centers for Medicare & Medicaid Services (CMS). (2023). *Medicare benefit policy manual chapter 7 - Home health services*.
<https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/Downloads/bp102c07.pdf>
4. Centers for Medicare & Medicaid Services (CMS). (2025). *Medicare benefit policy manual chapter 9 - Coverage of hospice services under hospital insurance*.
<https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/Downloads/bp102c09.pdf>
5. Franzosa, E., Tsui, E. K., & Baron, S. (2018). Home health aides' perceptions of quality care: Goals, challenges, and implications for a rapidly changing industry. *New Solutions*, 27(4), 629–647. <https://doi.org/10.1177/1048291117740818>
6. Meier, D.E., McCormick, E., & Lagman, R.L. (2025, September 30). *Hospice: Philosophy of care and appropriate utilization in the United States*. UpToDate.
<https://www.uptodate.com/contents/hospice-philosophy-of-care-and-appropriate-utilization-in-the-united-states>
7. Meier, D. E., Back, A. L., Berman, A., Block, S. D., Corrigan, J. M., & Morrison, R. S. (2017). A national strategy for palliative care. *Health Affairs*, 36(7), 1265–1273.
<https://doi.org/10.1377/hlthaff.2017.0164>
8. Michel, J. P., Beattie, B. L., Martin, F. C., & Walston, J. D. (Eds.). (2018). *Oxford textbook of geriatric medicine*. Oxford University Press.
9. National Hospice and Palliative Care Organization (NHPCO). (2024). *NHPCO facts and figures report, 2024 edition*. <https://www.nhpc.org/hospice-care-overview/hospice-facts-figures/>
10. National Institute on Aging (NIA). (2021, May 14). *What are palliative care and hospice care?*
<https://www.nia.nih.gov/health/hospice-and-palliative-care/what-are-palliative-care-and-hospice-care>
11. Okon, T.R., & Christensen, A. (2024, February 29). *Overview of comprehensive patient assessment in palliative care*. UpToDate.
<https://www.uptodate.com/contents/overview-of-comprehensive-patient-assessment-in-palliative-care>
12. Ritchie, C. S., Leff, B., Garrigues, S. K., Perissinotto, C., Sheehan, O. C., & Harrison, K. L. (2018). A quality of care framework for home-based medical care. *Journal of the American Medical Directors Association*, 19(10), 818–823. <https://doi.org/10.1016/j.jamda.2018.05.020>
13. Russell, D., Mola, A., Onorato, N., Johnson, S., Williams, J., Andaya, M., & Flannery, M. (2017). Preparing home health aides to serve as health coaches for home care patients with chronic illness: Findings and Lessons learned from a mixed-method evaluation of two pilot programs. *Home Health Care Management & Practice*, 29(3), 191–198.
<https://doi.org/10.1177/1084822317706080>
14. Smith, L. M., Anderson, W. L., Lines, L. M., Pronier, C., Thornburg, V., Butler, J. P., Teichman, L., Dean-Whittaker, D., & Goldstein, E. (2017). Patient experience and process measures of quality of care at home health agencies: Factors associated with high performance. *Home Health Care Services Quarterly*, 36(1), 29–45. <https://doi.org/10.1080/01621424.2017.1320698>
15. Spetz, J. (2019). *Research brief: Home health aides and personal care assistants: Scope of practice regulations and their impact on care*. Healthforce Center at UCSF.

<https://healthforce.ucsf.edu/sites/healthforce.ucsf.edu/files/publication-pdf/HomeCareAidesScopePracticeLaws.pdf>

16. Stone, R. I., & Bryant, N. S. (2019). The future of the home care workforce: Training and supporting aides as members of home-based care teams. *Journal of the American Geriatrics Society*, 67(S2). <https://doi.org/10.1111/jgs.15846>

Clinical Guideline Revision / History Information

Original Date: 4/11/2017

Reviewed/Revised: 1/18/2018, 4/13/2018, 4/15/2019, 7/21/2020, 04/21/2021, 12/01/2021, 04/25/2022, 05/02/2023, 04/16/2024, 09/01/2025, 08/01/2026