

FIA FLOOR LAMP

Assembly Instructions


URBAN OUTFITTERS

BULBS NOT INCLUDED


Do not throw away packing materials and carton until after assembly.
Assemble all parts on a clean smooth surface

CARE INSTRUCTIONS:

Avoid direct exposure to sunlight. Do not place over heat or air conditioning vents.
Blot spills do not rub, with a clean white cloth.
Do not use harsh chemicals.
Before cleaning any part test a small spot in a hidden area.




PARTS INCLUDED




(A) Lamp Base



(B) Lamp Shade



(C) Diffuser



(D) Gimbal



(E) E26 Shade Ring



(F) Finial



(G) Hooks x3



(H) EVA (sticky) Pad x3


FIA FLOOR LAMP

Assembly Instructions

URBAN OUTFITTERS

STEP 1

Attach the Diffuser (C) to the Shade (B) using hooks (G) to make complete shade (BC).



FIA FLOOR LAMP


Assembly Instructions

URBAN OUTFITTERS

STEPS 2 - 8

- 2 - Install a light bulb in the bottom bulb holder.
- 3 - Unscrew the E26 Shade Ring (E).
- 4 - Align the Gimbal (D) onto the top bulb holder.
- 5 - Secure with the E26 Shade Ring (E).
- 6 - Install a light bulb into the top bulb holder.
- 7 - Align the Lamp Shade (BC) onto the Gimbal (D).
- 8 - Secure with the Finial (F).

NOTE: Use 2 x E26 (MAX) 15W SB LED bulbs,
DO NOT use bulbs that exceed the recommended wattage.



FIA FLOOR LAMP

URBAN OUTFITTERS

Assembly Instructions

NOTE

As the shade is made of natural Seagrass its weight is not always evenly distributed. This can cause the shade to hang at an angle to vertical. If you find this with your light please:

- 1 - Remove the Finial (F).
- 2 - Place EVA (sticky) Pad (H) on the top ring of the Lamp Shade.
- 3 - Re-hang the lamp shade, rotating until it hangs vertically.
- 4 - Gently re-tighten the finial to secure the lamp shade, taking care not to over-tighten (and thereby flatten the sticky pad). Three pads are provided but only one should be needed.

