




Mannington Apex 3 Tier Display

ASSEMBLY INSTRUCTIONS

MARCH 2018


CARTON CONTENTS

Mannington Apex 3 Tier Display Parts List March,2018

<u>Order Code</u>	<u>Material</u>	<u>Description (cartons in BOLD)</u>	<u>Carton Qty</u>	<u>Part Qty</u>
900400	348615	AMV-36 Display Components	1	
900410	349959	AMV-36 Left Leg		1
900403	348619	AMV-12/36 Right Leg		1
900411	349961	AMV-36 Left Mid Leg		1
900412	349963	AMV-36 Right Mid Leg		1
900413	349964	AMV-36 Base Support		1
900414	349967	AMV-36 Header Bracket		1
900415	349968	AMV-36 Brace Bracket		2
804503	288915	logo header - 2015 update		1
900416	349970	AMV-36 hardware bag		1
803171	313426	AMV Foam Lock		4
n/a	n/a	Instruction Sheet		1
900401	348616	AMV-36 Base & Graphics *	1	
900417	349971	AMV-36 Base Panel		1
900418	349972	AMV-36 Brace		1
803167	313422	AMV Header Panel - Black *		1
803168	313423	AMV Subheader A		1
803169	313424	AMV Subheader B		1
900407	349955	AMV-12 Header Panel - Black w/channels		1
900408	349956	AMV-12 Header Graphic		1
900397	348611	Adura Max Value Rails (6 sets) *	2	
803170	313425	AMV Triple Rail Set (L+R) - Black		6

* - NOTE THESE PARTS/QUANTITIES
WILL CHANGE FOR APEX DISPLAY


RECOMMENDED TOOLS




CORDLESS
POWER DRILL



PHILLIPS HEAD
SCREWDRIVER



4mm HEX KEY



Be sure to provide a minimum of 23.8" to install this display.
Display Foot Print: 64.8" x 23.8" x 80.0"



**HAND TIGHTEN ALL FASTENERS
DURING ASSEMBLY.**

**WHEN ASSEMBLY IS COMPLETED
USE APPROPRIATE TOOLS TO SECURE
ALL FASTENERS PERMANENTLY.**

SAFETY GUIDELINES

**Failure to follow the assembly instructions
could result in damage or injury.**

**Install in a level and stable location. If not on a
level surface please level before installation.**

**Assemble display in the area it will occupy.
Never attempt to move display after loading.**

**When using any power tools, always use
eye protection.**



**Do not work on this display with product in it.
Unload display before relocating unit.
Failure to do this may result in damage or injury.**




**For proper installation and safety follow all steps
in sequential order.**

Two people required to set up this display.




For customer assistance: POPServices@artguildinc.com
or call 877.233.7962 and ask for Mannington representative.


PARTS




LEFT LEG
1x




LEFT-MID LEG
1x




RIGHT-MID LEG
1x




RIGHT LEG
1x




STAND OFF
HOOK
1x




HEADER
BRACKET
1x




BRACE
BRACKET
2x




GRAPHIC CHANNEL
2x




BASE
SUPPORT
1x



MANNINGTON
HEADER
1x



LEFT TRIPLE RAIL
12x
(8x for Apex)




RIGHT TRIPLE RAIL
12x
(8x for Apex)




For customer assistance: POPServices@artguildinc.com
or call **877.233.7962** and ask for Mannington representative.


PARTS




BASE
1x




BRACE
1x




LARGE HEADER
1x



SMALL HEADER
1x



HEADER
GRAPHIC
1x




MAIN
GRAPHIC
2x




For customer assistance: POPServices@artguildinc.com
or call **877.233.7962** and ask for Mannington representative.

HARDWARE




NO_10 x .625 FLAT
HEAD SCREW - BLACK
6x




.5in BOLT
18x




#10x58 PH-PH
10x




CONFRAMAT
SCREW
3x




LEVELER
4x




40mm DECO WOOD
SCREW - BLACK
4x




FOAM LOCK
4x




4mm HEX KEY
1x



SPACER
2x



HANGER BOLT
2x




WING NUT
2x



For customer assistance: POPServices@artguildinc.com
or call **877.233.7962** and ask for Mannington representative.


Step 1

TOP VIEW




CONFRAMAT
SCREW
3x




BOTTOM VIEW




#10x58 PH-PH
4x



Step 2





Step 3




Step 4


Apex 3 Tier Conversion



LEFT TRIPLE RAIL
12x
(8x for Apex)




RIGHT TRIPLE RAIL
12x
(8x for Apex)



Step 5


Apex 3 Tier Conversion



HEADER
BRACKET
1x

STAND OFF
HOOK
1x

.5in BOLT
2x




.5in BOLT
2x


STAND OFF HOOK
1x

NOTE: NO RAIL HERE FOR APEX. REFER TO
INSTRUCTIONS IN SAP 373985.


Step 6



.5in BOLT
4x




REAR VIEW






LARGE HEADER
1x

.5in BOLT
4x



Step 7




Step 8



Step 9




FOAM LOCK
4x




TOP VIEW

NOTE: FOAM LOCK IS
LOCATED BETWEEN THE
OUTSIDE FLANGE.



NOTE: SLIDE THE
GRAPHIC INTO
LEG CHANNEL TO
THIS POSITION.



**CONGRATULATIONS YOU HAVE SUCCESSFULLY ASSEMBLED
THE Mannington Apex 3 Tier Display**

NEVER MOVE LOADED DISPLAY

MAKE SURE ALL FASTENERS ARE TIGHTENED