SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

Mannington Mills, Inc

75 Mannington Mills Road, P.O. Box 30, Salem, NJ, United States

For the following product(s):

Engineered Hardwood Flooring:

Antigua Collection (Pacaya Mesquite, Mercado Oak), Bengal Bay (Plank and Random), Chateau, Cider Mill Oak, Iberian Hazelwood, Kodiak, Latitude (Park City, Park City Herringbone, Prospect Park, Forest Park), Maison Collection (Normandy Oak, Provence Hickory, Versailles Maple, Smokehouse Oak, Smokehouse Maple, Smokehouse Hickory, Triumph), Momentum, Mountain View XL, Sanctuary, TimberPlus



The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

FloorScore®

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.1 Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)



Registration # SCS-FS-02048

Valid from: October 1, 2022 to September 30, 2023

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, http://www.scsglobalservices.com/certified-green-products-guide.



Stanley Mathuram, PE, Executive Vice President SCS Global Services

2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA