


**Better than render,
for the modern look.**



NEW

Hardie™ Fine Texture Cladding



SAVE TIME

Clad and paint on the same day¹



SAVE COST

Up to 30% less than rendered brick²



SAVE COMPLEXITY

Less trades on site (no need for a renderer)

Rendered walls with chippies not brickies.

With Hardie™ Fine Texture Cladding, the chippies who build your frame can also install the pre-textured cladding straight away. This means, there is no need to wait for brick walls to be built or other trades to trowel on cement render.

Hardie™ Fine Texture Cladding has a fine render texture embedded in the fibre cement panel. It's pre-sealed and ready to paint, giving any colour a beautiful matte appearance. Plus, it's durable and lower maintenance than traditional cement render, so it stays looking great for years to come.



3 reasons to use Hardie™ Fine Texture Cladding to achieve a modern render look.



SAVE TIME

Clad and paint on same day*, so you can complete projects sooner.

- No more waiting around for brickies or renderers because your carpenters can install it.
- No joint compounds or patch filler needed, so there's no drying time.
- No need for primer – the panels are pre-sealed, so you can just roll-on regular exterior acrylic paint.



SAVE COST

Reduce on-the-wall costs by up to 30% compared to rendered brick*.

- No need to hire trades to set joints or apply acrylic texture coats.
- The shiplap joints can take up minor house movement. Whereas set joints can crack resulting in rectification costs.



SAVE COMPLEXITY

Simplify your builds by reducing the number of trades on site.

- Less coordinating, scheduling, and administration.
- Less mess to clean up without masonry and cement render.
- Less risk of delays.

3 steps for fast, easy installation.

Before you start installing Hardie™ Fine Texture Cladding, read the Installation Guide on the James Hardie website, or use the QR code below. It covers all the required components, tools and accessories, design guidance, safe working practices, and warranty information.

1 Set-out

- Place the vertical shiplap joints so they're symmetrical or lined up with openings.
- Set out the timber frame at 600mm stud centres* to suit the 1200mm wide sheets.



Affix 2

- Install the HardieWrap™ Weather Barrier, corner and flashing accessories.
- Apply foam backing tape to the stud behind each vertical sheet joint.
- Affix with 14 gauge ND 50mm stainless steel Brad Nails* driven flush.
- Apply Hardie™ Joint Sealant to the shiplap joint and fix the next panel.



3 Paint


- Nail heads should blend into the texture and not need filling.
- Apply regular exterior acrylic paint with a nap roller that's at least 12mm.
- For best results use a low-sheen or matte paint.



Tip

To avoid the need for patching, care needs to be taken so panel edges are not damaged. Also, gun nail depths need to be adjusted using offcuts to avoid over-driven nails.

Scan here for Hardie™ Fine Texture Cladding Installation Guide



*The installation summary refers to fixing direct to a timber frame with stud spacing and fasteners suitable for N1, N2, N3/C1 wind classifications. For cavity fix and higher wind classifications see the installation guide.



Endless design possibilities.

Redefine style in appealing new ways with Hardie™ Fine Texture Cladding.

Now it's easy to give homeowners the clean lines and modern look they want, without the hassles of render. Ideal for renovations or new builds, Hardie™ Fine Texture Cladding gives you endless design possibilities.

It's Possible™ with James Hardie.

Brick Home Double Storey Addition



Brief: Add an additional floor that both complements and contrasts with the original form.



Walls: Hardie™ Fine Texture Cladding
Paint: Dulux Lexicon® Quarter

Inner City Cottage Upper Storey Addition



Brief: Modernise and add extra space to a classic worker's cottage.



Walls: Hardie™ Fine Texture Cladding
Paint: Dulux Natural White™

California Bungalow Double Storey Addition



Brief: Add space and style for a growing family whilst keeping the home's eclectic charm.



Walls: Hardie™ Fine Texture Cladding, Linea™ Weatherboard
Paint: Dulux Colorbond® Monument®

60/70s Brick Home Modern Ground Floor Addition



Brief: Utilise the large block and improve functionality by creating an entertaining space connected to the outdoor area.



Walls: Hardie™ Fine Texture Cladding
Paint: Dulux Timeless Grey




Box Modern New Build*

Brief: Develop a contemporary solution for a narrow block.

Walls: Hardie™ Fine Texture Cladding

Paint: Dulux Lexicon® Quarter, and Dulux Colorbond® Monument®

Scan here for Hardie™ Fine Texture Cladding Builder Testimonial Video



*Images are concept illustrations



Hardie™ Fine Texture Cladding specifications.

Hardie™ Fine Texture Cladding panels are 1200mm wide to suit 600mm stud centres. They come in lengths to suit common wall sizes, reducing waste.

The pre-textured panels adhere to bushfire attack level requirements to BAL40 and fire ratings of up to 60 minutes when used with HardieSmart™ wall systems.

It's built to resist damage from moisture and termites and cracking that can occur with traditional render.

PRODUCT CODE	NAME	LENGTH	WIDTH	THICKNESS
405252	Hardie™ Fine Texture Cladding	2440 mm	1200 mm	8.5 mm
405253	Hardie™ Fine Texture Cladding	3000 mm	1200 mm	8.5 mm
405254	Hardie™ Fine Texture Cladding	3600 mm	1200 mm	8.5 mm
405255	Hardie™ Fine Texture Cladding	2750 mm	1200 mm	8.5 mm



SPEED OF INSTALLATION

The cladding panels are easily fixed to timber or light gauge steel frames and are pre-sealed and ready to paint.



FIRE RESISTANT

Adheres to bushfire attack level requirements to BAL40. Fire rating up to 60 minutes when used with HardieSmart™ wall systems.



RENDER LOOK

A fine texture is embedded into the panel for a rendered wall look without the weight or hassle of brickwork.




LOW MAINTENANCE

The embedded texture and shiplap joints reduce the risk of deterioration and cracking associated with traditional cement render.

Clever accessories make it easy to build the modern look.

James Hardie's 9mm accessory range provides options to help you deliver outstanding design. The fibre cement panels have a precise shiplap joint which ensures an enduring quality finish with a reduced risk of cracking that traditional render can bring.



HardieEdge™ Base Trim 305911

A powder-coated slab edge solution.



Designer Accessories

Time-saving Accessories

EXTERNAL CORNERS

James Hardie™ 9mm Aluminium External Slimline Corner
3000mm long
306102



James Hardie™ 9mm Aluminium External Corner
3000mm long
305521



INTERNAL CORNERS

James Hardie™ 9mm Aluminium Internal Concave Corner
3000mm long
306103



James Hardie™ 9mm Aluminium Internal Corner
3000mm long
305520



HORIZONTAL FLASHING

James Hardie™ 9mm Horizontal T Flashing
3000mm long
306040



James Hardie™ 9mm Horizontal h Flashing
3000mm long
305613



Create diverse designs easily by mixing Axon™ Cladding with Hardie™ Fine Texture Cladding, using the shared James Hardie™ 9mm accessories.



Axon™ Cladding
400 Smooth



Axon™ Cladding
133 Smooth



Scan here for Hardie™ Fine Texture Cladding Product Specifications





For information and advice
Call 13 11 03
Visit [jameshardie.com.au](https://www.jameshardie.com.au)
Scan QR code

Australia June 2021

© 2021 James Hardie Australia Pty Ltd ABN 12 084 558

TM and ® denote trademark or registered mark owned by James Hardie Technology Limited.

Dulux®, Colorbond® and Monument® are registered trademarks of their respective owners and are not owned by James Hardie Technology Limited.

1. Start painting the same day, as the board comes factory pre-sealed and pre-textured.
2. Comparison based on builder case studies, and modelled installation costs for a fully built and painted wall (9.0 m long x 2.4 m high + 1 x door + 1 window) using data sourced from Estimates Australia (2020).