

# VAULT WALL/CEILING

---

ORDERING MANUAL ACOUSTIC TILE

**ateljé Lyktan**

For square Vault systems made of 1144 mm Light bars an acoustic tile from Ecophon is available as an accessory. The acoustic tile is held in place by a white lacquered metal frame or small metal clips if the tiles are adjacent and rests on discharge brackets.


Metal frame, clips, discharge bracket and acoustic tile are available as accessories.

*Note that the acoustic tile must be fixed on all four sides.*






An acoustic tile held in place by a white lacquered metal frame.



Vault Wall with acoustic tile to the left.


## ARTICLE NUMBERS ACCESSORIES

2000267 VAULT WALL/CEILING ACOUSTIC TILE COVER PLATE




Metal frame (1 pce) for acoustic tile. Used on sides that are not adjacent to another acoustic tile.

2000268 VAULT WALL/CEILING ACOUSTIC TILE DISCHARGE BRACKETS




Metal brackets fixed to the wall bracket to hold the weight of the acoustic tile and secure the Light bar. (1 pce per Light bar.)

2000257 VAULT ACOUSTIC TILE ANGLE BRACKETS



Metal clips for sides where two tiles are adjacent to each other.


2000258 VAULT ACOUSTIC TILE 1200x1200



Ecophon Focus A 1200x1200 acoustic tile in mineral wool.  
1 pce per 1144 square.


## ORDER EXAMPLES

1 acoustic tile




4 x 2000267  
1 x 2000268  
1 x 2000258

2 acoustic tiles (adjacent)




6 x 2000267  
1 x 2000257  
7 x 2000268  
2 x 2000258


2 acoustic tiles (not adjacent)



8 x 2000267  
8 x 2000268  
2 x 2000258



Not allowed, the acoustic plate must rest on all four sides.



**ateljé Lyktan**