

**ateljé Lyktan**




**OGLE MINI**

Design by Form Us With Love

## Flexible spotlight with its own expression

In 2009, design studio Form Us With Love created the luminaire called Ogle. There was a gap in the market for pendant spotlights that could be easily adjusted to direct the light. "We wanted a lamp that looks good by itself but also among a group of lamps", says Form Us With Love.


Now there is a new addition to the Ogle series, Ogle Mini. A lamp measuring only 90 mm in diameter, cast entirely in aluminum. The luminaire has a lampshade where a LED eye keeps watch at the bottom. An eye that can shift its gaze thanks to a groove on top of the lamp.








## Standard finish




White  
NCS S0500-N G20




Black  
NCS 8000-N


## Optional colours




Dusty purple  
NCS S5040-R30B




Grey  
NCS S5502-Y




Champagne  
NCS S 3030-Y20R




Salmon pink  
NCS S2040-Y80R




Turquoise  
NCS S3030-B30G



Dusty blue  
NCS S6020-B



Dusty pink  
NCS S1515-R



Dusty green  
NCS S6010-G70Y

## Product information

Material	Die-cast aluminium.
Installation	Pendant: Suspended from cable, 3 m or tube pendant 0.5, 0.7 or 1 m. Ceiling: Mounted on 1-phase or 3-phase rail. 3-phase also fits with FixPoint fitting. Wall: Mounted on wall bracket with two-point suspension. External cable possible.
Connection	Pendant: Feed cable 2x0.75 mm <sup>2</sup> . Rose with terminal block 2x2.5 mm <sup>2</sup> . Halogen-free cable. Ceiling: 1-phase adapter GB66 for Global Track base rail. 3-phase multi-adapter GA69 (Global Track). Wall: terminal block 3x2.5 mm <sup>2</sup> . Table: Supplied with feed cable 2x0.75 mm <sup>2</sup> with plug, length 2.5 m. Manual dimmer on lamp foot. Floor: Supplied with feed cable 2x0.75 mm <sup>2</sup> with plug, length 3 m. Dimmable foot switch.
Light source	Recommended light source Master LED is dimmable.
Other	Ogle Mini can be tilted up to 90° and is 360° adjustable which gives very flexible lighting. Pendants and hanging rods in different lengths allow the construction of cluster formations.
Measure (mm)	Pendant: Ø90xH100. Ceiling: Ø90xH172. Wall: L90xB100xH155 / L90xB200xH155. Table: Ø165(foot)xH391. Floor: Ø250(foot)xH1244
Article no. (etc.)	<a href="http://www.atelje-lyktan.com">www.atelje-lyktan.com</a>





# ateljé Lyktan

## HEAD OFFICE

Fyrvaktaregatan 7, SE-296 81 Åhus  
+46 (0)44 28 98 00, [info@ateljelyktan.se](mailto:info@ateljelyktan.se)

## OFFICES

- > Hesselmans Torg 9, 131 54 Nacka
- > Fabriksgatan 7, 412 50 Göteborg
- > Slussgatan 10, 211 30 Malmö
- > Västra Varvgatan 3, 972 36 Luleå
- > 33-34 Dolben Street, GB-SE1 0UQ London
- > Strandveien 30, Pb 471, N-1327 Lysaker
- > Mannerheimintie 113, FI-00280 Helsinki
- > Leninskaya Sloboda str. 26, bld. C, office 418, RU-115280 Moscow
- > Axelsestraat 49, NL-4543 CD Zaamslag
- > 25 Tagore Lane #03-10, Singapore G Building, Singapore 787602

[www.ateljelyktan.com](http://www.ateljelyktan.com)