

Kroll Version 10 Service Pack 9

Release Notes



Contents

User Interface1

[42055] 'Last Filled date' added to ODB MedsCheck Pharmacist Worksheet (Ontario)	1
[41587] 'Use Aggressive ODB Frequency Of Dispensing Fee Adjudication' configuration setting (Ontario)	2
[41970] Pharmacist Prescribe reason prompt (Saskatchewan)	2
[39774] Medication Reviews: First/last name of doctor pulled from PharmaNet prints in report (British Columbia)	4
[31831] Number of copies option in Medication Review Print form (British Columbia)	5
[40654] PharmaCare special authority status receipt change (British Columbia)	6
[39447] User fields added to F5 - Drug card	6
[36943] PharmaNet Patient Profile refresh	7
[39274] OCM phone entries included in patient search results	8
[39732] Phone number/email delete prompt	9
[39722] 'Patient Name' column in Central Fill Order List	10
[42054] ODB MedsCheck Consent expiry warning on F12 screen	10
[41670] FOD Consent expiry warning on F12 screen	11
[37008] Label logo configuration settings	11
[40641] Reason code text displayed in full	15
[36088] Supplies list added to F5 - Mixture cards	16
[39695] Calendar screen implemented	17

Reports, Labels, and Hardcopies18

[34054] Limited Use Reports: Plans and subplans filter (Ontario, British Columbia)	18
[39737] Hardcopy Report columns selectable (British Columbia)	19
[41842] DIS Rx number, Rx expiry date, pharmacist initials added to label reports (Newfoundland and Labrador)	20
[40626] Workflow Business Summary - Date Range Report save-to folder option	22

[40198] Drug Usage Report changes.....	23
[40092] Patient date of birth in PACMED Report	24
[40451] Rx Stop/Expiry/Inactivated/Copied Report: 'Sort by' option added	24
Miscellaneous	25
[35979] Structured dosing support (Saskatchewan)	25
[32533] Unipharm: Password required for targeted drug orders	25
[38348] Option to bypass Adjudication Response screen added	26
[39825] Users with 'View Non Financial Reports' permission can perform inventory receive	26
[42098] McKesson Order Web Service	27

Kroll Version 10 Service Pack 9 Release Notes

This document is a compilation of changes and enhancements in Kroll Version 10 Service Pack 9. It is intended to keep users abreast of changes to the software, and to help users implement and adapt to those changes.

User Interface

[42055] 'Last Filled date' added to ODB MedsCheck Pharmacist Worksheet (Ontario)


Feature: The **Last Filled date** now prints for each Rx included in the **MedsCheck Report Pharmacist Worksheet**.

Current Medication List (attach printed records if available. Information to populate MedsCheck Personal Medication Record where appropriate)			
Medication 1			
Name of Drug/Product (generic/brand) Apo-Atorvastatin			
Strength of Drug/Product 20mg			
Dosage Form TAB		Indication	
Directions for Use TAKE 1 TABLET DAILY	Last Filled date 2016/12/23	Adherence Issue <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Rx?OTC?NHP? Rx
Patient Comments (i.e. how they actually take it, side effects, etc.) testing			
Pharmacist Notes (i.e. disposition of drug therapy problem, recommendations, etc.) pharmacistnote			
Comments for MedsCheck Record Local			

Impact: Improves the comprehensiveness of the **MedsCheck Report**.

[41587] 'Use Aggressive ODB Frequency Of Dispensing Fee Adjudication' configuration setting (Ontario)

Feature: A 'Use Aggressive ODB Frequency Of Dispensing Fee Adjudication' configuration setting has been added to the **Store Level Configuration Parameters > Rx > 2 - Pricing** screen.



Impact: When this setting is enabled:


- The dispensing fee is not pre-discounted;
- The UN intervention code is sent to ODB if both the patient and the drug are eligible for this code;
- If the claim is rejected with a 65 intervention code error, the system will automatically remove the UN intervention code and retry the claim.

Notes: This setting is disabled by default.

[41970] Pharmacist Prescribe reason prompt (Saskatchewan)


Feature: Users are now prompted to select one of the following reasons when filling a Pharmacist Prescribe Rx:

- Formulation or dosage form modification
- Interim supply of medication
- Maintenance therapy
- Emergency supply of medication
- Incomplete prescription
- Extending refill(s) during physician absence
- Medication for minor ailment
- Seamless care



Impact: Complies with Saskatchewan requirements.

Notes: The prescribe reason is mandatory when dispensing a Pharmacist Prescribe Rx. A warning message will appear indicating a pharmacist prescribe reason must be specified will appear if users attempt to perform a pharmacist prescribe without entering a reason. Users will be unable to fill the Rx unless a reason is selected.



[39774] Medication Reviews: First/last name of doctor pulled from PharmaNet prints in report (British Columbia)

Feature: When Rxs that were filled in another pharmacy are selected from PharmaNet during a Medication Review, the doctor's first and last name now prints in the **BEST POSSIBLE MEDICATION HISTORY (BPMH) - Health Care Professionals Section**.


BEST POSSIBLE MEDICATION HISTORY (BPMH) - Health Care Professionals Section					
CLINICAL NEED FOR SERVICE					
Has a prescriber requested a medication review: Yes, Prescriber:					
<i>Patient:</i>					
<input checked="" type="checkbox"/>	Has multiple diseases	<input checked="" type="checkbox"/>	Has been recently discharged from hospital		
<input checked="" type="checkbox"/>	Has one or more chronic diseases	<input checked="" type="checkbox"/>	Takes medication(s) that require laboratory monitoring		
<input type="checkbox"/>	Has a drug therapy problem	<input checked="" type="checkbox"/>	Has a medication regimen including one of more natural health products		
<input checked="" type="checkbox"/>	Has multiple prescribers	<input checked="" type="checkbox"/>	Has a medication regimen including one of more non-prescription medications		
CURRENT MEDICATIONS					
	NAME OF DRUG & STRENGTH	PRESCRIBER NAME & PROFESSION <small>For example: physician/MD, RPN, naturopath, pharmacist, patient</small>	VERIFIED <small>Continue as per 1 = PHARMANET or 2 = PATIENT (different than PharmaNet) or 3 = PATIENT (not in PharmaNet)</small>	ACTION <small>For example: Drug Therapy Problem plan, referral, follow up required</small>	NOTES <small>(if applicable)</small>
1	TAB IR, DR Diclofenac Sodium/Misoprostol 50 MG-200	Dr. Doctor, Test	1 - PharmaNet		

Impact: Ensures comprehensive prescriber information is included in the report.

Notes: In order for the doctor's name to print in the report, the doctor must have a record in the local system that includes a matching name and prescriber ID.

[31831] Number of copies option in Medication Review Print form (British Columbia)

Feature: A **Patient Section - Number of Copies** field has been added to the **Medication Review Report** form.



Impact: Allows users to print multiple copies of the **BEST POSSIBLE MEDICATION HISTORY (BPHM) - Patient Section**.


Notes: The **Copies** field shows a default value of '1'. If two or more copies are printed, the 1D barcode will print on the first copy only.

[40654] PharmaCare special authority status receipt change (British Columbia)

Feature: The PharmaNet S/A, RBP, LCA, and BEN(efit) statuses now print on the receipt for all prescriptions, shown as “BCSAxxxx” where “xxxx” represents each status. If a Pacific Blue Cross (PBC) plan also exists on the Rx, this information is now passed along in the adjudication claim. If a PBC patient has a BC Pharmacare Special Authority approval for a drug, the claim will now be paid immediately for any PBC plan that requires Special Authorization (code RW). PBC patients will no longer be required to submit Pharmacare approval paperwork.

[39447] User fields added to F5 - Drug card


Feature: Three configurable user fields have been added to the newly-created **User Fields** tab in the **F5 - Drug** card.



The screenshot displays the F5 - Drug card interface. The top menu bar includes File, Edit, Recent, Drug, Reports, Utilities, NH, Central Fill, Cards, Session, and Help. Below the menu bar are tabs for F3 - Patient, F5 - Drug, F7 - Doctor, F9 - Workflow, F10 - Pickup, F11 - Drop-off, F12 - New Rx, and Alt+X - Start. The F5 - Drug tab is active, showing a form for drug entry. The form includes fields for Name (222), DIN (00108161), Generic (ASA/Codeine Phosphate), Strength (375/8mg), Sched N (Narcotics), Description (White Tab '222'), Followup (Days), Form (TAB (Tablet)), Route (Not Set), Manufacturer (JIM (Johnson & Johnson - Merck Consur), Handling Instr., Price Group (None), Department (<None>), Marketing Msg (<None>), Fee for Svc., and Drug Sub. There are also checkboxes for Reportable, Dispense as Pack, Ward Stock, Trial, Device, Rx Sync, Print compliance calendar, Eligible for coupon, Flavor Rx, Health Inform/Rx Canada, Class, Clinical Form, and Nova Scotia Triplicate. A red box highlights the User Fields tab at the bottom, which contains three fields: Product ID (566666343), User Field 2 (655kemeb), and User Field 3 (khye699).

Impact: Improves KCDR reporting procedures.

Notes: The drug user field labels can be customized in the **Store Level Configuration Parameters > Drug** screen.




Store Level Configuration Parameters	
General Patient Drug Doctor Rx FDB Adjudication Labels Reports Security Interfaces Order X - AR Y - To Do Purge	
Cost Labels Selling: McKesson User Cost 1: User Cost Test User Cost 2: SK Net User Cost 3: SK Lowest User Cost 4: User Cost 4	Mixtures Fee per minute: 100 ¢ Don't charge fees for mixtures less than or equal to 0 minutes Percentage of mix fee to be added to the upcharge: 0 % Default mixture time set: <None> <input checked="" type="checkbox"/> Allow changes to mixtures with Rx usage

Drug User Field Labels
 User Field 1: Product ID
 User Field 2: User Field 2
 User Field 3: User Field 3

[36943] PharmaNet Patient Profile refresh

Feature: The **PharmaNet Patient Profile** screen now automatically refreshes after the user applies updates to an adverse reaction. A blue triangle will appear next to the drug indicating the update has been successfully applied.




PharmaNet Patient Profile					
View					
Patient: Benezra, Chad		Male	DOB: 19-Jul-1958	PHN: 9026762813	
Clinical Conditions (148)		Adverse Reactions (14)		Profile (128)	
Drug	DIN	Form	Manufacturer	Date Reported	
▼ Bupivacaine Hcl/Pf 7.5 MG/ML	02165430	Vial	Hospira Health	12-Feb-2016	
▼ Penicillin V Potassium 300 MG	00642215	Tablet	Aa Pharma Inc.	09-Dec-2015	
▼ Paroxetine Hcl 10 MG	02027887	Tablet	Glaxosmithkline	04-Mar-2015	
▼ Quinapril Hcl 5 MG	01947664	Tablet	Pfizer Canada	25-Feb-2014	
▼ Warfarin Sodium 1 MG	02242924	Tablet	Apotex Inc	25-Feb-2014	

Impact: Allows users to refresh the **PharmaNet Patient Profile** screen after applying changes.

Notes: The **PharmaNet Patient Profile** screen can also be refreshed manually by doing any of the following:

- Clicking the newly added **Refresh** button;
- Selecting **Extra Functions > Refresh**;
- Pressing the **F5** key.




As well, the **F2** key can now be used to access the **Detail** function.


[39274] OCM phone entries included in patient search results

Feature: Phone numbers stored in the **F3 - Patient > Communications** tab are now included in the **F3 - Patient** search results.

Patient card (Communications tab):



Patient search results:




#	Last Name	First Name	Address	City	Prov
1	Patient	Test	123 Any St	Toronto	ON

Impact: Allows users to search for patients using phone numbers stored in the **Communications** tab.

[39732] Phone number/email delete prompt

Feature: A warning is now displayed when users attempt to delete a phone number or email address from the **F3 - Patient** card that also exists in the **Communications** tab.



Are you sure?

The phone number of (555) 456-7890 is also being used for outbound communications. Delete the phone number from OCM record(s) too? Y/N


Yes No

Impact: Informs users that deleting the patient's phone number or email address will also delete it from the **Communications** tab.

Notes: If the user select **Yes**, the phone number or email address will be deleted from the main patient card and from the **Communications** tab; if the user selects **No**, it will only be deleted from the main patient card, leaving the **Communications** entry intact.

[39722] 'Patient Name' column in Central Fill Order List

Feature: A **Patient Name** column has been added to the **Central Fill Order List**.




Billed	Verified	StatusText	Created	Order ID	Patient Name	Ship Name	Ship Address	Ship City	S Prov
No	Yes	Cancelled	11/11/2016	2658	Patient Test A	Neighbourhood P	1550 Khat Ave	Toronto	ON
No	Yes	Confirmed	21/11/2016	2660	Patient Test B	Neighbourhood P	1550 Khat Ave	Toronto	ON
No	Yes	Confirmed	21/11/2016	2661	Multiple Patients (2)	Neighbourhood P	1550 Khat Ave	Toronto	ON
No	Yes	Confirmed	21/11/2016	2662	Multiple Patients (3)	Neighbourhood P	1550 Khat Ave	Toronto	ON

Impact: Helps users to identify which orders are associated with which patients.

Notes: If two or more patients are included in the order, the **Patient Name** column will show 'Multiple Patients' followed by the number of patients in parentheses.

[42054] ODB MedsCheck Consent expiry warning on F12 screen

Feature: An 'ODB MedsCheck Consent expired DD/MM/YYYY' warning now appears on the **F12** screen when filling an Rx for a patient whose ODB MedsCheck Consent record has expired.



File Edit Recent Rx View Labels Profile Reports Utilities NH Central Fill Cards Session Help Version 10

F3 - Patient F5 - Drug F7 - Doctor F9 - Workflow F11 - Drop-off F12 - Fill Rx Alt+X - Start

New Rx Pending Adj Rx Start Date: 29/11/2016 Latest Fill: 0 Qty: Init: **Lookup Cancel**

Priority: Default Wait Time: **F2** Due: in 18 mins **Forward Rx F2** Work Order: 202 **F2** Delivery: Pickup

Patient Search Name: Patient, Test Age: 36 Address: 123 Any St Male City: Toronto Prov: ON Phone: Home (555) 456-7890 Plan: TRIL Client ID: 1234567

Drug Search 500 Pack: Dgc Search: Loc: Office

Brand: Abbott-Citalopram 20mg Generic: Citalopram Hydrobromide ABB (Abi) Pack: 500 Form: TAB Sched: 1 Purch: \$119.85 OnHand: 9,999.9 No image DIN: 02414589 Min Qty: 0

Allergies (0)

Conditions (0)

Sig: TUD TAKE AS DIRECTED Route of Admin: Oral Dosage Form: Tablet

Init: KRL Auth Qty: 330 11 Disp Qty: 30 Refills(+): Rem Qty: 330 11 Days: 30 G.P. %: 60.92 Prod Sel: None Acq Cost: \$7.19 O/W: Written Cost: \$7.91 Labels: 1 F2 Markup: \$0.00 Fee: \$10.49 Total: \$18.40

Plans Pricing Dates Comments Indications Images Other

Rx Plans: Plan Pays: Extra Info (F2 Edits): TRIL Not Adj. Deduct: \$0.00

Unit Dose (Ctrl-U): Disabled

Warnings

! ODB MedsCheck Consent expired 28/11/2016

i Delivery Label will be printed

i Drg Pack Tier Id: 1

Impact: Informs users that the patient's ODB MedsCheck Consent record has expired.

Notes: The warning will display until a new ODB MedsCheck Consent record is obtained.

[41670] FOD Consent expiry warning on F12 screen


Feature: An 'FOD Consent expired DD/MM/YYYY' warning now appears on the **F12** screen when filling an Rx for a patient whose FOD (Frequency of Dispensing) Consent record has expired.

Impact: Informs users that the patient's FOD Consent record has expired.

Notes: The warning will display until a new FOD Consent record is obtained.

[37008] Label logo configuration settings

Feature: Label logo settings have been added to the **Store Level Configuration Parameters > Labels > 1 - General** screen.



Store Level Configuration Parameters

General Patient Drug Doctor Rx FDB Adjudication Labels Reports Security Interfaces Order X - AR Y - To Do Purge

1 - General 2 - Vial 3 - Hardcopy 4 - Receipt 5 - Other Labels 6 - NH 7 - Bar Codes

Regular labels (retail): Kroll Laser Labels Advanced

Regular labels (nursing home): NH Laser Labels Advanced

Print labels for 'not dispensed' Rx: Always Print labels

Print labels for cancelled Rx: Always Preview labels

Print labels for unfilled Rx: Always Print labels for unit dose Rx

Print labels for unfilled cancels: Never

Print labels for cancelled Rx when rebilling: Prompt

Print Options

First drug name: Brand Bold first drug name

Second drug name: Generic Prefix second drug name

Narcotic RxNum prefix: Print salutation with patient's name

Print in colour: Print * after Rx num for robotic interface

Show profile and label reprints as filled: Switch receipt and counselling labels

Header

Font: Calibri Font Size: 11

Kroll Pharmacy
220 Duncan Mill Rd, Toronto ON

Logo: None (selected) Store logo Pre-printed, width: 15 mm

Print Test Page

Print headers...

On laser labels

Only on receipt

On NH laser labels

Only on receipt

On Ontario Standard labels

On lower right label


For patient 'Label Header' comments, replace: None

Search OK Cancel


Impact: Allows a store logo to print on Kroll Laser Labels.


Notes:



- When **None** is selected, no logo prints on the labels.
- When **Store logo** is selected, the Global Store Logo found in the **General** tab will be used.



The logo will then print in next to the header on the label set:

 Kroll Pharmacy 220 Duncan Mill Rd, Toronto ON		Rx: 1001613 Mon 28-Nov-2016 He, Wendell Apo-Rabeprazole EC 20mg Rabeprazole 20mg 30 TAB APX TAKE UNTIL FINISHED Refills: 1 Dr. Aaron, S		26-Nov-16 Rx: 1001613 He, Wendell Apo-Rabeprazole EC 20mg Rabeprazole 20mg 30 TAB APX TAKE UNTIL FINISHED Refill: 1 Dr. Aaron, S		Swallow whole. Do not chew or crush. It is very important that you take this medicine as directed. Do not stop taking it unless you are told to by your doctor. This medicine may be taken with or without food.	
1001613 Apo-Rabeprazole EC 20mg 30 TAB APX DIN: 02345587 Wendell Pharmacy 28-Nov-2016		He, Wendell Apo-Rabeprazole EC 20mg Rabeprazole D1 DIN: 02345587 Wendell Pharmacy 28-Nov-2016		1001613 Apo-Rabeprazole EC 20mg 30 TAB APX DIN: 02345587 Wendell Pharmacy 28-Nov-2016		He, Wendell Apo-Rabeprazole EC 20mg Rabeprazole D2 DIN: 02345587 Wendell Pharmacy 28-Nov-2016	
1001613 Apo-Rabeprazole EC 20mg 30 TAB APX DIN: 02345587 Wendell Pharmacy 28-Nov-2016		He, Wendell Apo-Rabeprazole EC 20mg Rabeprazole D1 DIN: 02345587 Wendell Pharmacy 28-Nov-2016		1001613 Apo-Rabeprazole EC 20mg 30 TAB APX DIN: 02345587 Wendell Pharmacy 28-Nov-2016		He, Wendell Apo-Rabeprazole EC 20mg Rabeprazole RO DIN: 02345587 Wendell Pharmacy 28-Nov-2016	

 Kroll Pharmacy 220 Duncan Mill Rd, Toronto ON		Rx: 1001613 Mon 28-Nov-2016 16:06 He, Wendell 220 Duncan Mill Road ON Last TMR Date: 31-Aug-2016 30 TAB Apo-Rabeprazole EC 20mg Rabeprazole 20mg DIN: 02345587 24.08/100 OnHand:-120 Days: 30 Dr. Aaron, S 25 Doctor Way NT M4S 1G4 Phone: (416) 485-9674 Doc# 01:62311 Mfr: APX BATCH CHARGED SNAP CAPS UNIT DOSE MODIFY REPRINT No Script Image REFILL (30 days early) TAKE UNTIL FINISHED Orig Rx: 1001612 Auth 90 Rem: 30 (1) Prev: 28-Nov-16 (1001612) Ago: First 28-Nov-16 (1001612) Cost: 7.95 Mkup: 0.00 Fee: 10.49 Total: 18.44 Pat: 18.44 T.P.: 0.00 - DUP/THP - Peptic Ulcer Agents	
Patient Counselling Messages Apo-Rabeprazole EC DIN: 02345587 Before use, important to read the Medication Guide Call MD or RPh re: timing of taking with other meds Swallow whole. Do not break/chew/crush/dissolve Take at the same time every day Success is dependent on completing therapy course May increase risk of bone fractures. Call MD now for heartburn with sweating & dizziness Call doctor if you get severe diarrhea			
Allergies Conditions 4-Aminophenol derivatives causing adverse effect in therapeutic use; Abnormal biochemical finding on antenatal screening of mother, antepartum condition or complication			

 Kroll Pharmacy 220 Duncan Mill Rd, Toronto ON		OFFICIAL PRESCRIPTION RECEIPT Rx: 1001613 Mon 28-Nov-2016 He, Wendell 220 Duncan Mill Road ON (416) 111-1111 30 TAB Apo-Rabeprazole EC 20mg Rabeprazole 20mg DIN: 02345587 APX Days: 30 Refills: 1 Dr. Aaron, S Cost: 7.95 Fee: 10.49 Total: 18.44 Patient Pays: 18.44 CHARGED	
 Kroll Pharmacy 220 Duncan Mill Rd, Toronto ON		He, Wendell 30 Apo-Rabeprazole EC 28-Nov-16 1001613 TAKE UNTIL FINISHED Rep: 1 5 Methadose Cherry Or. 28-Nov-16 9000141 TAKE AS DIRECTED Rep: 10 30 Apo-Amoxi 250mg 28-Nov-16 1001610-U TAKE AS DIRECTED Rep: 1 30 @1% LCD + Vaseline 25-Nov-16 1001597 APPLY TO AFFECTED AREA(S) Rep: 0 TWICE A DAY AS NEEDED 30 Apo-Amoxi 250mg 25-Nov-16 1001614-U TAKE AS DIRECTED Rep: 1	
30 Apo-Amoxi 250mg 23-Nov-16 1001589 TAKE AS DIRECTED Rep: 0 30 Apo-Amoxi 250mg 22-Nov-16 1001588 TAKE AS DIRECTED Rep: 5 5 Methadose Cherry Or. 22-Nov-16 9000126 TAKE AS DIRECTED Rep: 21 30 Apo-Amoxi 250mg 22-Nov-16 1001587 TAKE AS DIRECTED Rep: 3 30 Apo-Amoxi 250mg 02-Sep-16 1001576-U TAKE AS DIRECTED Rep: 1			

- When **Pre-printed** is selected, the header on the label set will be indented by the specified number of millimetres to accommodate a preprinted logo:

Kroll Pharmacy
220 Duncan Mill Rd, Toronto ON

Rx: 1001613 Mon 28-Nov-2016
He, Wendell
Apo-Rabeprazole EC 20mg
Rabeprazole 20mg
30 TAB APX
TAKE UNTIL FINISHED

Refills: 1

Dr. Aaron, S

Wendell Pharmacy
220 Duncan Mill Rd, Toronto ON

Rx: 1001613
He, Wendell
Apo-Rabeprazole EC 20mg
Rabeprazole 20mg
30 TAB APX
TAKE UNTIL FINISHED

28-Nov-16
Refill: 1
Dr. Aaron, S

Swallow whole. Do not chew or crush.
It is very important you take or use this medicine as directed. Do not stop this medicine without first consulting with your doctor.
This medicine may be taken with or without food.

1001613 He, Wendell
Apo-Rabeprazole EC 20mg Rabeprazole D1
DIN: 02345587
Wendell Pharmacy 28-Nov-2016

1001613 He, Wendell
Apo-Rabeprazole EC 20mg Rabeprazole D2
DIN: 02345587
Wendell Pharmacy 28-Nov-2016

Kroll Pharmacy
220 Duncan Mill Rd, Toronto ON

Rx: 1001613 Mon 28-Nov-2016 16:06
He, Wendell WH
220 Duncan Mill Road (416) 111-1111
ON Sex: Male
Last TMR Date: 31-Aug-2016 DOB: 01-Jan-1988(28 y)

30 TAB Apo-Rabeprazole EC 20mg Mfr: APX
Rabeprazole 20mg
DIN: 02345587 24.08/100 On Hand: -120 Days: 30

Dr. Aaron, S Doc#01:62311
25 Doctor Way **BATCH CHARGED SNAP CAPS UNIT DOSE**

NT M4S 1G4 **MODIFY REPRINT**
Phone: (416) 485-9674 **No Script Image**
REFILL (30 days early)

TAKE UNTIL FINISHED

Orig Rx: 1001612 Auth90 Rem: 30 (1)
Prev: 28-Nov-16(1001612) Agod First 28-Nov-16(1001612)
Cost: 7.95 Mkup: 0.00 Fee: 10.49 Total: 18.44
Pat: 18.44
T.P.: 0.00 -
DUP/THP - PepticUlcerAgents

Patient Counselling Messages

Apo-Rabeprazole EC DIN: 02345587

Before use, important to read the Medication Guide
Call MD or RPh re: timing of taking with other meds
Swallow whole. Do not break/chew/crush/dissolve
Take at the same time every day
Success is dependent on completing therapy course
May increase risk of bone fractures.
Call MD now for heartburn with sweating & dizziness
Call doctor if you get severe diarrhea

Allergies

Conditions

4-Aminophenol derivatives causing adverse effect in therapeutic use; Abnormal biochemical finding on antenatal screening of mother, antepartum condition or complication

Kroll Pharmacy
220 Duncan Mill Rd, Toronto ON

OFFICIAL PRESCRIPTION RECEIPT

Rx: 1001613 Mon 28-Nov-2016
He, Wendell
220 Duncan Mill Road (416) 111-1111
ON

30 TAB Apo-Rabeprazole EC 20mg
Rabeprazole 20mg
DIN: 02345587 APX Days: 30 Refills: 1

Dr. Aaron, S
Cost: 7.95
Fee: 10.49
Total: 18.44

Patient Pays: 18.44
CHARGED

Kroll Pharmacy
220 Duncan Mill Rd, Toronto ON


He, Wendell

30 Apo-Rabeprazole EC 28-Nov-16	1001613	30 Apo-Amoxi 250mg 23-Nov-16	1001589
TAKE UNTIL FINISHED	Rep: 1	TAKE AS DIRECTED	Rep: 0
5 Methadose Cherry Or. 28-Nov-16	9000141	30 Apo-Amoxi 250mg 22-Nov-16	1001588
TAKE AS DIRECTED	Rep: 10	TAKE AS DIRECTED	Rep: 5
30 Apo-Amoxi 250mg 28-Nov-16	1001610-U	5 Methadose Cherry Or. 22-Nov-16	9000126
TAKE AS DIRECTED	Rep: 1	TAKE AS DIRECTED	Rep: 21
30 @1% LCD + Vaseline 25-Nov-16	1001597	30 Apo-Amoxi 250mg 22-Nov-16	1001587
APPLY TO AFFECTED AREA(S)	Rep: 0	TAKE AS DIRECTED	Rep: 3
TWICE A DAY AS NEEDED		30 Apo-Amoxi 250mg 02-Sep-16	1001576-U
30 Apo-Amoxi 250mg 25-Nov-16	1001614-U	TAKE AS DIRECTED	Rep: 1
TAKE AS DIRECTED	Rep: 1		

[40641] Reason code text displayed in full

Feature: Reason code text is now displayed in full when users click a reason code from the **Drug Reason Codes** form or the **Limited Use Product Form**.

Drug Reason Codes form:




Code	Description	Duration
	FreeForm	Infinite
347	Initial Trial: For patients with mild to moderate Alzheimer's Disease (Mini-...	365 days
348	Continuation: Further reimbursement will be made available to those patie...	365 days

Initial Trial: For patients with mild to moderate Alzheimer's Disease (Mini-Mental State Exam [MMSE] 10-26). Patients will be reimbursed for a period of up to 3 months after which continued treatment must be reassessed.
 Network note: Maximum duration 3 months.

OK Cancel Print

Limited Use Product Form:



Code	Description
	Free Form
319	For the treatment of Paget's disease.
436	For the treatment of osteoporosis in postmenopausal women whowould otherwise be eligibl...

For the treatment of osteoporosis in postmenopausal women who would otherwise be eligible for funding for oral bisphosphonates, but for whom bisphosphonates are contraindicated due to abnormalities of the esophagus (e.g., esophageal stricture or achalasia), AND have at least two of the following:

- Age greater than 75 years old


Effective Date 30/11/2016 Expiry Date Reason Code 436

OK Cancel

Impact: Improves the readability of selected reason codes.

[36088] Supplies list added to F5 - Mixture cards

Feature: Supplies can now be specified separately from ingredients in the **F5 - Mixture** screen.



DIN	Brand Name	Generic Name	PackSize	Form	Strength	%	Active
00700000	Menthol Crystal Usp		25	GM (90	True
01910124	Westcort Cream	Hydrocortisone--17-Valerate	15	GM (0.2%	10	False

DIN	Brand Name	Generic Name	PackSize	Form	Strength	Qty
88888888	Wooden Tongue Depressor		10			2
88888888	Latex-Free Gloves		10			2

Impact: Allows supplies to be consumed independent of the base mixture quantity.

Notes:

- Supply quantities are applied per use (i.e., per Rx) rather than calculated according to the dispensing quantity.
- When a mixture has supplies, an extra 'Supplies' entry with the associated total costs prints on the following:
 - **Mixture labels**
 - **NIHB Report**
 - **NLPDP Claim Report**
 - **Warning/auxiliary labels**


As well, the individual supplies and ingredients are printed on the following:

- **Hardcopy and Batch Hardcopy Reports**
- **Mixture Listing Report**
- An 'Include supplies details' option has been added to the **Compound Prescription Audit Report** form. When this setting is enabled, each supply will appear in a separate line followed by their associated quantity and cost. When this setting is disabled (default), supplies are represented by a single line showing the total supply cost.
- Supplies are included in the **Compound Costing Worksheet** (British Columbia).


[39695] Calendar screen implemented

Feature: An appointment management feature has been implemented, and can be accessed by clicking the **Calendar** tile from the **Alt+X - Start** screen.

Calendar tile:



Calendar screen:




Impact: Helps users manage and organize patient appointments within the Kroll application.

Notes: See the Appointment Manager user guide for more information (coming soon).

Reports, Labels, and Hardcopies

[34054] Limited Use Reports: Plans and subplans filter (Ontario, British Columbia)


Feature: A **Plans and SubPlans** filter has been added to the **Limited Use and Section 8 Expiry** and **Patient Limited Use** reports (Ontario), and to the **Patient Special Authority Expiry Report** (British Columbia).



Impact: Allows users to include or exclude selected plans and subplans from the **Limited Use** reports.

[39737] Hardcopy Report columns selectable (British Columbia)


Feature: Users can now select and deselect columns in the **Hardcopy Report**.



Impact: Gives users more control over what information is displayed in the report.

Notes: To select or deselect columns in the **Hardcopy Report**, call up the report form (**Reports > Rx > Hardcopy Report**) and click the **Options 2** tab. Click the **F2** button next to any of the column categories.

Select or deselect the desired columns and click **OK**.



The **Rx#** and **Fill Date** columns in the **Rx Columns** category cannot be deselected.

[41842] DIS Rx number, Rx expiry date, pharmacist initials added to label reports (Newfoundland and Labrador)

Features: The following reports now include the DIS Rx number, Rx expiry date, and pharmacist initials:

- **Compliance Label Report**

Patient, Test 345 Cave Stone Rd St Johns NL A0C 1X0 (709) 364-9222			Kroll Pharmacy 220 Duncan Mill Road Toronto ON M3B 3J5 (800) 263-5876				
Rx#	Form	Drug	Rx Expiry	Breakf...	Lunch	Supper	Bedtime
Fill date	Mfr	Directions	DIS Order#	Description			
DIN	REFILL		Init				
1000836	TAB	30 Januvia 100mg	29-Nov-2017	1			
29-Nov-2016	MSD	TAKE AS DIRECTED	472743 WH	Beige Rnd Tab "277"			
02303922	0						

- **Dispill Report**

Patient, Test 345 Cave Stone Rd St Johns NL A0C 1X0 Ph: (709) 364-9222	Kroll Pharmacy 220 Duncan Mill Road Toronto ON M3B 3J5 Ph: (800) 263-5876 Fax: (416) 383-0001	29-Nov-2016 Card 1
Drug Name 1 Januvia 100mg	Instructions TAKE AS DIRECTED	Rx Expiry DIS Order# Init 29-Nov-2017 472743 WH

- **DistriMedic Report**

Patient, Test		Kroll Pharmacy		29-Nov-2016 Card 1	
345 Cave Stone Rd St Johns NL A0C 1X0 Ph: (709) 364-9222		220 Duncan Mill Road Toronto ON M3B 3J5 Ph: (800) 263-5876 Fax: (416) 383-0001			
Qty	Form	Drug Name 1	Mfr	DIN	Instructions
7	TAB	Januvia 100mg	MSD	02303922	TAKE AS DIRECTED
			Rx	Rx Expiry	DIS Order#
			1000836	29-Nov-2017	472743
			Init		
			WH		

- **FlexRx Label Report**

✓ OUR PHARMACISTS HAVE SUPPLIED YOUR PRESCRIPTIONS IN THIS PACKAGE TO HELP YOU. TAKE YOUR MEDICATION AT THE CORRECT TIME.

✓ EACH COMPARTMENT CONTAINS YOUR PRESCRIBED MEDICATION FOR A PARTICULAR TIME & DAY OF THE WEEK.

✓ ONLY REMOVE THE MEDICATION WHEN IT IS TIME TO TAKE IT.

Patient, Test

Patient, Test

29-Nov-2016

Kroll Pharmacy
220 Duncan Mill Road
(800) 263-5876

Rx # Fill Date DIN	Form Mfr Refill	Drug Directions	Physician Rx Expiry DIS Order# Init	MORN	NOON	DINN	EVEN
1000836 Nov-29-2016 02303922	TAB MSD 0	Januvia 100mg TAKE AS DIRECTED	Dr. Blanchard 29-Nov-2017 472743 WH	1			
				Beige Rnd Tab "277"			

- **FlexRx Small Label Report**

Patient, Test		Kroll Pharmacy		29-Nov-2016 Card 1	
345 Cave Stone Rd St Johns NL A0C 1X0 Ph: (709) 364-9222		220 Duncan Mill Road Toronto ON M3B 3J5 Ph: (800) 263-5876 Fax: (416) 383-0001			
Qty	Form	Drug Name 1	Drug Name 2	Mfr	DIN
7	TAB	Januvia 100mg	Sitagliptin	MSD	02303922
			Instructions		
			TAKE AS DIRECTED		
			Rx	Rx Expiry	DIS Order#
			1000836	29-Nov-2017	472743
			Init		
			WH		


Impact: Makes the above reports compliant with Newfoundland and Labrador Standards for the Safe and Effective Provision of Compliance Packages and Standard of Pharmacy Operation - Community Pharmacy.

[40626] Workflow Business Summary - Date Range Report save-to folder option

Feature: Users can now save the **Workflow Business Summary - Date Range Report** to a specified folder. This option has been added to the **Options** tab of the **Workflow Business Summary - Date Range Report** form.

Before:

After:



The image shows two side-by-side screenshots of the 'Workflow Business Summary - Date Range Report' form, comparing the state 'Before' and 'After' the update.


Before: The 'Options' tab is active. It contains several sections: 'Rx Selection' with checkboxes for Regular Fill, Unfill, Not Dispensed, Fee For Service, and Stock Transfer; 'Exclude from selection' with checkboxes for Nursing Home and Central Fill; and 'CSV Output' with checkboxes for Include columns header and Include total rows. At the bottom, there are fields for Printer (Microsoft XPS Document Write), Copies (1), Tray (Automatically Select), and checkboxes for Collate and Duplex. Buttons at the bottom include Restore Defaults, Print, Preview, Save CSV, and Close.

After: The 'Options' tab is active. It contains the same sections as the 'Before' state, but the 'CSV Output' section now includes a text field for the file path, which is highlighted with a red box and contains the text 'C:\KrollWin\Store Files\Main\'.

Impact: Gives users flexibility in how the report is stored in their system.

[40198] Drug Usage Report changes

Feature: The **User Field 1** value that is configured in the **Store Level Configuration Parameters > Drug** screen can now be selected to print in the **Drug Usage Report**.



When the **User Field 1** value is selected in the report form, a column that matches the field's value, along with its corresponding **F5 - Drug** card data, will print in the report:

Drug Usage Report												
Kroll Pharmacy, 100 Krollwin Drive, Toronto ON M1M 1M1 Phone: (222) 222-2222 Fax: (888) 888-8888												
ReportParameters FillDate-01/01/2016to30/11/2016 Drugs -Influvac Show PriceBreakdown Include FeeFor ServiceRxs												
DrugUsageReport												
Printed on: 30/11/2016 1:59:17 PM												
Drug	Mfr	Product ID	DIN	Pack Size	On Hand	Qty	AAC	Cost	Markup	Fees	Total Amount	# of Rxs
InfluvacML	ABB	1234567890	02269562	10	4997	2.5	27.95	30.75	0.00	52.45	83.20	5
Net Values						27.95	30.75	0.00	52.45	83.20	5	
Number of Patients Included In This Report												5
Average Rx Value												16.64

Impact: Allows users to include **User Field 1** data in the **Drug Usage Report**.


Notes: See case [39447](#) for more information about the newly added user fields.

[40092] Patient date of birth in PACMED Report

Feature: The patient's date of birth (YYMMDD) is now included in the PACMED Report and associated PACMED files.

[40451] Rx Stop/Expiry/Inactivated/Copied Report: 'Sort by' option added

Feature: A **Sort By** list has been added to the **Options** tab in the **Rx Stop/Expiry/Inactivated/Copied Report**.



Impact: Allows users to sort Rxs by **Patients**, **Unit Dose**, **Homed/Ward**, or **Date/Doctor/Patient**.

Miscellaneous

[35979] Structured dosing support (Saskatchewan)


Feature: Users can now generate structured dosing based on the entered sig codes and structured dose sig parts attached to each sig code.

Impact: Complies with SPDP's structured dosing requirements.

Notes: If structured dosing cannot be generated from the entered sig codes, a warning will appear on the F12 screen. A warning also appears if the rendered structured dosing text does not match the sig code expansion text.

[32533] Unipharm: Password required for targeted drug orders


Feature: Pharmacy technicians are now required to enter their login credentials before submitting a drug order that contains targeted drugs to Unipharm.



Impact: Complies with Unipharm's drug ordering requirements.

[38348] Option to bypass Adjudication Response screen added

Feature: A 'Do not show clinical adjudication response if no user interaction required' configuration setting has been added to the **Store Level Configuration Parameters > Adjudication** screen.



Store Level Configuration Parameters

General Patient Drug Doctor Rx FDB Adjudication Labels Reports Security Interfaces Order X - AR Y - To Do Purge

1 - General 2 - Retail 3 - Nursing Home

☒ Use the Cost/Markup/Fee parameters (on the Retail/Nursing Home tabs) if there are other plans (otherwise Cost/Markup/Fee differences will automatically be applied to the next plan)

CPHA Active Device Id

☒ Prompt to rollback copay for last Rx plan


☒ Always prompt to rollback copay for provincial plan

When rolling back Cost, Markup, Fee and Copay adjustments, apply the rollbacks...

☒ Do Not Show Adjudication Response If No User Interaction Required

☐ Do Not Show Clinical Adjudication Response If No User Interaction Required

In the 'Adjudication Response for ODB' screen, the **Back to the Rx** key is now also available for accepted claims.



Adjudication Response for ODB

View Rx

The ODB claim was rejected because:

Errors, Warnings and Messages for ODB

[38] Patient last name error, last name on card must match.

The claim was rejected. Do you want to:

Impact: Allows users to bypass the **Adjudication Response** screen if no response messages are returned, improving the efficiency of the process.

Notes: If this option is enabled, an Rx has two or more plans, and no user intervention is required for any of the plans, each plan will adjudicate automatically, one after the other. The adjudication response form is not displayed after the claim completion

[39825] Users with 'View Non Financial Reports' permission can perform inventory receive

Feature: Users who have the 'View Non Financial Reports' permission are now able to perform an inventory receive.

Impact: Allows users to perform basic inventory functions.

Notes: To apply or remove the '**View Non Financial Reports**' from a user group, select **File > Configuration > Permissions > [User Group]**. The **Edit Permissions** form will display.



[42098] McKesson Order Web Service

Feature: The McKesson Order Web Service has been implemented.