



# EASE OF INSTALLATION

SATCO|NUVO COUNTERQUICK™ Under Cabinet Fixtures were developed with a simple purpose— design a high quality under cabinet lighting solution that is easy to install.







#### WIRING MADE EASY

Professionals and seasoned DIYers alike will appreciate the ample internal wiring space for ease of installation. Optional under cabinet junction boxes offer even greater flexibility for retrofit applications or installations in tight areas. Use the cord and plug accessory when direct wiring isn't an option or if you want a simple update without a complete remodel.

#### **KEEPING IT CLEAN**

One power source is all that's needed for most applications, making for a clean installation.

Optional extension cables in various lengths interconnect fixtures across large areas, around corners and between cabinets, eliminating the need for additional wiring to the power source or outlet.

### GOING TO NEW LENGTHS

The included end-to-end wire connector allows you to mix and match various sizes and to configure customized lengths for any under cabinet installation.

101

WHAT'S
IN THE BOX?

63-511
END-TO-END
CONNECTOR
(1 included with fixture)








AVAILABLE IN BOTH CCT SELECTABLE OR STARFISH™ SMART RGBTW





## CCT SELECTABLE



ITEM #	DESCRIPTION	WATTS	LUMENS	VOLTAGE	DIMENSIONS L x W x H	CONNECTION QTY
63-500	8" LED CCT Select	5	325-366	120	8" x 3.5" x 1"	up to 96
63-501	11" LED CCT Select	6.5	408-456	120	11" x 3.5" x :1"	up to 72
63-502	14" LED CCT Select	9	577-647	120	14" x 3.5" x 1"	up to 48
63-503	22" LED CCT Select	13	859-956	120	22" x 3.5" x 1"	up to 36
63-504	28" LED CCT Select	17	1216-1366	120	28" x 3.5" x 1"	up to 22
63-505	34" LED CCT Select	20	1500	120	34" x 3.5" x 1"	up to 18

Packing: 12/Master



STARTON NOVO (S)

14"

SSCO MAO () ;

28"

22"

34"













live life enlightened

**RGB COLOR-CHANGING AND** WARM-TO-COOL TUNABLE WHITE **DIMMABLE VIA APP** 

WI-FI ENABLED NO HUB REQUIRED

















ITEM #	DESCRIPTION	WATTS	LUMENS	VOLTAGE	DIMENSIONS L x W x H	CONNECTION QTY
63-551	11" LED RGB Smart	6.5	450	120	11" x 3.5" x 1"	up to 72
63-552	14" LED RGB Smart	9	650	120	14" x 3.5" x 1"	up to 48
63-553	22" LED RGB Smart	13	920	120	22" x 3.5" x 1"	up to 36
63-554	28" LED RGB Smart	17	1350	120	28" x 3.5" x 1"	up to 22
63-555	34" LED RGB Smart	20	1500	120	34" x 3.5" x 1"	up to 18

11"

Packing: 12/Master

# ACCESSORIES FOR MORE WAYS TO CONNECT






#### NO JOB IS TOO BIG FOR COUNTERQUICK

Configure up to 22 of the 28" fixtures and up to 96 of the 8" fixtures. Custom installations are possible by mixing different lengths using a combination of link cables, junction boxes and end-to-end connectors.





ITEM #	DESCRIPTION	DIMENSIONS	MASTER	PACKAGE
63-510	Power Cord	60" Length	96	Polybag
63-511*	End-to-End Connector (Included)	1" Length	96	Polybag
63-512	3/8" Wire Connector (Attached to Junction Box)	1.5" x 0.67" x 0.35"	96	Polybag
63-513	Junction Box - Plastic	4" x 2" x 1"	48	Box
63-514	Junction Box - Metal	4" x 2" 1"	48	Box
63-515	Link Cable 6"	6" Length	96	Polybag
63-516	Link Cable 12"	12" Length	96	Polybag
63-517	Link Cable 24"	24" Length	96	Polybag
63-518	Cable Link Connector	3" Length	96	Polybag

<sup>\*</sup>Included End-to-End Connector can be reordered if needed



#### **DISTRIBUTION CENTERS**

#### **New York (Headquarters)**

110 Heartland Blvd., Brentwood, NY 11717 Tel. 631-243-2022, Fax: 631-243-2027

#### **Texas**

2000 Valwood Parkway, Farmers Branch, TX 75234 Tel. 972-247-2437, Fax: 972-247-5408

#### **Florida**

1694 NW 215th Street, Miami Gardens, FL 33056 Tel. 305-624-2044, Fax: 305-623-0286

#### California

31288 San Benito Street, Hayward, CA 94544 Tel. 510-487-4822, Fax: 510-487-8955

#### Washington

4710 116th S.W., Mukilteo, WA 98275 Tel. 425-789-3300, Fax: 425-789-3310

#### **Puerto Rico**

Campeche Street. 23 Julio
N. Matos Industrial Park, Carolina, PR 00984
Tel. 787-757-3510, Fax: 787-757-3540

#### For International Sales

Internationalsales@satco.com/631-243-2022 EXT315

#### **National Toll Free**

1-800-437-2826