


- Profiles are available in standard 1-1/2" or 2"
- No sill starter/ blocking needed
- 4-1/2" x 4-1/2" Hinges
- ANSI Strike
- No Extended Lip Strike Required
- 1" Wide Door Stop
- No Additional Bracket needed for Parallel Arm Closer
- Heavy-duty All Aluminum Hinge Backer
- Mitre Corners Available



Clear
Anodized



Standard
Black



Standard
White



Standard
Bronze



Standard
Grey



Champagne

PREMIUM HARDWARE

- Heavy Weight Hinge preps
- Electric Hinge preps
- 5" x 5" Hinge preps
- Concealed Closers
- EPT – Concealed & Hinge types
- Electric Strikes - All types
- Concealed Overhead Stops
- Flush Bolts
- Backers Included & Installed


When Specified under Division 102219,
AVALON Demountables Qualify for Section 179
Tax Deductions




No Field Notching of Trim Required

Rough Opening for 1-1/2" or 2" profile:
Opening Size + Profile (each side)


Eagle Section Views - 214




E108 - DOOR JAMB




E150 - DOOR JAMB SIDELIGHT




E208 - DOOR HEAD



E308 - GLAZING JAMB




E408 - GLAZING HEAD




E420 - GLAZING SILL




Exposed Vitrium Section Views - 1 1/2" Double Glazed




EV108 - DOOR JAMB




EV150 - DOOR JAMB SIDELIGHT




EV208 - DOOR HEAD



EV308 - GLAZING JAMB



EV408 - GLAZING HEAD



EV420 - GLAZING SILL

