


**AVALON offers a variety of door options, including wide, narrow, and medium stile designs, along with the choice of dual glazed doors.**

- Bottom Rails Available in Other Sizes
- Standard Wide Stile Door Hardware Preps Included
- 10- Line Bored Locksets & 4-1/2" x 4-1/2" Butt Hinges
- 1/4" to 2-1/2" Glass Thickness
- 1" Insulated Glass
- 1" Integrated Blind Units
- Insert Panel
- No sill starter/ blocking needed
- ANSI Strike
- No Extended Lip Strike Required
- 1" Wide Door Stop
- No Additional Bracket needed for Parallel Arm Closer
- Heavy-duty All Aluminum Hinge Backer



Clear Anodized



Standard Black



Standard White



Standard Bronze



Standard Grey




Champagne

### PREMIUM HARDWARE

- Heavy Weight Hinge preps
- Electric Hinge preps
- 5" x 5" Hinge preps
- Concealed Closers
- EPT – Concealed & Hinge types
- Electric Strikes - All types
- SOSS Hinges - Concealed Hinges
- Concealed Overhead Stops
- Flush Bolts
- Backers Included & Installed

## Aluminum Doors With Glazing


These doors are fully customizable in terms of color, and special hardware preps are available upon request.




No Field Notching of Trim Required




**AVALON  
INTERNATIONAL  
ALUMINUM**




SS - STRIKE STILE - NARROW




SS - STRIKE STILE - MEDIUM




SS - STRIKE STILE - WIDE




HS - HINGE STILE - NARROW




HS - HINGE STILE - MEDIUM




HS - HINGE STILE - WIDE




TR - TOP RAIL - NARROW




TR - TOP RAIL - MEDIUM




TR - TOP RAIL - WIDE




MR - MID RAIL - NARROW




MR - MID RAIL - MEDIUM



MR - MID RAIL - WIDE




BR - BOTTOM RAIL - 5"




BR - BOTTOM RAIL - 10"


## Double Glazed Doors




BR - BOTTOM RAIL



TR - TOP RAIL




SS - STRIKE STILE




HS - HINGE STILE

**NARROW**



**MEDIUM**



**WIDE**

