




### Food for Thought: The Relationship Between Oral Health and Nutrition



Course Author(s): Diane Vernetti-Callahan, RDH, MS Ed

**CE Credits:** 3 Hour(s)

**Intended Audience:** Dentists, Dental Hygienists, Dental Assistants, Dental Students, Dental Hygiene Students, Dental

**Assistant Students** 

**Date Course Online:** 05/31/2019 **Last Revision Date:** 09/12/2022 **Course Expiration Date:** 09/11/2025

Cost: Free

Method: Self-instructional AGD Subject Code(s): 150

Online Course: <a href="https://www.dentalcare.com/en-us/ce-courses/ce583">www.dentalcare.com/en-us/ce-courses/ce583</a>

**Disclaimer:** Participants must always be aware of the hazards of using limited knowledge in integrating new techniques or procedures into their practice. Only sound evidence-based dentistry should be used in patient therapy.

### **Conflict of Interest Disclosure Statement**

• The author reports no conflicts of interest associated with this course.

### **Introduction - Nutrition**

This course is intended to provide awareness and a deeper understanding of the connection between optimal nutrition and its impact on oral health.

#### **Course Contents**

- Overview
- Learning Objectives
- Glossary
- Introduction
- Nutrition 101
- Healthy Eating Plates
  - Create Your Plate
  - My Vegan Plate
- Dietary Guidelines for Americans
- Dietary Trends
- Major Nutrients
  - Carbohydrates: Quality Matters
  - Protein: Lean is Best
  - Lipids: Choose Wisely
  - What is Cholesterol?
  - Vitamins
  - Minerals
  - Electrolytes
  - Phytonutrients
- Factors in the Dental Caries Process
- Dietary Implications in Periodontal Disease
- The Life Cycle: Dietary Considerations for the Dental Patient
  - Prenatal
  - Infants and Toddlers
  - Teenagers
  - Young Adults
  - Older Adults
- Nutritional Counseling in the Dental Practice
  - Assessment
  - Counseling Tips
- Conclusion
- References / Additional Resources
- Test Preview
- About the Author

### **Overview**

If the oral cavity is the window for viewing internal health, as dental professionals, we are the first line of defense. Our frequent patient contact places us in an ideal position to provide nutritional information to our patients so they may better assess their dietary habits for optimal health.

### **Learning Objectives**

Upon completion of this course, the dental professional should be able to:

• Classify carbohydrates, proteins, fats, and the role they play in the oral cavity.

- Identify the function of vitamins, minerals, and phytonutrients and symptoms of excesses or deficiencies.
- Recognize specific nutrient requirements during the human life cycle.
- Understand the Healthy Eating Plates and current dietary trends.
- · Identify the Dietary Guidelines for Americans.
- Recognize the relationship between nutritional deficiencies and oral disease.
- Assess nutritional aspects of dental caries, its causes, and prevention.
- Guide the patient to clarify and understand his or her own diet-dental relationship.
- Apply basic nutritional concepts to help patients with nutritional problems.

### **Glossary**

**anencephaly** - Absence of bones of the cranial vault and cerebral and cerebellar hemispheres.

**anticariogenic** – A food that contributes favorably to dental health by discouraging acid production.

**antioxidant** – Compounds that inhibit oxidation and prevent cell damage caused by free radicals.

**beriberi** – A vitamin B1 (thiamine) deficiency which causes loss of appetite, muscle weakness, enlarged heart, and burning tongue.

**cariogenic** – A fermentable carbohydrate that will cause a reduction of salivary and biofilm pH to less than 5.5, promoting tooth decalcification.

cariostatic - Caries-inhibiting.

**celiac disease** - An autoimmune reaction to eating gluten, causing intestinal inflammation.

**cheilitis** – Unilateral or bilateral presence of cracks in the corners of the mouth.

**cholesterol** – Waxy lipid found in all body cells; made by the liver and found only in animal products.

**collagen** – Connective tissue that helps support body structures such as skin, bones, teeth and tendons.

**complex carbohydrate** – Sugars containing more

than 12 carbon atoms. Found in foods such as whole grains, vegetables, and beans.

**cruciferous vegetables** - A family of plants whose leaf structure resemble a cross. Examples include cabbage, cauliflower, Brussel sprouts, broccoli and Bok choy.

**demineralization** – The removal or loss of calcium, phosphate, and other minerals from tooth enamel.

**diet history** – A detailed dietary record which may include a 24 hour or 3, 5, and 7-day recall.

dysphagia - Difficulty swallowing.

**encephalocele** - Gap in the skull with herniation of the brain.

**gastroesophageal reflux disease (GERD)** - A digestive disorder when the malfunction of the lower esophageal sphincter allows digested food and bile to backwash into the esophagus.

**fermentable carbohydrate** – Carbohydrates that can be metabolized by bacteria in plaque to decrease the pH to a level where demineralization occurs.

**glossitis** – Inflammation of the tongue.

**glycemic index** - A number value assigned to ingested food which measures the rate at which it causes the level of glucose in the blood to rise.

**HDL** – High-density lipoproteins that remove cholesterol from the blood stream and is associated with a reduction of atherosclerosis and heart disease, also referred to as healthy cholesterol.

**heme iron** – Iron provided from animal sources.

**homeostasis** – To maintain a relatively stable state of equilibrium maintained by physiological processes.

**hyperlipidemia** – Elevated concentrations of

triglycerides and/or cholesterol in the blood.

**insulin** – A hormone needed for cell utilization of carbohydrates.

**lactose intolerance** - The enzyme, lactase, no longer is available to break down the carbohydrate, lactose, in the small intestines.

**LDL** – Low-density lipoproteins that is associated with increased risk of atherosclerosis, also referred to as bad cholesterol.

**legumes** – A plant that grows from a pea or a pod.

**non-heme iron** – Iron provided from a plant source.

**nutrient-dense** – Containing a high percentage of nutrients in relation to the number of calories it provides.

**osteomalacia** - Calcium deficiency during growth years where bone mineralization is reduced.

**osteopenia** – A decrease in density, calcification, or insufficient synthesis of bone which may put an individual at risk for osteoporosis.

**Phytonutrients** - Chemical compounds found in a variety of fruits, vegetables, and seeds that reduce inflammation in the body and promote positive health effects.

**refined carbohydrate** – Processed carbohydrates from which the fiber and bran have been removed, leaving only starch.

**salivary gland hypofunction** - Decreased volume of saliva leading to xerostomia.

**spina bifida** - Embryonic failure of fusion of one or more vertebral arches

**vegan** – A person who eats only a plant based diet and consumes no foods of animal origin.<sup>7</sup>

**villous** - Finger shaped mucous membrane in the small intestine to assist with nutrient absorption.

**xylitol** – A sugar alcohol which can reduce S. mutans in the oral cavity.

### Introduction

Dental patients face the challenge of interpreting nutritional information and making wise dietary choices. Early childhood caries,

# One Should Eat to Live, Not Live to Eat...

- Benjamin Franklin

oral lesions, and periodontal disease leave many patients with missing teeth that may further complicate the mastication process needed for proper digestion of nutrient dense foods.

### **Nutrition 101**

Nutritional status is often reflected in the oral health of tissues. The conditions of health or disease often relate to food and nutrient intake and the inflammatory activity that may occur in oral pathology and other systemic diseases in the body.<sup>11</sup>

A balanced diet is essential to support nutritional status and contains all the necessary nutrients in amounts needed to meet individual needs.

### **Healthy Eating Plates**

The Healthy Eating Plates have been designed to replace the former Food Guide Pyramids. The Harvard School of Public Health has revised some key points to the USDA's MyPlate to offer a more comprehensive picture of basic nutritional advice.<sup>8</sup>

- Choose more healthy protein such as fish, poultry, beans and nuts, and limiting red and processed meats which can raise the risk of heart disease, diabetes, colon cancer, and weight gain.
- Consume a variety of vegetables with the exception of potatoes, which can

### **Dental Facts:**

The tongue is the fastest healing part of the body.<sup>26</sup>

Oral cancer kills as many people as melanoma and is more common than leukemia.<sup>27</sup>

Tooth decay is the most common chronic childhood disease.<sup>28</sup>

Figure 1. Dental Facts. 26,27,28

have the same effect on blood sugar as refined grains and sweets.

- Add a colorful abundance of fruits.
- Use health oils such as olive and avocado, while limiting butter and trans-fats.
- Consume naturally calorie free water or plain tea and coffee for optimal beverage choices.
   Limit sugary drinks, both soda and juice, and keep milk and dairy servings to two per day.
- Maintain an active lifestyle for overall health and weight management.

### **Create Your Plate**

Created by the American Diabetes Association, this *interactive tool* is a simple and effective way to manage your blood glucose levels and lose weight. This was launched to help Latinos and Hispanics balance meals while better managing their diabetes.<sup>6</sup>

### My Vegan Plate

A vegan diet approach eliminates all foods of animal origin. Vegans need a reliable source of Vitamin B12. Fortified foods include soymilk, breakfast cereal, and meat alternative. If fortified foods are not eaten daily, a vitamin B12 supplement is recommended. Other vegetarian eating practices include Pescatarian; a diet including fish, Flexitarian; a semi-vegetarian who eats meat occasionally, and a Raw Vegan; who consumes unprocessed vegetables that are not heated above 115 degrees so nutritional values is retained. Recommendations for vegetarian consumers include;

- Choose mainly whole grains.
- Eat a variety of foods from each food group.




Figure 2. Healthy Eating Plate.8




Figure 3. Creating a Healthy Plate.<sup>7</sup>




Figure 4. Vegan Protein.<sup>3</sup>

- Adults should aim for 600-1,000 IU of vitamin D daily.
- Manage your protein requirements by consuming quinoa, legumes, nuts, seeds, vegetables and soy products.

### **Dietary Guidelines for Americans**

The *Dietary Guidelines* focuses on the recommendations to help Americans make choices that equate to an overall healthy eating pattern. Combine healthy choices from across all food groups—while paying attention to calorie limits, too.<sup>9</sup>

**Key Elements of Healthy Eating Patterns.**9



Figure 5. Healthy Eating Patterns.9




Figure 6. How Two Healthy Diets Compare.4




Figure 7. Glycemic Index.5

- 1. Follow a healthy eating pattern across the lifespan. All food and beverage choices matter. Choose a healthy eating pattern at an appropriate calorie level to help achieve and maintain a healthy body weight, support nutrient adequacy, and reduce the risk of chronic disease.
- 2. Focus on variety, nutrient density, and amount. To meet nutrient needs within calorie limits, choose a variety of nutrient-dense foods across and within all food groups in recommended amounts.
- 3. Limit calories from added sugars and saturated fats and reduce sodium intake.

  Consume an eating pattern low in added sugars, saturated fats, and sodium. Cut back on foods and beverages higher in these components to amounts that fit within healthy eating patterns.
- 4. Shift to healthier food and beverage choices. Choose nutrient-dense foods and beverages across and within all food groups in place of less healthy choices. Consider cultural and personal preferences to make these shifts easier to accomplish and maintain.
- 5. Support healthy eating patterns for all. Everyone has a role in helping to create and support healthy eating patterns in multiple settings nationwide, from home to school to work to communities.

### **Dietary Trends**

Two dietary approaches that provide scientific data to back their claims are both the Mediterranean and DASH diet plans. The traditional Mediterranean diet is rich in fruits, vegetables, legumes, whole grains,

olive oil, wine in moderation, fish. The Mediterranean diet is low in meat and dairy products.<sup>2</sup> The acronym DASH, stands for Dietary Approaches to Stop Hypertension. The DASH diet encourages a reduction of sodium and to consume a variety of foods rich in nutrients that help lower blood pressure, such as potassium, calcium and magnesium. Both diets emphasize vegetables, fruits and low-fat dairy foods and moderate amounts of whole grains, fish, poultry and nuts.<sup>9</sup> Many of the meal delivery kits, such as Daily Harvest, Sunbasket, and Green Chef offer both Mediterranean and Dash meal plans to assist individuals consume a healthy diet with enhanced convenience.

### **Major Nutrients**

### **Carbohydrates: Quality Matters**

The carbohydrates you chose to consume plays an integral role in your diet. Complex carbohydrates are a better choice than highly refined carbohydrates. The healthiest sources are whole grains, quinoa, fruits, vegetables and beans, because these deliver vitamins, minerals, fiber, phytonutrients, while maintaining blood glucose homeostasis. Unhealthy sources include white bread, pastries, soda, or refined foods that are easily digested and can contribute to weight gain and may promote diabetes and heart disease. Here are some tips when looking for the healthiest carbohydrates.

- Look for "whole" as the first ingredient on the food label
- Choose foods with a low glycemic Index (GI) score
- Eat small amounts of carbohydrates at each meal
- Choose whole fruit instead of juice
- Pass on the potatoes, bring on the beans.

The glycemic index is a numeric ranking system for carbohydrates based on their immediate effect on blood glucose levels. Carbohydrates that breakdown quickly are on the high end of the index and those that take longer to break down and digest are at the low end, which have a lower demand for insulin and provide better glycemic control.<sup>6</sup> This is especially important for individuals with diabetes. In the table below

ATP III Classification of LDL, Total, and HDL Cholesterol (mg/dL)				
LDL Cholesterol – Prin	LDL Cholesterol – Primary Target of Therapy			
<100	Optimal			
100-129	Near optimal/above optimal			
130-159	Borderline high			
160-189	High			
≥190	Very high			
Total Cholesterol				
<200	Desirable			
200-239	Borderline high			
<u>≥</u> 240	High			
HDL Cholesterol				
<40	Low			
≥60	High			

Figure 8. Recommended Cholesterol Guidelines for Adults.<sup>24</sup>

are a list of low, medium, and high glycemic foods. Aim for lower glycemic index foods, which require less demand for insulin and promote blood glucose homeostasis.<sup>5</sup>

The gut microbiome and its connection to both physical and mental health has been studied extensively in the last 10 years. Research shows a diet high in sugars and processed foods illicit an inflammatory reaction that may alter healthy gut microbes, linked to autoimmune diseases, food intolerances, fatigue, sleep disturbances, and GI disturbances, as well as anxiety and depression. To maintain a healthy microbiome, eat plenty of plant based proteins that include a good source of fiber for gut health as well as probiotic rich foods.<sup>29</sup> Probiotics, such as lactobacillus and bifidobacterium, are found in fermented drinks like kefir and kombuchas. as well as in foods such as yogurt, sauerkraut, kimchi, miso and sourdough bread, to name a few.

Some individuals will have carbohydrate restrictions due to food intolerances. Celiac disease is an autoimmune reaction to gluten, which is a combination of two proteins found in grains like wheat, barley, and rye. When consumed, these carbohydrates trigger inflammation in the duodenum of the small intestine causing villous atrophy, which in

turn prevents the absorption of nutrients and symptoms of abdominal bloating, cramping, diarrhea, and vomitting.<sup>11</sup>

### **Protein: Lean is Best**

Proteins are found in muscle, bone, skin, hair, and almost all body tissues and are responsible for growth, maintenance and repair. Protein is built from building blocks called amino acids, which is considered a complete protein. Since our bodies cannot synthesize complete proteins, they must be obtained by the foods we eat. Only two foods are considered complete proteins, containing all essential amino acids; a whole egg and quinoa, a glutenfree starchy seed. Both protein sources have an estimated biological value of 100. Other good sources of protein include low-fat dairy, beef, poultry, fish, brown rice and peanuts.<sup>11</sup>

Vegetarian eating practices continue to grow in acceptance, with lacto-ovo-vegetarian, consuming mainly plants and incorporating dairy and eggs while omitting meat, poultry and fish, is the most widely followed.<sup>33</sup>

The protein package, whether from an animal or plant source, is something to consider. Choosing the leanest animal protein source is best, consider; top round steak or flank beef, bison, buffalo, egg whites, seafood, and poultry

Table 1. Water-soluble Vitamins: C, B's.<sup>11</sup>

Vitamin	Source	Deficiency	Oral Deficiency
C-Ascorbic acid  Assists with formation of collagen fibers  Strengthens the immune system  Helps with protein metabolism  Alds with calcium and iron absorption  Antioxidant	Peppers  Citrus fruits  Kiwi  Strawberries  Cruciferous vegetables  Tomatoes  Leafy greens	• Scurvy	Gingival inflammation Petechlae Poor healing
B1-Thiamin or thiamine     Coenzyme for energy production	Pork, trout, black beans	Beriberi     Wernicke- Korsakoff Syndrome	• None
B2-Riboflavin     Coenzyme for energy production	Milk, meat, enriched breads and cereals	<ul> <li>Ariboflavinosis</li> </ul>	Angular chellitis     Glossitis
B3-Niacin     Coenzyme and partner with B2      Assists with blood cell formation	Meat, fish, beans, nuts, coffee, enriched breads and cereals	Pellagra     (dermatitis,     diarrhea,     dementia)	• None
B6-Pyridoxine • Coenzyme	Chickpeas, beef, liver, tuna, salmon, chicken, bananas	Microcytic anemia;     Depressed immunity, irritability, glossitis	Glossitis     Angular chellitis

Table 1. Water-soluble Vitamins: C, B's. 11 (Continued)

Needs intrinsic factor from stomach for absorption      Works with folate to make RBCs	<ul> <li>Animal products exclusively. Need supplementation if you follow a vegan diet</li> </ul>	Pernicious     anemia	Glossitis     Angular chellitis     Tissue inflammation
B9-Folate/folic acid Coenzyme in the synthesis of nucleic acid DNA, RNA	Beef, liver, green leafy vegetables, fruits	Megaloblastic anemia     Neural tube defects     Low birth weight	Ulcerated tongue  Mucosal lesions
Regulates blood sugar levels     Synthesis of RNA, DNA	Liver,     cauliflower,     salmon, carrots,     bananas, nuts	High blood sugar Skin conditions	Inflammation of mucosal membranes
Coenzyme     Synthesis of fatty acids, cholesterol, and hormones	<ul> <li>Yeast, chicken, beef, potatoes, oats, whole grains.</li> </ul>	Loss of muscle coordination	• None

Table 2. Fat-Soluble Vitamins: A, D, E, K.<sup>11</sup>

Vitamin	Source	Deficiency	Oral Deficiency
Vitamin A-Beta-carotene/ Retinol  Immune function  Assist with formation of tissue of eye and cornea  Important antioxidant	Sweet potatoes, pumpkin, spinach, carrots, liver  Cantaloupe, mangos, red pepper	Macular degeneration     Night blindness     Exophthalmia (total blindness)	Xerostomia     Oral leukoplakia     Hyperkeratosis
Vitamin D-Calciferol  Promotes calcium absorption  Assist with bone formation, remodeling, and growth  Alds in cell growth, nerve and muscle formation, the immune system, and reduction of inflammation	UV light     Fatty fish; tuna, salmon     Fortifled milk products, and orange juice	Adults- osteomalacia     Kids-rickets     Delayed dentition, enamel hypocalcification	Fallure of bone wounds to heal  Enamel hypocalcification  Loss of alveolar bone
Vitamin E-Tocopherol	Vegetable oils     Nuts and seeds; sunflower, almonds, hazelnuts	Nerve pain, immune system disorders	• None
Vitamin K-Phylloquinone  Cofactor for prothrombin formation necessary for clotting  Bone metabolism	Intestinal bacteria      Dark leafy greens; spinach, kale, collards      Broccoll, soybeans, edamame	Hemolytic anemia  Failure of wounds to stop bleeding	Failure of clotting

Table 3. Minerals for Bones and Teeth.<sup>11</sup>

Mineral	Source	Deficiency
Calcium: (Ca)  Most abundant mineral in the body  Stored in teeth and bones  Muscle contraction  Hormone production	Dairy     Fortified orange juice and soy milk	Hypocalcemia  Osteomalacia  Osteopenia  Rickets
Phosphorus: (P)  • Formation of bone and teeth  • Protein synthesis  • Muscle contraction	Dalry     Meat     Fish     Nuts and legumes	Hypophosphatemia         Muscle weakness         Bone pain and fracture         Loss of appetite
Fluorine: (F)  • Increase retention of calcium in teeth and bones	Ground water     Tea     Gelatin	Dental caries     Bone fractures in elderly
Magnesium: (Mg)  Mineralization of bone and teeth  Neural transmitter  Muscle contraction	Green leafy vegetables     Nuts     Whole grains     Chocolate	Hypomagnesium  Diarrhea and vomiting  Muscle tremors

Table 4. Trace Minerals: Needed in smaller amounts but play a powerful role in health.<sup>11</sup>

Trace Minerals	Source	Deficiency
Component of hemoglobin     Transportation of oxygen     Absorption aided by Vitamin C and hampered by phytochemicals	Heme Iron: meat, fish, poultry      Non-heme Iron: legumes, leafy greens and chocolate	Food insecure households     Impaired immunity     Angular chellitis
Zinc: (Zn) Coenzyme in over 100 functions Immunity Wound healing	Red meat     Poultry     Shellfish	Loss of appetite, taste and smell     Slow tissue repair     Eye and skin lesions
Copper (Cu)  Alds in the absorption of iron  Antioxidant	Shellfish     Nuts     Organ meats     Legumes	Osteoporosis,     Anemia     Muscle weakness
Manganese (Mn)  Antioxidant  Wound healing  Co-enzyme	Raisin bran cereal Brown rice Pineapple Green tea	Growth reduction     Glucose intolerance
lodide (I)  Part of thyroid hormone  Immune system	lodized salt     Cod     Yogurt     Milk	Hypothyroidism

✓ Breads and Rolls
✓ Pizza
✓ Sandwiches
✓ Cold Cuts and Cured Meats
✓ Soups
✓ Burritos and Tacos

(skinless breast). Good sources of plant protein include; peas, beans and grains, which are also a great source of fiber, needed to regulate body processes, stabilize blood glucose levels, and reduce cholesterol.<sup>11</sup>


Processed meats, such as ham, salami, bacon and sausage, provide a lower quality protein with high levels of sodium and fat. Research studies indicate eating processed meat increases the risk of heart disease by 43% and diabetes by 19%.<sup>11</sup>

Entomophagy is the practice of eating insects. Two billion people worldwide eat insects as

Table 5. Minerals that function as Electrolytes.

Electrolyte	Source	Deficiency
Regulates fluid balance     Maintenance of blood volume and pressure     Nerve and muscle impulses	Table salt, soups, cured meats, processed foods	Onsumption of too many fluids     Heart and kidney failure
Works with sodium     Regulates fluid balance     Component of hydrochloric acid	Table salt, eggs, fish, meat, processed foods	• Rare
Potassium: (K)  Builds proteins and muscle tissue  Electrical stimulation of heart muscle  Bone health	Bananas, sweet     potatoes, tomatoes,     oranges, melons, dairy	Hypokalemia  • Kidney disease  • Uncontrolled diabetes

Carotenoids	pumpkin, carrots, peppers, and leafy greens.
Ellagic acid	strawberries, raspberries, cherries, nuts
Flavonoids	green tea, citrus fruits, onions, kale
Resveratrol	grapes, red wine, purple grape juice
Glucosinolates	brussel sprouts, cabbage, kale, broccoli (cruciferous vegetables)
Phytoestrogens	soy beans, tofu, flax and sesame seeds




part of their daily diet Entomophagy is the practice of eating insects.<sup>11</sup> Insects are an excellent source of protein and contain fewer calories and fat than traditional animal protein. Grasshoppers are the most consumed insect worldwide and are equal in protein to ground beef. There are more than 1,900 edible insects globally safe for consumption.<sup>11</sup>

Eating healthy proteins is essential to overall health. The RDA (Recommended Dietary Allowance) of protein is dependent on an individual's assessment of body size and physical activity level. It is estimated to be between 40 to 65 grams per day. To calculate your protein requirement, use the formula below:

### **Lipids: Choose Wisely**

Lipids are an important major nutrient in our diet that are components of every cell, are

required to absorb beneficial phytonutrients, and provide the essential nutrients linoleic (omega-3) and linolenic acids (omega-6). Obtaining healthy monounsaturated and polyunsaturated fats from salmon, tuna, avocado, nuts, flax and chia seeds, and olive oil are important for overall health. Saturated



Carbohydrates in the diet; fermentable and frequency


Presence of specific biofilm bacteria; S. Mutans and Lactobacillus

Susceptible tooth structure; malocclusion, newly erupted teeth, exposed cementum

Absence of fluoride; application of dentifrices and rinses

Salivary gland hypofunction; quality and quantity

Poor oral hygiene; homecare practices



and trans fats, (look for partially hydrogenated on the food label) are associated with cardiovascular disease (CVD) risk, which is the leading cause of death in the United States, causing about 600,000 deaths annually. A diet high in saturated and trans-fats, that illicit an inflammatory response, can negatively impact cardiovascular health as well as an increased risk of breast and colon cancer. According to the American Heart Association, adults should limit their intake of saturated fat to less than 7% of total daily calories and trans-fats to less than 1%.

### What is Cholesterol?

Cholesterol is found in every cell in your body and is mostly manufactured by the body itself. Dietary sources, which have little effect on overall cholesterol numbers, are found in eggs, shell fish, butter, fatty meats, full fat dairy and oils. Today, the overall lipid profile is measured for risk of heart disease, stroke, and peripheral vascular disease. The ratio of HDL/LDL and triglycerides circulating in the blood stream is important, along with factors such as inactivity,

smoking, and diabetes. Low-density lipoprotein (LDL) carries cholesterol to the heart walls and narrows or clogs the artery. High-density lipoprotein (HDL) removes cholesterol from the vessel walls and takes it back to the liver, where it is excreted. The table below are the recommended cholesterol guidelines for adults:<sup>24</sup>

### **Coconut Oil; Good or Bad?**

Even though coconut oil is saturated, studies show it may have a positive effect on raising HDL (good) cholesterol. Although it is a medium-chain triglyceride, which the body handles differently than a long-chain triglyceride like vegetable oil, dairy, and fatty meats, conflicting research also point to coconut oil having a neutral impact on heart health, raising both HDL and LDL levels. You should aim to receive most of your fat from unsaturated sources like olive oil, avocado and nuts and seeds.<sup>1</sup>

#### **Vitamins**

Vitamins are calorie free, organic, and play a




Figure 9. Calories and Teaspoons of Sugar in 12 Ounces of Each Beverage. 15

crucial role in overall health. They help prevent cellular breakdown in their role as antioxidants and prevent inflammatory reactions in the body. They are associated with many functions that can affect oral tissues. Vitamins belong in two groups: *water-soluble* and *fat-soluble*. Tables 1 and 2 list the type of vitamins, their function, dietary sources, and deficiency symptoms.<sup>11</sup>

### **Minerals**

All food groups contain foods rich in minerals however, the content in our diet varies greatly depending on the quality of foods consumed and the soil and water conditions in which plants have grown. The most common mineral deficiencies include Calcium, Zinc, Iron, Magnesium and Iodide. Tables 3 and 4 describe how these minerals keep you healthy; their function, sources, and effects of getting too little.<sup>11</sup>

### **Electrolytes**

Sodium, potassium and chloride are macro minerals that also function as electrolytes. Salt

is a food additive that adds flavor and is used as a preservative in many packaged foods. Our body needs very little sodium to conduct nerve impulses, contract and relax muscles, and maintain proper water and mineral balance. Too much sodium is associated with high blood pressure, heart disease, and stroke. Recommended limits are 1.2 to 1.5g/day. The American Heart Association has identified the "Salty Six" foods that add the most sodium in our diet.<sup>25</sup>


Table 5 lists the type of electrolytes, their sources and deficiency symptoms.<sup>11</sup>

### **Phytonutrients**

Phytonutrients are chemical compounds produced by plants and are found in fruits, vegetables, grains, beans, spices, nuts and seeds. Plants contain more than 25,000 phytonutrients that are classified into six categories that act as antioxidants by protecting the body from free radical damage thereby reducing inflammation associated with numerous health conditions.<sup>34</sup>

Table 6. Nutrients Important for a Healthy Periodontium.

· · · · · · · · · · · · · · · · · · ·	
Vitamin D  Calcium, phosphorus, and magnesium absorption  Deficiency linked to periodontal disease  Bone metabolism	Vitamin A  Builds and maintains epithelium  Enhances immune system  Salivary gland function
B-Complex Vitamins Formation of new cells Cofactor for nutrients Periodontal wound healing Collagen synthesis (biotin)	Protein  • Promotes growth maintenance and repair of all tissues
Vitamin C     Aids in collagen formation     Deficiency causes ascorbic acid gingivitis     Enhances immune response  Calcium	Iron, Zinc     Aids in collagen formation     Wound healing     Regulates inflammation  Lipids     Omega-3 fatty acids have anti-inflammatory
Builds and maintains alveolar process	Obesity is a risk factor for periodontal disease
Controls serum glucose and inflammatory response     Deficiency linked to periodontal inflammation	Strengthens immune system     Inhibits colonization of harmful microorganisms     May reduce lactobacillus



The following table provides examples of phytochemicals and the foods in which they are found. Recent studies have discovered numerous health benefits and disease prevention properties in phytochemicals.<sup>11</sup>

Antioxidants are also known as "free radical scavengers" as they serve as protectors from free radical cell damage. By incorporating more colorful fruits and vegetables – especially those with purple, red, orange, and yellow hues, you will be certain to include beta-carotene, vitamin C, and vitamin E, the three superstar antioxidants in your diet. Recent studies have not yielded the same result by taking antioxidant supplements, thus eating foods rich in fruits and vegetables is still the best way to incorporate antioxidants in your diet.

Many integrative health professionals utilize antioxidants as functional foods to enhance the treatment of inflammatory health conditions. The USDA tested over 100 foods from all categories and found antioxidants come from a variety of foods such as beans (black, kidney, pinto), fruits (wild blueberries, cranberries, black raspberries), vegetables (dark greens, cruciferous, and potatoes) and spices and herbs (cinnamon, turmeric, and ginger). Don't

✓ Dark-green leafy vegetables, broccoli, and asparagus
 ✓ Citrus fruits and juices
 ✓ Fortified cereals
 ✓ Legumes, beans, nuts and peas

forget beverages such as coffee, green tea, and red wine can also supply a healthy dose of antioxidants.

### **Factors in the Dental Caries Process**

The etiology of dental caries is a dynamic process that involves a susceptible tooth, cariogenic bacteria in dental biofilm (Streptococcus mutans and lactobacillus). and the detrimental effects of cariogenic carbohydrates. Modifying factors also include the absence of fluoride, xerostomia, and inadequate oral hygiene. The demineralization process during an acid attack and subsequent remineralization by saliva and fluoride happens continuously throughout the day. Studies demonstrate it can take approximately 19 to 22 months for the cavitation process to progress to the dentin, making the caries process complex and continuous.11 Our role as oral health educators is to analyze dietary habits and causative factors to determine a patient's risk for dental caries. The chart below is a guide to assess a patient's risk factors for the development dental caries.11

Each time food is consumed there is an opportunity for bacteria to produce an acid and begin the caries process. In fact, the frequency of sugar eaten is a primary factor in a patient's risk assessment. Sugary foods or liquids allows for separate opportunities for bacteria to feed and produce acid. Within 3 minutes of eating a cariogenic food, the pH of the dental plaque falls below 5.5 and the caries process begins. Once food clears the mouth, pH gradually returns to neutral, between 6.8-7.0. The goal is to prevent demineralization by keeping the oral




Figure 10. Vulnerable Periods of Fetal Development. 16




Figure 11. Infant Cleft Palate. 17

pH neutral for as long as possible. Cariostatic foods are those that do not contribute to enamel demineralization and maintain a basic pH balance. Eating foods rich in protein, lipids, phosphorus and calcium such as meat, milk, cheese, and nuts can help neutralize acids. Brushing the teeth or rinsing with water after eating a cariogenic carbohydrate can also help neutralize acids.<sup>11</sup>

Stephen curve in the photo above, named after Dr. Robert Stephan, demonstrates how each eating and drinking event drops the critical pH of the mouth below 5.5 which initiates the demineralization process.

Destructive effects of soda, juice, and the popular energy drinks are a major cause of early childhood caries and decay among both children and teenagers, especially in low income and minority populations. One 12-ounce soda contains 10 teaspoons of sugar as well as acid. Diet soda and energy drinks includes both citric and phosphoric acid, which may cause direct demineralization of the tooth enamel. Rinsing the mouth with water, bypassing the teeth by using a straw, chewing gum with xylitol, and consuming the potential caries causing drinks with a meal can help reduce the negative effects of liquid fermentable carbohydrates.

To combat further the factors in the caries process, remember that water is the superior choice for quenching your thirst. It provides everything the body needs to restore fluid lost through metabolism, breathing, sweating, and removal of waste. Fluoride in both food and water will also help remineralize tooth enamel.

To help increase your water consumption and infuse a bit of flavor, try;

- Slicing citrus fruits or zest.
- Crush fresh mint leaves.
- Add a slice of ginger.
- Crush berries.
- Add a splash of sparkling juice.

### **Dietary Implications in Periodontal Disease**

Diet and periodontal disease are not as

clearly connected as diet and dental caries. Overall nutritional health status can affect host susceptibility and influence disease progression. Good nutrition can be protective by increasing resistance to periodontal infection and minimize its severity while poor nutrition can reduce resistance to periodontal infection. Bacteria are the primary etiology factors behind periodontal disease, however the diet plays a modifying role in the progression and severity in the host.<sup>11</sup>

All nutrients are needed to synthesis the oral tissues and structures, keep them healthy throughout life, enhance the immune system to fight infection, and aid in wound healing. Table 6 describes the nutrients for oral health, their specific roles, and deficiency outcomes.

### **Obesity and Oral Health**

Obesity is diagnosed as, a person's body mass index score (BMI) is over 30, defined as a medical condition of excess body fat. 11 Obesity is a risk factor for periodontal disease by causing spikes in blood glucose metabolism, leading to an inflammatory response by the body. A poorly nourished host has difficulty fighting infection and inflammation. A recent study by the Third National Health and Nutrition Examination Survey showed body mass index is positively related to severity of periodontal attachment loss. The black arrows indicate established relationships; the blue arrows indicated proposed associations. 11

# The Life Cycle: Dietary Considerations for the Dental Patient

### **Prenatal**

Optimal nutrition, body weight, and health before conception, during pregnancy, and after delivery is the goal for all pregnancies. Obesity increases the chance of hypertension, diabetes, preeclampsia, prolonged delivery and fetal complications. Foods rich in calcium, phosphorus and vitamin D are important nutrients for fetal tooth formation in utero. Tooth development begins as early as the sixth week after conception and calcification of primary teeth begins at 4 months in utero. The most vulnerable periods of fetal development are indicated in the red bars

below, where major defects, such as cleft lip and palate appear. Damage to oral structures are most likely to occur between 5 and 8 weeks gestation.<sup>16</sup>

Dietary recommendations before conception include taking a prenatal vitamin and incorporating folic acid rich foods in the diet to prevent neutral tube defects such as spina bifida, malformation of the brain and skull, anencephaly, and encephalocele.

Foods rich in folate include;

Cleft lip, cleft palate, and cleft lip & palate (CL, CP, CLP) are common congenital birth defects, affecting 1 in 600 births in the U.S. Cleft lip and palate may be unilateral (one side) or bilateral (both sides). Because the lips and palate develop at different times during pregnancy, it is possible to have a CL, CP, or both CL/CP. Genetic factors, exposure to medications and alcohol are known to play a role in the development of CL/CP. Dietary considerations include acquiring adequate protein, folic acid, and B12 during pregnancy.<sup>21</sup>

Feeding an infant with cleft lip/palate can be challenging. The main priority is to ensure adequate nutrient intake. The absence of negative pressure needed for sucking can make this difficult for new parents. Feeding in an upright position, frequent burping, limit feeding to 30 minutes every 3 to 4 hours and using special feeding bottles and nipples can enable the infant to feed more efficiently.<sup>22</sup>

### **Infants and Toddlers**

Infants and toddlers have distinctive nutritional requirements. An infant's weight triples by his/ her first birthday, but with intestinal absorption commonly inefficient and renal function immature, digestion may be challenged. Breast milk or formula should be feed exclusively for infants 4 to 6 months of age. Research shows infants breastfeed for 6 months or more have a lower incident of tooth decay.<sup>11</sup> A gradual introduction, one at a time, of solid foods generally occurs around 6 months of age, about the same time the primary dentition begins to erupt into the oral cavity. Parents should be counseled on cleaning newly



**Figure 12.** Erosion caused by chronic vomiting in bulimia.

Image source: ©2003 Lippincott Williams & Wilkins.

erupted teeth with a soft toothbrush or wipes. Self-feeding should be encouraged around age 1 to promote self-sufficiency, motor control, and a more varied diet. Offering healthy snack options and limiting fast foods is important modeling during this impressionable time.

Worldwide, Early Childhood Caries (ECC) is the most chronic infectious disease in childhood. It is defined as the presences of one or more missing, decayed or filled primary tooth within the first 3 years of life. 18 The etiology of ECC is a combination of oral bacteria, consumption of carbohydrate rich beverages and food, and poor oral hygiene. Candida albicans and S. mutans, and the two bacteria together that make for a virulent form of ECC.<sup>11</sup> As oral health educators, knowledge of cultural practices, feeding habits and emphasis on patient education are important considerations when communicating with our patients. Recent research concludes there is a lower incidence of ECC with breastfed verses bottle fed children younger than 12 months. The World Health Organization encourages breastfeeding for infants and children up to 2 years of age or beyond in combination with food introduction.30

School-age children need frequent meals to maintain healthy blood glucose levels necessary for optimal academic performance. This is also a time when eating takes on social, psychological, and emotional implications and children develop a lifelong relationship with food. The practice of "mindful eating" as a

family, away from the television and electronic devices are good habits to instill at this age. A study by AC Nielsen, Co. found that 66% of American families watch television as they eat dinner. While target advertising and a sedentary lifestyle contributes to the incidence of childhood obesity, encouraging healthy eating habits are important considerations during this rapid growth phase. The appetite at this age is usually very good and healthy snacks are an excellent way to incorporate nutrient dense foods into the diet. Involving children in meal preparation and never using food as a reward or a punishment can teach children healthy eating strategies.

Advice is like cooking - you should try it before you feed it to others.

- Croft Pente

### **Healthy Snacks During & After School.**

- Fruit Kabobs; Melons, Grapes and Berries
- Slivers of Carrots or Celery with Dip
- Whole Grain Bagel with Peanut Butter
- Tortillas with Cheese, Bean Dip or Hummus
- Mozzarella String Cheese with Whole Grain Crackers
- Smoothies made with Low-fat Yogurt and Frozen Berries
- Trail Mix made with Popcorn and Nuts
- Salsa and Chips
- Mini Pizzas made on a Whole Wheat English Muffin
- Turkey Roll-ups
- · Whole Grain Cereal with Fresh Fruit
- Sliced Banana with Peanut Butter and Cereal Sprinkles



Figure 13. Reverse Engineering Longevity. 19




Figure 14. MyPlate for Older Adults. 10

Table 7. Determine When to Counsel and When to Refer.

When to Counsel	When to Refer
Chronic dieter	Improving heart health
Denture patient	Suspected diabetes
Early Childhood Carles	Eating disorder
Oral lesions	<ul> <li>Food allergies</li> </ul>
Periodontal disease	HIV/AIDS
Recurrent decay	Malnutrition
Xerostomia	<ul> <li>Osteoporosis</li> </ul>

### **Teenagers**

Teenagers often make the least healthy food choices, which may be influenced by peers, social media, and diet trends. Recent studies show 40% of teenagers receive their daily calories from soda, fruit juices, dairy desserts, fried food and pizza.<sup>11</sup> Females by this time have reached their maximum linear growth and begin to increase their percentage of body fat. Males on the other hand are still building muscle and bone mass, their energy needs are greatly accelerated and can consume 4,000 calories each day just to maintain current body weight. When counseling this age encourage healthy snacks-nuts, popcorn, cereal, cheese, and fruit. Educate teenagers, with the use of visual aids, about the negative effects of soda and energy drink consumption on tooth and bone health. Also consider this is an impressionable time when eating disorders, smoking, drugs and alcohol consumption can impair physical and emotional health where professional counseling may be warranted.

According to the National Eating Disorders Organization, those afflicted with this mental disorder include 70 million people worldwide, 30 million in the United States.<sup>31</sup> Two thirds are young females ages 15-24 with remaining onethird being males, children, and the elderly.<sup>31</sup> The major categories include anorexia nervosa, (AN) bulimia nervosa, (BN) binge eating disorder, (BED) and other specified feeding or eating disorder (OSFED), which include anorexia athletic, body dysmorphic disorder, and pica. This epidemic has many factors which may start with emotional triggers and are often combined with substance abuse, anxiety, and depression. As a bio-physio-social disorder, treatment strategies include a multi-discipline approach of psychiatric nature. Dental care is part of the recovery process. Pain from erosion, dentinal sensitivity, and caries is addressed by meeting restorative needs. Dental preventive strategies include using a home fluoride rinse, limiting intake of acidic beverages, and using desensitizing agents for tooth sensitivity.

### **Young Adults**

Young adults lead an active lifestyle by working and raising families. This is also the time basal metabolic changes occur, causing weight gain.

Chronic diseases may start to slowly manifest such as hypertension, cardiovascular disease, and diabetes. Other digestive irregularities such as gastroesophageal reflux disease (GERD) inflammatory bowel disease, (IBD) and lactose intolerance can challenge the digestive process and limit dietary choices.

Oral changes may occur if best practices for biofilm control are not routine. Periodontal disease, bone loss and dental caries may become a concern during this lifecycle phase. Adults may also begin to experience root caries around the exposed roots of teeth and around existing dental fillings. This may also be associated with the onset of xerostomia, a condition of salivary gland hypofunction due to medications, hormones changes, dehydration, and other medical conditions.<sup>12</sup>

The goal of nutrition during adulthood is health promotion; maintain oral tissue and supporting structures and immune support. Encourage patients to stay physically active and follow the Dietary Guidelines for Americans to prevent future, chronic disease later in life.

### **Older Adults**

Elderly individuals have unique nutritional concerns, especially as life expectancy continues to increase. Depending on genetics and the ability to resist disease, our bodies age at different rates. Good nutrition can make a significant difference in keeping the body free from disease and the dentition intact.

Oral complications for older adults can cause dietary constraints by making chewing difficult and food less enjoyable. Even with advancements in dentistry, like implant therapy, patients still present with missing and mobile teeth due to neglect. Denture patients may have difficulty chewing efficiently and consume less fibrous type foods and animal protein. Over 25% of older adults have xerostomia, a condition of dry mouth, limiting chewing and speech.23 Xerostomia is not a disease, but may be a symptom of various medical conditions, radiation treatment, or medications. Many prescription and OTC medications cause dry mouth including antihistamines, decongestants, hypertensives and antidepressants. Patients with xerostomia

are at increased risk of dental caries and halitosis.

The Blue Zone, the highest concentration of centenarians in the world, has been studied by researchers to determine if unique lifestyle habits support longevity. The five Blue zones are in Italy, Greece, Japan, Costa Rica, and the United States. They have identified nine common characteristics of older adults living past 100 years of age.<sup>19</sup>

The USDA MyPlate on the following page offers additional advice for the older adult. Additional highlights include making half you plate fruits and vegetables, choose low-fat dairy or lactose free milk, and vary your protein options.<sup>10</sup>

### Nutritional Counseling in the Dental Practice

When do you counsel a dental patient? How can you initiate a conversation regarding nutrition into a regular prophylaxis appointment? It can be as formal as having a patient record a 3, 5, or 7-day food diary and return for dietary counseling. An informal approach may involve talking chair side, providing visual aids, brochures, or having a patient record a 24-hour recall. Counseling in the dental practice should focus upon reducing oral risks from diet and promoting good nutrition for health. Patients should be referred to a Registered Dietitian if there is an underlying medical condition.

Table 7 will help determine when to counsel in the dental practice and when to refer a patient to a Registered Dietitian.

### **Assessment**

Collecting dietary information and looking for clues of oral health status is the first step in nutritional counseling. As oral health experts, we know the mouth is the window for viewing internal health. Looking at a person's rate of caries and tooth loss, disorders of the tongue such as atrophied papillae and glossitis, or other conditions such as a loss of lamina dura, angular cheilitis, or inadequate functioning salivary glands, just to name a few, may indication nutritional deficiencies.

Caries Management by Risk Assessment (CAMBRA) is an evidence-based approach for

patient-specific caries management at its earliest stages. The first step involves categorizing caries risk based on the clinician's overall assessment of patient's disease indicators, caries protective factors, and caries predisposing factors. The guide below may be helpful as a visual aid during patient education to assess pathological challenges and whether a patient falls into a low, moderate, or high caries risk category.

### **Counseling Tips**

When diet changes are indicated, keep it simple. Make small changes, and let the patient choose one or two goals to practice between dental appointments. As a clinician, be aware of patient's cultural influence, education, current health status, and any financial restrictions that may inhibit food selection.

- To reduce carcinogenicity of the diet, for adults suggest limiting eating events to three times a day with no more than two between meal snacks and eliminating highly retentive foods such as crackers, chips, and soft candies.
- For children who need the energy provided by between meal snacks, they should be healthy food choices low in cariogenic potential such as cheese, raw vegetables, meat roll-ups, and fresh fruit.
- When oral hygiene does not follow a meal, suggest ending a meal with cheese or milk, chewing gum with xylitol, or rinsing with water to raise salivary pH back to neutral (7.0.)
- To stimulate salivary production, include cool, sour, or tart nutrient dense foods (sugar free), increase water intake.
- Incorporate low-fat, calcium rich foods in the diet, spaced throughout the day for remineralization properties.
- Avoid diet soda, which contains acids that may demineralize the tooth surface independent of biofilm acid production.
- Resources for patient education:
  - American Dental Association
  - Academy of Nutrition and Dietetics
  - Nutrition.gov
  - <u>US Department of Health and Human</u> Services
  - Medline Plus

### Conclusion

Professional expertise and frequent patient contact make the dental professional the ideal oral health care expert to screen patients for dietary shortfalls and nutritional deficiencies

that may impact oral health. *Healthy Eating Plates* and *The Dietary Guidelines for Americans* are sound resources to provide accurate dietary information to our dental patients.

Ca	ADA American Dental Association® America's leading advocate for oral health					
	Caries Risk Assessment Form (Age >6)					
-	Patient Name:					
Birth	Date:		Date:			
Age:			Initials:			
		Low Risk	Moderate Risk	High Risk		
	Contributing Conditions	Check o	r Circle the conditions th	nat apply		
I.	<b>Fluoride Exposure</b> (through drinking water, supplements, professional applications, toothpaste)	□Yes	□No			
II.	Sugary Foods or Drinks (including juice, carbonated or non-carbonated soft drinks, energy drinks, medicinal syrups)	Primarily at mealtimes		Frequent or prolonged between meal exposures/day		
III.	Caries Experience of Mother, Caregiver and/or other Siblings (for patients ages 6-14)	No carious lesions in last 24 months	Carious lesions in last 7-23 months	Carious lesions in last 6 months		
IV.	<b>Dental Home</b> : established patient of record, receiving regular dental care in a dental office	□Yes	□No			
	General Health Conditions	Check o	r Circle the conditions that apply			
I.	Special Health Care Needs (developmental, physical, medi- cal or mental disabilities that prevent or limit performance of adequate oral health care by themselves or caregivers)	□No	Yes (over age 14)	Yes (ages 6-14)		
II.	Chemo/Radiation Therapy	□No		□Yes		
III.	Eating Disorders	□No	□Yes			
IV.	Medications that Reduce Salivary Flow	□No	□Yes			
V.	Drug/Alcohol Abuse	□No	□Yes			
	Clinical Conditions	Check o	Circle the conditions th	nat apply		
I.	Cavitated or Non-Cavitated (incipient) Carious Lesions or Restorations (visually or radiographically evident)	No new carious lesions or restorations in last 36 months	1 or 2 new carious lesions or restorations in last 36 months	3 or more carious lesions or restorations in last 36 months		
II.	Teeth Missing Due to Caries in past 36 months	□No		□Yes		
III.	Visible Plaque	□No	□Yes			
IV.	<b>Unusual Tooth Morphology</b> that compromises oral hygiene	□No	□Yes			
V.	Interproximal Restorations - 1 or more	□No	□Yes			
VI.	Exposed Root Surfaces Present	□No	□Yes			
VII.	Restorations with Overhangs and/or Open Margins; Open Contacts with Food Impaction	□No	Yes			
VIII.	Dental/Orthodontic Appliances (fixed or removable)	□No	□Yes			
IX.	Severe Dry Mouth (Xerostomia)	No		Yes		
	erall assessment of dental caries risk:	Low	Moderate	High		
Patie	Patient Instructions:					

Figure 15. ADA Caries Risk Assessment Tool.<sup>20</sup>

### **Course Test Preview**

To receive Continuing Education credit for this course, you must complete the online test. Please go to: <a href="https://www.dentalcare.com/en-us/ce-courses/ce583/test">https://www.dentalcare.com/en-us/ce-courses/ce583/test</a>

1. The Glycemic Index is a numeric rating system of carbohydrates based on their immedicate effect on blood glucose levels.

The higher the Glycemic Index number, the less demand for insulin and the slower the absorption.

- A. Both statements are true.
- B. Both statements are false.
- C. The first statement is true. The second statement is false.
- D. The first statement is false. The second statement is true.
- 2. An excellent source of plant protein included in a vegan diet include all of the following EXCEPT one, which is the exception?
  - A. Quinoa
  - B. Eggs
  - C. Chia seeds
  - D. Avocado
- 3. All of the following are characteristics of individuals living in the Blue Zone EXECPT one, which is the exception?
  - A. Plant slant
  - B. 80% full
  - C. Move with purpose
  - D. Focus on protein rich foods
- 4. Phytonutrients are powerful antioxidants found in fruits and vegetables. What phytonutrients can be found in grapes and red wine?
  - A. Carotenoids
  - B. Resveratrol
  - C. Flavonoids
  - D. Glucosinolates
- 5. This vitamin enhances the immune system, assist with the formation of collagen fibers and supports the absorption of calcium and iron:
  - A. Vitamin C
  - B. Vitamin B
  - C. Vitamin D
  - D. Vitamin A
- 6. This vitamin is a cofactor in prothrombin formation, essential for clotting:
  - A. Vitamin K
  - B. Biotin
  - C. Riboflavin
  - D. Tocopherol
- 7. Using the interactive "Create your Plate" tool, which food group is represented in the largest quantity?
  - A. Protein
  - B. Grains
  - C. C. Fruit
  - D. Non-starchy vegetables

## 8. All of the following statements describe the CAMBRA assessment tool EXCEPT one, which is the exception?

- A. An evidence-based approach for patient-specific caries management
- B. Helpful as a visual aid during patient education to assess pathological challenges
- C. An assessment of patient's disease indicators, caries protective and predisposing factors
- D. All of the above describe the CAMBA assessment tool.

### 9. Which of the following nutrients are considered antioxidants?

- A. Vitamins K, D, Pyroxidine, Copper
- B. Vitamins B12, B6, Calcium, Selenium
- C. Vitamins E, C, Beta-Carotene, CoQ10
- D. Vitamins D, A, Cobalamin, Manganese

# 10. The most serious damage to oral structures from exposure to nutritional deficiencies are most likely to occur between \_\_\_\_\_\_.

- A. 2-4 weeks gestation
- B. 5-8 weeks gestation
- C. 12-14 weeks gestation
- D. 15-16 weeks gestation

## 11. The relationship between diet and dental caries involves all of the following EXCEPT for one, which is the exception?

- A. A susceptible tooth surface
- B. Streptococcus mutans and lactobacillus
- C. A fermentable carbohydrate
- D. Adequate biofilm control

# 12. When oral hygiene does not follow a meal, caries counseling suggestions may include all of the following EXCEPT for one, which is the exception?

- A. End a meal with a fat or protein rich food.
- B. Chew gum with xylitol.
- C. Rinse with water after a meal.
- D. Finish a meal with a fermentable carbohydrate.

# 13. An individuals lipid profile is a measurement for risk of heart disease and stroke. High density liproprotein (HDL) removes cholesterol from the blood stream and takes it back to the liver for elimination.

- A. Both statements are true.
- B. Both statements are false.
- C. The first statement is true, the second statement is false.
- D. The first statement is false, the second statement is true.

### 14. All of the following statements regarding obesity are correct EXCEPT:

- A. Obesity is a risk factor for periodontal disease
- B. A poorly nourished host has difficulty fighting infection and inflammation
- C. Body mass index is positively related to severity of periodontal attachment loss
- D. Obesity is a diagnosis when a person's body mass index score (BMI) is over 35

### 15. Which mineral is the most abundant in the body and is necessary for hormone production?

- A. Calcium
- B. Phosphorus
- C. Fluoride
- D. Magnesium

- 16. An eating disorder is most often associated with emotional triggers. Dental care is part of the recovery process that may include preventive strategies
  - A. Both statements are true.
  - B. Both statements are false.
  - C. The first statement is true, the second statement is false.
  - D. The first statement is false, the second statement is true.
- 17. The most important dietary consideration when counseling a patient about diet and dental caries is the frequency of carbohydrate ingestion. Cariostatic foods do not contribute to enamel demineralization and include foods such as nuts, cheese, and meats.
  - A. Both statements are true.
  - B. Both statements are false.
  - C. The first statement is true, the second statement is false.
  - D. The first statement is false, the second statement is true.
- 18. Involving children in meal preparation and never using food as a reward or a punishment can teach children healthy eating strategies. About 50% of American families watch television during dinner time.
  - A. Both statements are true.
  - B. Both statements are false.
  - C. The first statement is true, the second statement is false.
  - D. The first statement is false, the second statement is true.
- 19. Which of the two dietary approaches provide adequate scientific data to back their claims?
  - A. Mediterranean and DASH
  - B. Zone and Atkins
  - C. Paleo and South Beach
  - D. Ketogenic and Whole30
- 20. Which major nutrient is most important for salivary gland function?
  - A. Protein
  - B. Iron
  - C. Zinc
  - D. Vitamin A

### References

- 1. Kadey M. The Truth About Coconut Oil. WebMD. Accessed March 2, 2022.
- 2. Havard Health Publishing. DASH or Meditterranean: Which diet is better for you? Aug 2015. Accessed March 2, 2022.
- 3. Adobe Stock. Vegan protein. Accessed March 2, 2022.
- 4. Mayo Clinic. Healthy Lifestyle: Nutrition and healthy eating. DASH diet: Healthy eating to lower your blood pressure. 08 May 2019. Accessed March 2, 2022.
- 5. Health Jade. What is the Glycemic Index? Accessed March 2, 2022.
- 6. USDA. ChooseMyPlate.gov. Accessed March 2, 2022.
- 7. American Diabetes Association. Create Your Plate. Accessed March 2, 2022.
- 8. Harvard T.H. Chan School of Public Health. Healthy Eating Plate. Accessed March 3rd, 2022.
- 9. Office of Disease Prevention and Health Promotion. Food and Nutrition. Accessed March 10th 2022.
- 10. Tufts. MyPlate for Older Adults. Accessed March 10, 2022.
- 11. Sroda R, Reinhard T. Nutrition for a Healthy Mouth, 3rd Ed. Wolters Kluwer. Philadelphia, PA. 2018:35, 41, 50, 54, 55, 74-76, 83-115, 123-146, 204-230, 245-256, 333-337, 358, 360, 369, 388.
- 12. Tiwari M. Science behind human saliva. J Nat Sci Biol Med. 2011 Jan;2(1):53-8. doi: 10.4103/0976-9668.82322.
- 13. Yahia N, Brown CA, Rapley M, et al. Level of nutrition knowledge and its association with fat consumption among college students. BMC Public Health. 2016 Oct 4;16(1):1047. doi: 10.1186/s12889-016-3728-z.
- 14. National Center for Complementary and Integrative Health. Antioxidants: In Depth. Accessed March 10, 2022.
- 15. Harvard T.H. Chan School of Public Health. How Sweet Is It? Accessed March 10, 2022.
- 16. Flickr. Critical or sensitive stages in human prenatal development. Accessed March 10, 2022.
- 17. Wikimedia Commons. Unilateral and Bilateral Cleft Lip and Palate. Accessed March 10, 2022.
- 18. Colak H, Dülgergil CT, Dalli M, et al. Early childhood caries update: A review of causes, diagnoses, and treatments. J Nat Sci Biol Med. 2013 Jan;4(1):29-38. doi: 10.4103/0976-9668.107257.
- 19. Blue Zones. Power 9®. Reverse Engineering Longevity. Accessed March 10, 2022.
- 20. ADA.org\_Caries\_Risk\_Assessment\_6.pdf (dentalhealthservices.com) Accessed March 10, 2022,
- 21. CDC. Facts about Cleft Lip and Cleft Palate. Accessed Marc 10, 2022.
- 22. Abbeglen L.The Study of Cleft Lip and Palate. Abstract. Dec 2018.
- 23. Xerostomia: Recognition and Management. Colgate Professional. Accessed March 10, 2022.
- 24. National Cholesterol Education Program. ATP III Guidelines At-A-Glance Quick Desk Reference. Accessed March 10, 2022.
- 25. American Heart Association. The Salty Six Infographic. 2018. Accessed March 10, 2022.
- 26. Reference. What Is the Fastest Healing Part of the Body? Accessed March 10, 2022.
- 27. Oral Harris ME. Oral Cancer Kills 1 American Every Hour of Every Day. May 11, 2016. Accessed March 10, 2022.
- 28. Benjamin RM. Oral health: the silent epidemic. Public Health Rep. 2010 Mar-Apr;125(2):158-9. doi: 10.1177/003335491012500202.
- 29. Dennett C. Plant-Based Diets and the Gut Microbiota. Today's Dietitian. 2018 Jul;20(7):36. Accessed March 10, 2022.
- 30. World Health Organization. Breastfeeding. Accessed March 2022.
- 31. National Eating Disorders Association. Accessed March 10, 2022,
- 32. Saint Johns Health. Top 20 Foods High in Antioxidants. Christopher T. Reilly Accessed March 11, 2022
- 33. Vegetarian Diet: How To Get The Best Nutrition Mayo Clinic Accessed March 12, 2022.
- 34. What Are Phytonutrients? Types and Food Sources (webmd.com) Accessed March 13, 2022.

### **Additional Resources**

No Additional Resources Available

### **About the Author**



### Diane Vernetti-Callahan, RDH, MS Ed

Diane Vernetti-Callahan is a dental hygiene faculty at Madison College, Madison, Wisconsin, since 2000. She received her Bachelor's degree in Dental Hygiene from Marquette University and her Masters of Adult Education degree from University of Wisconsin, Platteville. Diane was an associate professor at the University of Minnesota, School of Dental Hygiene, where she began her teaching career. She has a combined 30 years' experience in education and clinical practice with an interdisciplinary background in integrative health

approaches. In addition to teaching, Diane is a regular contributor to Procter and Gamble's continuing education courses as well as a published author in ADHA Access magazine on the topic of Nutrigenomics. Diane is test constructor for the National Dental Hygiene Board Examination (NDHBE), the Program Coordinator for "More Smiles Wisconsin", and a Board Advisor for the Madison College Honors Program.

Email: dcallahan@madisoncollege.edu