

Achieving Patient-centered Care through Interprofessional Collaborative Practice



Course Author(s): Grishondra L. Branch-Mays, DDS, MS; Keith A. Mays, DDS, MS, PhD
CE Credits: 1 hour
Intended Audience: Dentists, Dental Hygienists, Dental Assistants, Dental Students, Dental Hygiene Students, Dental Assistant Students
Date Course Online: 11/01/2016
Last Revision Date: 05/31/2024
Course Expiration Date: 05/30/2027
Cost: Free
Method: Self-instructional
AGD Subject Code(s): 750

Online Course: www.dentalcare.com/en-us/ce-courses/ce471

Disclaimers:

- P&G is providing these resource materials to dental professionals. We do not own this content nor are we responsible for any material herein.
- Participants must always be aware of the hazards of using limited knowledge in integrating new techniques or procedures into their practice. Only sound evidence-based dentistry should be used in patient therapy.

Conflict of Interest Disclosure Statement

- The authors report no conflicts of interest associated with this course.

Short Description

This course will present an overview of the role of the oral health care provider in interprofessional education and collaborative practice; discuss the importance of oral health on overall health and the necessity of working on an interprofessional team to provide patient-centered care and to improve population health; and will provide an overview of the core competencies for collaborative practice.

Course Contents

- Overview
- Learning Objectives
- Glossary
- Introduction
- Core Competencies for Interprofessional Collaborative Practice
- The Oral Cavity: The Gateway to the Body
- The Growing Benefits of Establishing Teams to Provide Care
- The Role of Oral Healthcare Providers in Interprofessional Collaborative Practice
- Conclusion
- Course Test
- References / Additional Resources
- About the Authors

Overview

This course will present an overview of the role of the oral health care provider in interprofessional education and collaborative practice; discuss the importance of oral health on overall health and the necessity of working on an interprofessional team to provide patient-centered care and to improve population health; and will provide an overview of the core competencies for collaborative practice.

Learning Objectives

Upon completion of this course, the dental professional should be able to:

- Describe the core competencies for interprofessional collaborative practice.
- Discuss the importance of oral health on overall health.
- Discuss the benefits of developing an interprofessional team focused on improving patient health.
- Discuss the role of the oral healthcare provider on a collaborative health care team.

Glossary

CCIPCP – Core Competencies for Interprofessional Collaborative Practice.

CODA – Commission on Dental Accreditation.

ICP – Interprofessional Collaborative Practice.

IHI – Institute for Healthcare Improvement.

IPE – Interprofessional Education.

IPEC – Interprofessional Education Collaboration.

TMD – Temporomandibular Joint Disorder

Introduction

Interprofessional education (IPE) and interprofessional collaborative practice (ICP) are part of the changing paradigm in which healthcare professionals and social care professionals work together as a collaborative team. According to the World Health Organization, IPE occurs when learners from two or more health professions engage in learning about, from, and with each other to enable effective collaboration and improve health outcomes, and ICP occurs when multiple health workers from different professional backgrounds work together with patients and families, careers and communities to deliver the highest quality of care.¹ While IPE has been a part of the conversation in healthcare since the 1970's, it has gained momentum and financial support for broader implementation and research by the federal government, academic institutions, affordable care organizations, and non-profit organizations. In dental education, IPE is a part of the Commission on Dental Accreditation (CODA) standards, and it is common practice for dental, dental hygiene and dental therapy students to work with other healthcare and social care professionals in the classroom, simulated patient care, and clinical settings. On a broader level, universities across the country have continued to foster stronger relationships between different disciplines, such as, law, medicine, dentistry, nursing, public health, and others to build interprofessional curricular experiences for students. In order to facilitate this learning process, the Interprofessional Education Collaboration (IPEC) developed a set of core competencies in 2011 and recently revised them in 2023. In 2023, thirty-three sub-competency statements were organized under the existing four competency areas.

Core Competencies for Interprofessional Collaborative Practice

In May of 2011, the Interprofessional Education Collaborative, a panel of experts representing the American Association of Colleges of Nursing,

American Association of Colleges of Osteopathic Medicine, American Association of Colleges of Pharmacy, American Dental Education Association, Association of American Medical Colleges and the Association of Schools of Public Health convened to develop a set of competencies for ICP.² The panel identified four Core Competencies for Interprofessional Collaborative Practice (CCIPCP). The focus of these competencies was to develop guidelines for preparing health professionals to provide quality patient-centered care and population health in evolving health care systems in which team-based care is necessary. The competencies act as one potential strategy for addressing issues in healthcare related to the rising cost of healthcare, improving access to care for underserved populations and providing quality care. This concept is in keeping with the Triple Aim framework as an approach described by the Institute for Healthcare Improvement (IHI) to optimize the delivery of healthcare, by improving the patients experience, improving population health and reducing the per capita cost of requiring a collaborative approach to the complex health conditions that are increasingly more common in the populations we serve. The Triple Aim framework was designed to improve health, which requires the engagement of stakeholders with a community to speak to broad determinants of health and not one single dimension. In this regard, true health is not realized at the individual level, but at the community level. The triple aim creates a metric that allows the healthcare system to partner with providers to improve the health of the population,³ improve medical management,⁴ and transform healthcare reimbursement models.⁵

IPEC identified four core competencies, which could be implemented as common core concepts in health profession educational programs that would be broad enough to encompass multiple professions but be flexible enough to account for the uniqueness that exists between professions. The CCIPCP are framed in such a way that collaborative teams can be evaluated on the effectiveness of team-based care for those complex patients that require care from multiple providers.

In 2016, the CCIPCP updated the Core Competencies to focus on a single domain, Interprofessional Collaboration. The core concept of the four competencies is collaboration.⁶ According to the CCIPCP, the updated competencies provide more integration of population health and have a greater focus on population health, which is consistent with the Triple Aim. The updated competencies include sub-competencies that further elaborate each of the core competencies' aim to utilize measurable learner objectives that allow different professions to track outcomes.

The IPEC Core Competencies were reviewed and updated again in 2023. Each of the four CCIPCP emphasize team and reflect concepts of safety, high-quality outcomes, accessibility, equitability, patient/client centered care and enhanced population health outcomes.⁷ In addition, to a reduction in the number of sub-competencies from thirty-nine to thirty-three there is also a focus on team and teamwork.

The updated CCIPCP are as follows.

- Values and Ethics: Work with team members to maintain a climate of shared values, ethical conduct, and mutual respect.
- Roles and Responsibilities: Use the knowledge of one's own role and team members' expertise to address individual and population health outcomes.
- Communication: Communicate in a responsive, responsible, respectful, and compassionate manner with team members.
- Teams and Teamwork: Apply values and principles of the science of teamwork to adapt one's own role in a variety of team settings.

The updated CCIPCP similarly highlight some foundational characteristics necessary for oral healthcare professionals that encompass shared values relevant across other health professions. Concepts represented in the CCIPCP are typified in some statements that appear in the ADA Principles of Ethics and Professionalism as well as the Code of

Ethics for Dental Hygienists and are part of the day-to-day practice of an oral healthcare provider. For example, the Dental Hygiene code states “develop collaborative professional relationships and exchange knowledge to enhance our own lifelong professional development,” while the ADA code says “... the dentist’s primary obligations include keeping knowledge and skills current, knowing one’s own limitations and when to refer to a specialist or other professional...” As new practice models are evolving, oral healthcare providers are practicing in rural settings, urban settings, in community health centers, etc., and they will need to acquire the skills needed to work with an interprofessional collaborative team to help promote oral health and treat the growing number of patients with complex medical and mental conditions.

In addition, the CCPCP integrated the concepts of the Quadruple and Quintuple Aims. While the Triple Aim focused on three concepts, it did not include healthcare provider well-being and healthy equality which are illuminated in the Quadruple and Quintuple Aim, respectively.⁸

Bodenheimer and Sinsky noted the health and well-being of the provider is a crucial component in achieving the overall goal.⁹ They noted that provider burnout has increased and may be linked to future shortages in primary care physicians and other healthcare workers. A similar finding was noted for dental graduates related to the working environment that could impact one’s professional and personal life. The impact of healthcare provider burnout may lead to further workforce challenges and compromise care, making the Quadruple Aim an important component of maximizing care.^{8,10}

Furthermore, vulnerable populations who are uninsured, underinsured or who have limited access to medical and dental service healthcare services have a challenges making it difficult to address the needs of all populations. It has been noted that certain marginalized populations, such as those with low social economic status, historically underrepresented groups, and the elderly even prior to the COVID-pandemic experienced health inequities

and lack of access to care. These trends were magnified during the COVID-19 pandemic. Farrell et al noted in a perspective that health inequities should be highlighted as a discrete concept as noted by the Quintuple Aim if they are to be addressed.¹¹

The Oral Cavity: The Gateway to the Body

The prevalence of oral diseases such as dental caries and periodontal disease is still a significant global concern impacting the health of large numbers of children and adults.^{12,13} A recent systematic review reported that untreated caries of permanent teeth was the most common health concern affecting an estimated 2 billion people worldwide.¹³ This review also reported that from 1990 to 2019 there was a decrease in untreated caries, however this was associated with individuals in higher Sociodemographic Index quintiles. In the United States (US), dental caries is recognized as the leading chronic childhood disease, and several studies report the high prevalence adults in the US have some form of periodontal disease.¹⁴⁻¹⁷ It has been reported that in 2011-2012, 37% of children (age 0-8) have experienced caries of a primary tooth. In addition, there continue to be significant disparities in Hispanic and Black children, aged 2-8 resulting in a higher caries rate in these groups. A recent report from Kaiser Health News stated, “One in five adults reported that they had unmet dental care needs because they couldn’t afford care.”¹⁸ Periodontal disease affects approximately 40% of the adults in the United States and 11% globally.¹⁹ Findings from the National Health and Nutrition Examination Survey 2009- 2014 report, estimated that 42% of US adults 30 years of age or older had some form of periodontitis.¹⁹ This high level of oral disease is problematic as poor oral health has been linked to poor systemic health, with several chronic diseases, such as diabetes, cardiovascular disease etc.²¹⁻²⁶ For example, a study demonstrated that patients with diabetes mellitus have a greater prevalence of periodontal diseases, and patients with poorly controlled type II diabetes have more advanced periodontal disease suggesting a bidirectional relationship.²⁷⁻³⁰ Additionally, patients with diabetes mellitus type I or II have a greater

prevalence of periodontal diseases, and patients with poorly controlled type II diabetes have more advanced periodontal disease.^{31,32} As a consequence, dental practitioners are providing comprehensive oral care for more complex medically compromised patients that create the necessity for interprofessional collaboration to provide optimal patient care.^{33,34}

The major challenge for providing optimum care for the US population while simultaneously addressing the Quintuple aim, is the siloed nature of the health system, particularly the general isolation of oral health from other aspects of healthcare. A 2014 report from the ADA Health Policy Resources Center, stated that 27 million Americans visited a dentist, but not a physician and contrarily, 108 million visited a physician but not a dentist.³⁵ Additionally, the reimbursement model for dentistry is not considered essential care, and has not been a component of health insurance, and not a component of Medicare, which supports the care of the senior population.^{36,37} This lack of integration of oral health into the broader health system will continue to limit the overall health of the US population and the achievement of the Quintuple Aim.

As our colleagues in medicine, nursing, pharmacy, physician assistants, etc. are becoming more aware of the importance of the relationship between oral health and overall health, the demand for the unique skills of oral health professionals will be more in demand. In addition, the advancement of life-preserving medical treatments for serious medical conditions and disabilities emerge, the result will be a US population that is living longer, and creating the need for increased collaborative practice.²⁷ While oral healthcare providers are trained to take a medical and medication history, most non-dental healthcare professionals have a gap in knowledge of how to assess and refer problems related to the oral cavity, due to the fact that, for the vast majority, it is often lacking in their training.^{38,39} An Institute of Medicine report and the U.S. Surgeon General's report have focused the spotlight on this gap in knowledge, and new oral health initiatives have been funded that focus on providing other healthcare providers with

the skills to identify oral disease.⁴⁰⁻⁴³ Formation of these types of interprofessional partnerships create an opportunity for oral health care professionals and other health and social care professionals to work together to improve both oral health and overall health for the patients under their care. One of the existing outcomes is the engagement of non-dental health professionals to provide traditional services such as application of fluoride varnish and oral assessments.

The Growing Benefits of Establishing Teams to Provide Care

Throughout the 20th century, it was commonplace for dental school graduates to purchase or establish a private practice clinical model to deliver oral care to patients in need. However, in the latter third of the 20th century there was an increased presence in the establishment of group and corporate-owned practices. In addition, in the first quarter of the 21st century, this trend has exponentially increased. A brief from the American Dental Association Health Policy Institute, stated that according to 2012 data there was a reduction in the proportion of dentists who were in solo practice from 67% to 57.5%.⁴⁴ In 2019, the American Dental Education Association Snapshot reported that in 2015 11.7% of the graduating students intended to be employed in a corporate-owned group practice, and in 2018 this increased to 16%. One of the take aways from both of these reports is that group practices are on the increase in the US. This trend demonstrates oral health providers are already working in uniprofessional team settings to provide dental care to patients, and it appears the trend is growing. IPCP is an extension of this team care model that builds on oral health professionals' proven ability to work collaboratively, potentially fully elements of the Triple Aim.⁴⁵ This extension would be accomplished by collaborative care models that incorporate nurses, physician, pharmacist, social worker, and others as a team of health providers.

As oral health care professionals, we have multiple patient encounters with the same patient throughout the course of a year, and therefore, have an opportunity to have a

significant impact on improving the oral and overall health of our patients. The dental clinic setting provides an opportunity for diagnosis and treatment of disease processes in the oral cavity, both acute and comprehensive oral issues. In addition, there is a unique opportunity to screen, assess, and monitor patients who are at risk and/or have been diagnosed with chronic systemic medical conditions. Evaluating the patient's medical status, discussing disease prevention, monitoring vital signs and reviewing the patient's medication list are already part of a routine dental visit. Therefore, integrating a comprehensive medical and medication therapy management program in collaboration with other healthcare providers could be a natural extension with minimal impact on the dental visit that would facilitate dentists collaborating with other health providers to improve overall patient health.

As a consequence of establishing these relationships with other health care providers, oral healthcare providers could work together to educate patients, discuss a comprehensive care plan and make the appropriate referrals to manage the medical, mental health and oral health components of the disease. As other healthcare professionals become more aware and recognize the importance of oral health on overall health, this knowledge should result in earlier referral, diagnosis and treatment for patients with oral disease to an oral healthcare provider, recognition of the importance of dental clearances prior to medical surgical procedures, better oral management of patients with systemic diseases that impact oral health and better management of patients taking medications that have negative side effects on the oral cavity to mention a few. The shifting landscape in healthcare is an opportunity for oral healthcare providers to be proactive in establishing its role as a key member of collaborative care teams. One example of this shift, is a collaboration between Harvard School of Dental Medicine and Northeastern University, in which nurse practitioner students and dental students work collaboratively to provide direct care for patients under the supervision of their perspective faculty.⁴⁶ Another relates to screening patients for unmet social needs and referral to resources to reduce

barrier and improve health outcomes.⁴⁷⁻⁴⁹ The need for greater collaboration with oral health is supported by a quote from the ADA Health Policy Resource Center, "This is a critical moment in dentistry and not a time for complacency. Understanding the key forces at work will assist the profession in defining its own destiny. Ignoring what is happening in the health and consumer environments will mean ceding the future of the profession to others."³⁵

The Role of Oral Healthcare Providers in Interprofessional Collaborative Practice

For decades, oral healthcare providers have been playing an important role on Interprofessional collaborative teams. One of the salient examples, is in the area of cleft lip and cleft palate where a team of oral health, health, and social care providers and others have been working together to coordinate care for this group of patients with complex needs that could only be addressed by an interprofessional team. More recently, oral healthcare providers have been valuable members of interprofessional teams in the treatment of chronic pain patients because of our work in temporomandibular joint disorder (TMD) and sleep medicine.

Our role as a team member with other professionals continues to be in demand as more medical conditions are linked to oral health. The CDC has predicted the number of patients who will be diagnosed with diabetes will double or triple by 2050.⁵¹ This will necessitate an increased readiness of oral healthcare providers to manage their patients through screening and refer for non-dental conditions that contribute to an overall improvement in their patient's overall health. Several studies have demonstrated diabetes is a risk factor for the development of periodontal disease and patients in certain populations have more severe periodontal disease.⁵²⁻⁵⁴ These patients could be better managed when we collaborate as an interprofessional team viewing the disease process from a dental, medical, pharmacotherapeutic and mental health management standpoint. In a recent interview with David Gesko, Senior Vice President & Dental Director HealthPartners, he described running

a study in their clinics that demonstrated that dentists were able to screen for diabetes.⁵⁵ He stated that “being able to integrate allows Health Partners to really look at a patients’ overall health”. Therefore, oral health care providers would become an important source for screening these patients and helping to provide a reciprocal referral base between oral healthcare and other health professionals.

As the number of individuals being diagnosed with chronic renal failure increases, there is an increased probability oral health professionals will care for these patients.⁵⁶ In addition, one of the most common causes for chronic renal failure is chronic hypertension, which can be easily monitored by oral health professionals. One advantage dentists have is patients routinely have visits, and this affords the provider with an opportunity to monitor patients’ blood pressure over an extended period of time. As oral health professionals observe patients having higher than normal blood pressure, or higher blood pressure readings in spite of medication, it would then be appropriate to counsel the patient and communicate with other members of the patient’s team. Therefore, oral healthcare providers can play a significant role in screening patients for certain primary care metrics and it was found that dentist were willing to incorporate screening in their practices.^{28,57}

In addition, oral healthcare providers treat a large population of patients that have mental health conditions and chronic pain patients who are taking medications that can cause xerostomia, which increases gingival inflammation and increases caries rates. Newly diagnosed patients with mental health conditions and some chronic pain patients would benefit from referral to an oral healthcare provider as many of the common medications prescribed for management of these disease processes have xerostomia as a side effect.⁵⁸ A dialogue with other healthcare colleagues about the impact of medications on the management of oral health and a referral would allow for these patients to be evaluated and have a customized care plan that might include fluoride therapy, recommendation for

products that help lubricate that teeth and soft tissues.

Other examples of collaboration have occurred to advocate for early childhood dental visits. This initiative has also contributed to a partnership between obstetrics and gynecology and oral healthcare providers. At Rice Memorial Dental clinic in Willmar, Minnesota, mothers who have recently given birth receive dental education, along with obstetrics and gynecological services while still in the OB ward at Rice Memorial Hospital.⁵⁹ Dental hygienists or other dental clinic staff establish a relationship with the new mothers, provide infant oral health education, answer questions and have them complete an information card, and then mail the family a 1st birthday card as a reminder for them to schedule the early childhood dental visit by age 1. Dental Hygiene faculty and students at the University of Minnesota School of Dentistry go on rounds with physicians and medical students on rounds at the Fairview Hospital in Minneapolis, Minnesota. This collaboration evaluated 50 patients between August – December in 2021 with 30% of the patients being referred for dental treatment. In the Fall of 2021 and the Spring of 2022 this interprofessional collaboration assessed 53 and 74 patients respectively.^{60,61} This highlights the opportunity to not only discuss good oral healthcare practice after pregnancy to minimize periodontal diseases, but to also help prevent caries the most common chronic childhood disease.⁶¹ Another example is Dr. Erin Westfall, a Mayo Clinic faculty, in Mankato, Minnesota, who proposed and developed an integrated model to oral healthcare in a medical office. She analyzed the need within her community and believed medical integration can improve patient experience and provide the person-centered care that patients in her community need. The practice focuses on integrating oral health in to primary care and focusing on preventive needs for children, adolescents, pregnant women, and adults with chronic diseases.⁶² A clear example that indicates that oral health professionals have an opportunity to help enhance the public’s understanding of the importance of oral health in improving overall health.

Conclusion

It is fitting to end this course by repeating a quote from an ADA publication, “This is a critical moment in dentistry and not a time for complacency. Understanding the key forces at work will assist the profession in defining its own destiny. Ignoring what is happening in the health and consumer environments will mean ceding the future of the profession to others”³⁵ ADA, IPE and ICP are shifting healthcare and social care paradigm by driving care to be delivered in collaborative teams. These teams will value working together in a climate of mutual respect, use its professions’ knowledge to assess and address the needs of patients and populations, communicate broadly in a responsive and responsible manner, and apply relationship-building and team dynamics to address the Triple Aim.

While we have only highlighted a few salient examples of the significant value of oral healthcare providers being an integral part

of ICP, many more examples in which oral healthcare providers contribute to improving the overall health of populations and examples of oral healthcare providers working in team-based collaborative care has increased. It is imperative oral healthcare providers appreciate the growing number of colleagues in medicine, nursing, pharmacy, physician assistants that are becoming more aware of the importance of the relationship between oral health in overall health and the scope of practice boundaries have become somewhat blurred. A patient’s visit to a dental practice is an opportune time to screen, assess, and monitor patients who are at risk and/or have been diagnosed with chronic systemic medical conditions. Oral healthcare providers should strive to inform other health professionals about oral disease and the need for early referral and build these relationships that will contribute to better health for all populations, reduce the cost of care and result in better patient outcomes.

Course Test Preview

To receive Continuing Education credit for this course, you must complete the online test. Please go to: www.dentalcare.com/en-us/ce-courses/ce471/test

- 1. Interprofessional collaborative practice is defined as _____.**
 - A. multiple health workers from different professional backgrounds working together with patients and families, careers and communities to deliver the highest quality of care
 - B. health professionals engaging in learning about, from, and with each other to enable effective collaboration and improve health outcomes
 - C. working to improve the health of patients and populations to decrease the per capita cost of healthcare
 - D. working with individuals from other professions to maintain a climate of mutual respect and shared values
- 2. All of the following are components of the Triple Aim EXCEPT?**
 - A. Improving population health
 - B. Improving the patient experience
 - C. Reducing the per capita cost of care
 - D. Improving provider wellness
- 3. There are four Core Competencies for Interprofessional Collaborative Practice that can be utilized to evaluate collaborative readiness. Which of the following is/are a Core Competency/ies?**
 - A. Interprofessional communication
 - B. Interprofessional teamwork and team-based care
 - C. The Triple Aim
 - D. Roles and responsibilities for Collaborative Practice
 - E. Only A, B and D
- 4. The most common preventable chronic childhood disease is _____.**
 - A. type 1 diabetes mellitus
 - B. caries
 - C. cerebral palsy
 - D. asthma
- 5. Poor oral health has been linked to several systemic inflammatory diseases; however, most non-oral healthcare providers have minimal training on recognizing oral disease.**
 - A. True
 - B. False
- 6. Which of the following group of patients are more likely to be taking medications that can cause xerostomia?**
 - A. Chronic pain patients
 - B. Patients diagnosed with depression
 - C. Patients diagnosed with high cholesterol
 - D. Only A and B
 - E. Only B and C

- 7. The CDC has predicted that the number of patients diagnosed with diabetes will _____ or triple by _____. This increase could impact oral healthcare providers since these patients tend to have more advanced periodontal disease.**
- A. double, 2050
 - B. quadruple, 2050
 - C. double, 2030
 - D. quadruple, 2030
- 8. In a study conducted by Greenberg et al 2010, they found dentists agreed that screening for medical conditions was important and they were willing to incorporate screening in their practices.**
- A. True
 - B. False
- 9. Which of the following is correct regarding dental practitioners providing comprehensive oral care for more complex medically compromised patients?**
- A. Treating patients with complex medical conditions will not necessitate more interprofessional collaboration to provide optimal care.
 - B. There is a decrease in oral-systemic links to chronic diseases.
 - C. The dentist can play a role in screening for disease processes that have oral manifestations and impact general health.
 - D. Dentist do not play an important role in collaborative care.
- 10. The extension of dentist's ability to function in uniprofessional teams into interprofessional collaborative practice teams to address the Triple Aim is supported by _____.**
- A. dentists having multiple patient encounters within a short period of time
 - B. the dentist unique opportunity to screen patients at risk for chronic diseases
 - C. integrating a comprehensive medication management program in collaboration with other healthcare providers
 - D. Only A, B and C
- 11. Historically, oral healthcare providers have been playing an important role on interprofessional collaborative teams except for _____.**
- A. cleft lip and palate teams
 - B. TMD and chronic pain management
 - C. sleep medicine
 - D. cardiovascular teams
- 12. One advantage dentists have is patients routinely have multiple visits annually, and this affords the provider with an opportunity to monitor patient's blood pressure over an extended period of time.**
- A. True
 - B. False
- 13. In 2023 the recent updates for the four core competencies places greater emphasis on teams and team work and the utilization of measurable objectives to track outcomes.**
- A. True
 - B. False

- 14. With other healthcare professionals becoming more aware of the impact of oral health on overall health, traditional services such as _____ are being provided by non-oral healthcare providers.**
- A. Sealants and amalgam restorations
 - B. Amalgam restorations and oral examinations
 - C. Oral examinations and application of fluoride varnish
 - D. Dentures and amalgams
- 15. The Quintuple Aim added which of the following?**
- A. Provider well being
 - B. Reduced patient cost
 - C. Health Equity
 - D. Patient satisfaction
- 16. The findings from the 2009-2014 NHANES reports the prevalence of periodontal disease as 42% in US adults over 30 years of age. This high level of poor oral health is problematic because it is linked to poor systemic health.**
- A. True
 - B. False
- 17. Providing optimum health care to the US population and addressing the quintuple aim is challenging because_____.**
- A. the siloed nature of the health system.
 - B. the reimbursement model for dentistry is not considered essential care.
 - C. there is no oral health component in Medicare, which supports the care of the senior population.
 - D. All of the above
- 18. Establishing collaborative relationships with other health care providers is essential for oral health professionals to develop comprehensive care plan that may include.**
- A. appropriate referrals to manage the medical professional
 - B. appropriate referrals to mental health professionals
 - C. medication therapy management programs
 - D. All of the above

References

1. Framework for Action on Interprofessional Education & Collaborative Practice. Geneva: World Health Organization (WHO). 2010. Accessed April 18, 2024.
2. Core Competencies for Interprofessional Collaborative Practice: Report of an Expert Panel. Interprofessional Education Collaborative (IPEC). Washington, DC. May 2011. Accessed April 18, 2024.
3. Koslov S, Trowbridge E, Kamnetz S, et al. Across the Divide: "Primary Care Departments Working Together to Redesign Care to Achieve the Triple Aim". *Healthc (Amst)*. 2016 Sep;4(3):200-6. doi: 10.1016/j.hjdsi.2015.12.003. Epub 2016 Feb 28.
4. Brummel A, Lustig A, Westrich K, et al. Best Practices: Improving Patient Outcomes and Costs in an ACO Through Comprehensive Medication Therapy Management. *J Manag Care Spec Pharm*. 2014 Dec;20(12):1152-8.
5. McGinley EL, Gabbay RA. The Impact of New Payment Models on Quality of Diabetes Care and Outcomes. *Curr Diab Rep*. 2016 Jun;16(6):51. doi: 10.1007/s11892-016-0743-5.
6. Core Competencies for Interprofessional Collaborative Practice: 2016 Update. Interprofessional Education Collaborative (IPEC). Washington, DC. February 2016. Accessed April 18, 2024.
7. Interprofessional Education Collaborative. (2023). IPEC Core Competencies for Interprofessional Collaborative Practice: Version 3. Washington, DC: Interprofessional Education Collaborative.
8. Nundy S, Cooper LA, Mate KS. The quintuple aim for health care improvement: a new imperative to advance health equity. *JAMA*. 2022;327(6):521-522. doi:10.1001/jama.2021.25181
9. Bodenheimer T, Sinsky C. From triple aim to quadruple aim: care of the patient requires care of the provider. *Ann Fam Med*. 2014;12(6):573-576. doi:10.1370/afm.1713
10. Salyers MP, Bonfils KA, Luther L, Firmin RL, White DA, Adams EL, Rollins AL. The Relationship Between Professional Burnout and Quality and Safety in Healthcare: A Meta-Analysis. *J Gen Intern Med*. 2017 Apr;32(4):475-482. doi: 10.1007/s11606-016-3886-9.
11. Farrell TW, Greer AG, Bennie S, Hageman H, Pfeifle A. Academic Health Centers and the Quintuple Aim of Health Care. *Acad Med*. 2023 May 1;98(5):563-568. doi: 10.1097/ACM.0000000000005031. Epub 2022 Oct 18. PMID: 36255204.
12. Wen, PYK, Chen, MX, Zhong, YJ, et al. Global Burden and inequality of Dental Caries, 1990 to 2019. *J Dent Res* 2022;101(4): 392-399.
13. Al-Nasser, L, Lamster, I. prevention and management of periodontal diseases and dental caries in the older adults. *Periodontology* 2000, 84(1):69-83.
14. Dye BA, Tan S, Smith V, et al. Trends in Oral Health Status: United States, 1988-1994 and 1999-2004. *Vital Health Stat* 11. 2007 Apr;(248):1-92.
15. Dye BA, Thornton-Evans G, Li X, et al. Dental Caries and Sealant Prevalence in Children and Adolescents in the United States, 2011-2012. *NCHS Data Brief*. 2015 Mar;(191):1-8.
16. Eke PI, Dye BA, Wei L, et al. Prevalence of Periodontitis in Adults in the United States: 2009 and 2010. *J Dent Res* 2012 Oct;91(10):914-20. doi: 10.1177/0022034512457373. Epub 2012 Aug 30.
17. Oral Health in America: A Report of the Surgeon General. Office of the Surgeon General. U.S. Department of Health and Human Services. Rockville, MD. May 2000. Accessed May 26, 2020.
18. Andrews M. Adults with Insurance Often Still Have Unmet Dental Needs, Survey Finds. *Kaiser Health News*. October 2, 2015. Accessed April 18, 2024.
19. Kwon, T, Lamster, I, Levin, L. Current Concepts in the Management of Periodontitis. *Int Dent J* 2021;71:462-476.
20. Eke, PI, Thornton-Evans, G, Liang, W, et al. Periodontitis in US Adults. *JADA* 2018;149(7):576-588
21. Nowjack-Ramer RE, Sheiham A. Association of Edentulism and Diet and Nutrition in US Adults. *J Dent Res*. 2003 Feb;82(2):123-6. doi:
22. Zeng XT, Leng, WD, Lam, YY, et al. Periodontal Disease and Carotid Atherosclerosis: A Meta-Analysis of 17,330 Participants. *Int J Cardiol*. 2016 Jan 15;203:1044-51. doi: 10.1016/j.ijcard.2015.11.092.
23. Pihlstrom BL, Buse JB. Diabetes and Periodontal Therapy. *J Am Dent Assoc*. 2014 Dec;145(12):1208-10. doi: 10.14219/jada.2014.112.

24. Loos BG, Craandijk J, Hoek FJ, et al. Elevation of Systemic Markers Related to Cardiovascular Diseases in the Peripheral Blood of Periodontitis Patients. *J Periodontol* 2000 . Oct;71(10):1528-34. doi: 10.1902/jop.2000.71.10.1528.
25. Chapple ILC, Genco R, working group 2 of the joint EFP/AAP workshop. Diabetes and Periodontal Diseases: Consensus Report of the Joint EFP/AAP Workshop on Periodontitis and Systemic Diseases. *J Periodontol*. 2013 Apr;84(4 Suppl):S106-12. doi: 10.1902/jop.2013.1340011.
26. Blaizot A, Vergnes JN, Nuwwareh S, et al. Periodontal Diseases and Cardiovascular Events: Meta-Analysis of Observational Studies. *Int Dent J*. 2009 Aug;59(4):197-209.
27. Ortman JM, Velkoff VA, Hogan H. An Aging Nation: The Older Population in the United States. Population Estimates and Projections. *Current Population Reports*. May 2014;1-28. Accessed April 18, 2024.
28. Greenberg BL, Glick M. Assessing Systematic Disease Risk in A Dental Setting: A Public Health Perspective. *Dent Clin North Am*. 2012 Oct;56(4):863-74. doi: 10.1016/j.cden.2012.07.011.
29. Widener MJ, Northridge ME, Chakraborty B, et al. Patterns of Chronic Conditions in Older Adults: Exploratory Spatial Findings From the ElderSmile Program. *Am J Prev Med* 2014 Jun;46(6):643-8. doi: 10.1016/j.amepre.2014.01.013.
30. Lamster IB, Eaves K. A Model for Dental Practice in the 21st Century. *Am J Public Health* 2011 Oct;101(10):1825-30. doi: 10.2105/AJPH.2011.300234. Epub 2011 Aug 18.
31. Tsai C, Hayes C, Taylor GW. Glycemic Control of Type 2 Diabetes and Severe Periodontal Disease in the US Adult Population. *Community Dent Oral Epidemiol*. 2002 Jun;30(3):182-92. doi: 10.1034/j.1600-0528.2002.300304.x.
32. Taylor GW, Burt BA, Becker MP, et al. Severe Periodontitis and Risk for Poor Glycemic Control in Patients with Non-Insulin-Dependent Diabetes Mellitus. *J Periodontol*, 1996 Oct;67(10 Suppl):1085-93. doi: 10.1902/jop.1996.67.10s.1085.
33. Bhateja S. High prevalence of cardiovascular diseases among other medically Compromised conditions in dental patients: A retrospective study. *J Cardiovasc Dis Res* 2012 Apr-Jun; 3(2): 113–116. doi: 10.4103/0975-3583.95364.
34. Kilmartin CM. Managing the Medically Compromised Geriatric Patient. *J Prosthet Dent*. 1994 Nov;72(5):492-9. doi: 10.1016/0022-3913(94)90121-x.
35. Vujcic, M, Israelson, H, Antoon, J et al. A profession in transition. *JADA* 2014;145(2):118-121.
36. Mertz, E. The Dental-Medical Divide. *Health Affairs*, 2016; 35 (12):2168-75.
37. Vujcic, 2016 Vujcic, M. Time to rethink dental “insurance”. *J Am Dent Assoc*. 2016 Nov;147(11):907-910. doi: 10.1016/j.adaj.2016.08.005. Epub 2016 Sep 16.
38. Danielsen R, Dillenberg J, Bay C. 2006. Oral Health Competencies for Physician Assistants and Nurse Practitioners. *Journal of Physician Assistant Education* 2006 Jan;17(4):12-16. Accessed April 18, 2024.
39. Jablonski R, et al. 2010. Advancing Oral Health in American. Committee on an Oral Health Initiative. Washington, DC. June 28, 2010. Accessed April 18, 2024.
40. Douglass AB, Deutchman M, Douglass J, et al. Incorporation of a National Oral Health Curriculum Into Family Medicine Residency Programs. *Fam Med* 2009;41(3):159-160.
41. Mouradian WE, Reeves A, Kim S, et al. A New Oral Health Elective for Medical Students at the University of Washington. *Teach Learn Med*. Fall 2006;18(4):336-42. doi: 10.1207/s15328015tlm1804_11.
42. Spielman AI, Fulmer T, Eisenberg ES, et al. Dentistry, Nursing, and Medicine: A Comparison of Core Competencies. *J Dent Educ*. 2005 Nov;69(11):1257-71.
43. Mouradian W E, Reeves A, Kim S. et al. An oral health curriculum for medical students at the University of Washington. *Academic Medicine : Journal of the Association of American Medical Colleges*, 30 Apr 2005, 80(5):434-442. DOI: 10.1097/00001888-200505000-00004.
44. Guay A, Warren M, Starkel R, et al. A Proposed Classification of Dental Group Practices. *Health Policy Institute Research Brief*. American Dental Association. February 2014. Accessed April 18, 2024.

45. Lewis N. A Primer on Defining the Triple Aim. Institute for Healthcare Improvement, October 2014. Accessed April 18, 2024.
46. Dolce MC, Parker JL, Marshall C, et al. Expanding Collaborative Boundaries in Nursing Education and Practice: The Nurse Practitioner-Dentist Model for Primary Care. *J Prof Nurs*. Nov-Dec 2017;33(6):405-409. doi: 10.1016/j.profnurs.2017.04.002. Epub 2017 Apr 27.
47. Mays, KA, Cooper, A, Wang, Q. Bridging the Health Gap: Measuring the Unmet Social Needs of Patients Within a Dental School Clinic. *J Dent Educ*. 2023; 87:1099-1107.
48. Meyer, D, Lerner, E, Phillips, A, Zumwalt, K. Universal Screening of Social Determinants of Health at a Large US Academic Medical Center, 2018. *Am J Public Health*. 2020;110:S219-S221. doi:10.2105/AJPH.2020.305747
49. Mosen, D, Banegas, M, Pihlstrom, D, et al. Examining the Association Between Social Needs and Care Gap Closure Among Older Adults Receiving Dental Care. *AJPM Focus* 2024; 3(3):100212. doi.org/10.1016/jfocus.2024.100212
50. A Profession in Transition. Key Forces Reshaping the Dental Landscape. ADA Health Policy Resources Center. August 2013. Accessed April 18, 2024.
51. Number of Americans with Diabetes Projected to Double or Triple by 2050. Older, more diverse population and longer lifespans contribute to increase. Centers for Disease Control and Prevention. Accessed April 18, 2024.
52. Novak MJ, Potter RM, Blodgett J, et al. Periodontal Disease in Hispanic Americans With Type 2 Diabetes. *J Periodontol*. 2008 Apr;79(4):629-36. doi: 10.1902/jop.2008.070442.
53. Taylor GW, Borgnakke WS. Periodontal Disease: Associations With Diabetes, Glycemic Control and Complications. *Oral Dis*. 2008 Apr;14(3):191-203. doi: 10.1111/j.1601-0825.2008.01442.x.
54. Emrich LJ, Shlossman M, Genco RJ. Periodontal Disease in Non-Insulin-Dependent Diabetes Mellitus. *J Periodontol*. 1991 Feb;62(2):123-31. doi: 10.1902/jop.1991.62.2.123.
55. Gesko D. July 31, 2019. Personal communication.
56. Proctor R, Kumar N, Stein A, et al. Oral and Dental Aspects of Chronic Renal Failure. *J Dent Res*. 2005 Mar;84(3):199-208. doi: 10.1177/154405910508400301.
57. Greenberg BL, Glick M, Frantsve-Hawley J, et al. Dentists' Attitudes Toward Chairside Screening for Medical Conditions. *J Am Dent Assoc*. 2010 Jan;141(1):52-62. doi: 10.14219/jada.archive.2010.0021.
58. Aliko A, Wolff A, Dawes C, et al. World Workshop on Oral Medicine VI: Clinical Implications of Medication-Induced Salivary Gland Dysfunction. *Oral Surg Oral Med Oral Pathol Oral Radiol*. 2015 Aug;120(2):185-206. doi: 10.1016/j.oooo.2014.10.027. Epub 2015 Mar 7.
59. Johnson, R, personal communication.
60. Stull, C, March 2024, Personal communication.
61. Benjamin RM. Oral Health: The Silent Epidemic. *Public Health Rep*. 2010 Mar-Apr;125(2):158-159. doi: 10.1177/003335491012500202.
62. Westfall E. September 2019, Personal communication.

Additional Resources

- No Additional Resources Available.

About the Authors



Grishondra L. Branch-Mays, DDS, MS

Dr. Grishondra Branch-Mays is Vice Dean, Academic Affairs and Professor, A.T. Still University, Missouri School of Dentistry & Oral Health, Kirksville, MO 63501.

Email: shonbranchmays@atsu.edu



Keith A. Mays, DDS, MS, PhD

Dr. Keith A. Mays is Interim Dean and a Tenured Associate Professor, Department of Restorative Sciences, University of Minnesota School of Dentistry, Minneapolis MN 55455.

Email: kmays@umn.edu