

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Metherm 61 No Change Service!

Version
02.03

Revision Date:
22.03.2021

Date of last issue: 25.01.2021
Date of first issue: 05.12.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Metherm 61
Unique Formula Identifier : YH50-K000-A00H-5E47
(UFI)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Additive
Recommended restrictions on use : Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Supplier : MELAG Medizintechnik GmbH & Co. KG
Geneststraße 6-10

10829 Berlin
Germany
Telephone: +4930-7579110
Telefax: +4930-757901199
MEtherm-OEM@melag.de
www.melag.com

Producer : Schülke & Mayr GmbH
Robert-Koch-Str. 2

22851 Norderstedt
Germany
Telephone: +49 (0)40/ 52100-0
Telefax: +49 (0)40/ 52100318
mail@schuelke.com
www.schuelke.com

E-mail address of person responsible for the SDS/Contact person : Safety Coordinator:
+49(0)30 /335 055 33

1.4 Emergency telephone number

Emergency telephone number : 031 8379964

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2

H319: Causes serious eye irritation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

MELAG
competence in hygiene

Metherm 61 No Change Service!

Version
02.03

Revision Date:
22.03.2021

Date of last issue: 25.01.2021
Date of first issue: 05.12.2018

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms : 

Signal word : Warning

Hazard Statements : H319 Causes serious eye irritation.

Precautionary Statements : **Prevention:**
P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

Additional Labelling

The product is classified in accordance with Annex I (2.6.4.5) to Regulation (EC) 1272/2008.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

No hazards to be specially mentioned.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Solution of the following substances with harmless additives.

Components

| Chemical name | CAS-No. EC-No. Index-No. Registration number | Classification | Concentration (% w/w) |
|---|--|--|--------------------------|
| Alcohols, C13-15-branched and linear, butoxylated ethoxylated | 111905-53-4 --- --- --- | Acute Tox. 4; H302 Eye Irrit. 2; H319 Aquatic Chronic 3; H412 | >= 10 - < 20 |
| propan-2-ol | 67-63-0 200-661-7 603-117-00-0 01-2119457558-25 | Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 | >= 10 - < 20 |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Metherm 61 No Change Service!

Version
02.03

Revision Date:
22.03.2021

Date of last issue: 25.01.2021
Date of first issue: 05.12.2018

| | | | |
|---|--|--|------------|
| Alcohols, C9-11-iso-, C10-rich, ethoxylated | XXXX 78330-20-8 --- --- --- --- | Acute Tox. 4; H302 Eye Dam. 1; H318 | >= 1 - < 3 |
|---|--|--|------------|

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : If symptoms persist, call a physician.

If inhaled : If symptoms persist, call a physician.

In case of skin contact : Wash with water and soap as a precaution.
If symptoms persist, call a physician.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed : Rinse mouth with water.
Give small amounts of water to drink.
Consult a physician if necessary.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry powder
Foam
Water spray jet
Carbon dioxide (CO2)

Unsuitable extinguishing media : Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : No information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Metherm 61 No Change Service!

Version
02.03

Revision Date:
22.03.2021

Date of last issue: 25.01.2021
Date of first issue: 05.12.2018

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : No special precautions required.

6.2 Environmental precautions

Environmental precautions : Avoid subsoil penetration.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

see Section 8 + 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Prepare the working solution as given on the label(s) and/or the user instructions.
Advice on protection against fire and explosion : No special protective measures against fire required.
Hygiene measures : Keep away from food and drink.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store at room temperature in the original container.
Further information on storage conditions : Keep away from heat. Keep container tightly closed. Recommended storage temperature: 5 - 25°C
Advice on common storage : No materials to be especially mentioned.

7.3 Specific end use(s)

Specific use(s) : none

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Metherm 61 No Change Service!

Version
02.03

Revision Date:
22.03.2021

Date of last issue: 25.01.2021
Date of first issue: 05.12.2018

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis | |
|-------------|---------|---|--------------------|--------|--|
| propan-2-ol | 67-63-0 | OELV - 8 hrs (TWA) | 200 ppm | IE OEL | |
| | | Further information: Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body | | | |
| | | OELV - 15 min (STEL) | 400 ppm | IE OEL | |
| | | Further information: Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body | | | |

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name | End Use | Exposure routes | Potential health effects | Value |
|----------------|---------|-----------------|----------------------------|-----------------------|
| propan-2-ol | Workers | Skin contact | Long-term systemic effects | 888 mg/kg |
| | Workers | Inhalation | Long-term systemic effects | 500 mg/m ³ |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name | Environmental Compartment | Value |
|----------------|---|----------------|
| propan-2-ol | Fresh water | 140.9 mg/l |
| | Marine water | 140.9 mg/l |
| | Fresh water sediment | 552 mg/kg |
| | Marine sediment | 552 mg/kg |
| | Soil | 28 mg/kg |
| | Intermittent use/release | 140.9 mg/l |
| | Effects on waste water treatment plants | 2251 mg/l |
| | Oral | 160 mg/kg food |

8.2 Exposure controls

Personal protective equipment

Eye protection : Safety glasses with side-shields conforming to EN166

Hand protection Directive : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Remarks : Splash protection: disposable nitrile rubber gloves e.g. Dermatril (layer thickness: 0.11 mm) made by KCL or gloves from other manufacturers offering the same protection. Prolonged contact: Nitrile rubber gloves e.g. Camatril (>480 Min., layer thickness: 0,40 mm) or butyl rubber gloves e.g. Butoject (>480 Min., layer thickness: 0,70 mm) made by KCL or gloves from other manufacturers offering the same protection.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Metherm 61 No Change Service!

Version
02.03

Revision Date:
22.03.2021

Date of last issue: 25.01.2021
Date of first issue: 05.12.2018

| | | |
|--------------------------|---|---|
| Skin and body protection | : | Work uniform or laboratory coat. |
| Respiratory protection | : | No personal respiratory protective equipment normally required. |
| Protective measures | : | Avoid contact with eyes. |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | | |
|--|---|-----------------------------------|
| Appearance | : | liquid |
| Colour | : | colourless |
| Odour | : | alcohol-like |
| Odour Threshold | : | not determined |
| pH | : | 7 (20 °C) Concentration: 100 % |
| Melting point/freezing point | : | < -5 °C |
| Decomposition temperature | : | No data available |
| Boiling point/boiling range | : | ca. 80 °C |
| Flash point | : | 37 °C Method: DIN 51755 Part 1 |
| Evaporation rate | : | No data available |
| Flammability (solid, gas) | : | Not applicable |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapour pressure | : | ca. 35 hPa (20 °C) |
| Vapour density | : | No data available |
| Relative density | : | ca. 0.99 g/cm3 (20 °C) |
| Solubility(ies) | | |
| Water solubility | : | completely soluble (20 °C) |
| Partition coefficient: n-octanol/water | : | Not applicable |
| Auto-ignition temperature | : | No data available |
| Viscosity | | |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Metherm 61 No Change Service!

| | | |
|------------------|------------------------------|---|
| Version 02.03 | Revision Date: 22.03.2021 | Date of last issue: 25.01.2021 Date of first issue: 05.12.2018 |
|------------------|------------------------------|---|

Viscosity, dynamic : No data available

Flow time : < 15 s at 20 °C
Method: DIN 53211

Explosive properties : No data available

Oxidizing properties : No data available

9.2 Other information

Flammability (liquids) : Does not sustain combustion.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : None reasonably foreseeable.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : Never mix concentrates directly.

10.6 Hazardous decomposition products

None reasonably foreseeable.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Acute oral toxicity : LD50 (Rat): > 300 - 2,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

MELAG
competence in hygiene

Metherm 61 No Change Service!

Version
02.03

Revision Date:
22.03.2021

Date of last issue: 25.01.2021
Date of first issue: 05.12.2018

propan-2-ol:

Acute oral toxicity : LD50 (Rat): 5,840 mg/kg
Acute inhalation toxicity : LC50 (Rat): 39 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Acute dermal toxicity : LD50 (Rabbit): 13,900 mg/kg
Method: OECD Test Guideline 402

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg
Method: literature value
Remarks: Harmful if swallowed.
Acute inhalation toxicity : Remarks: No data available
Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

Components:

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Mild skin irritation

propan-2-ol:

Result : No skin irritation

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Species : Rabbit
Method : literature value
Result : No skin irritation

Serious eye damage/eye irritation

Product:

Remarks : Causes serious eye irritation.

Components:

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Eye irritation

propan-2-ol:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Metherm 61 No Change Service!

Version
02.03

Revision Date:
22.03.2021

Date of last issue: 25.01.2021
Date of first issue: 05.12.2018

Result : Eye irritation

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Components:

propan-2-ol:

Test Type : Buehler Test
Species : Guinea pig
Result : Did not cause sensitisation on laboratory animals.

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Remarks : No data available

Germ cell mutagenicity

Components:

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Result: negative

Germ cell mutagenicity- Assessment : Not mutagenic in Ames Test

propan-2-ol:

Genotoxicity in vitro : Test Type: Ames test
Method: Mutagenicity (Escherichia coli - reverse mutation assay)
Result: Non mutagenic

Genotoxicity in vivo : Species: Mouse
Method: Mutagenicity (micronucleus test)
Result: Non mutagenic

Germ cell mutagenicity- Assessment : Not mutagenic in Ames Test

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Genotoxicity in vitro : Remarks: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

MELAG
competence in hygiene

Metherm 61 No Change Service!

Version
02.03

Revision Date:
22.03.2021

Date of last issue: 25.01.2021
Date of first issue: 05.12.2018

Carcinogenicity

Components:

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Carcinogenicity - Assessment : No data available

propan-2-ol:

Remarks : Based on available data, the classification criteria are not met.

Carcinogenicity - Assessment : Based on available data, the classification criteria are not met.

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Remarks : This information is not available.

Reproductive toxicity

Components:

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Reproductive toxicity - Assessment : No data available
No data available

propan-2-ol:

Effects on foetal development : Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 400 mg/kg body weight

Reproductive toxicity - Assessment : Based on available data, the classification criteria are not met.
Ingestion of excessive amounts by pregnant animals resulted in maternal and foetal toxicity.

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

STOT - single exposure

Components:

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Remarks : No data available

propan-2-ol:

Assessment : May cause drowsiness or dizziness.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

MELAG
competence in hygiene

Metherm 61 No Change Service!

Version
02.03

Revision Date:
22.03.2021

Date of last issue: 25.01.2021
Date of first issue: 05.12.2018

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Remarks : No data available

STOT - repeated exposure

Components:

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Remarks : Not classified due to data which are conclusive although insufficient for classification.

propan-2-ol:

Remarks : Based on available data, the classification criteria are not met.

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Remarks : No data available

Repeated dose toxicity

Components:

propan-2-ol:

Remarks : No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks : No data is available on the product itself.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Toxicity to fish : LC50 (Leuciscus idus): > 1 - 10 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
Exposure time: 48 h
Test Type: semi-static test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0.1 - 1 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 202

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Metherm 61

No Change Service!

Version
02.03

Revision Date:
22.03.2021

Date of last issue: 25.01.2021
Date of first issue: 05.12.2018

propan-2-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 10,000 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Test Type: static test

EC50 (green algae): 1,800 mg/l
Exposure time: 7 d

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Toxicity to fish : (Leuciscus idus (Golden orfe)): > 100 mg/l
Exposure time: 96 h
Method: DIN 38412

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): > 100 mg/l
Exposure time: 48 h
Method: DIN 38412

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 96 h
Method: DIN 38412

12.2 Persistence and degradability

Components:

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 60 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

propan-2-ol:

Biodegradability : Result: Readily biodegradable.

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 60 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Metherm 61 No Change Service!

Version
02.03

Revision Date:
22.03.2021

Date of last issue: 25.01.2021
Date of first issue: 05.12.2018

12.3 Bioaccumulative potential

Components:

propan-2-ol:

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n-octanol/water : log Pow: 0.05 (20 °C)
Method: OECD Test Guideline 107

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Bioaccumulation : Remarks: None reasonably foreseeable.

Partition coefficient: n-octanol/water : Remarks: Not applicable

12.4 Mobility in soil

Components:

propan-2-ol:

Mobility : Remarks: Mobile in soils

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Mobility : Remarks: Adsorbs on soil.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological information : No data is available on the product itself.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of the product according to the defined EWC (European Waste Code) No.
Contaminated packaging : Take empty packaging to the recycling plant.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Metherm 61 No Change Service!

Version
02.03

Revision Date:
22.03.2021

Date of last issue: 25.01.2021
Date of first issue: 05.12.2018

| | |
|---|--|
| Waste key for the unused product | : European waste catalog (EWC) 070601* |
| Waste key for the unused product(Group) | : Waste material of HZVA from fats, lubricants, soaps, detergents, disinfectants and personal protection products. |

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : Not classified as supporting combustion according to the transport regulations.

For personal protection see section 8.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| | |
|--|--|
| REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) | : Conditions of restriction for the following entries should be considered: Number on list 3 |
| REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). | : Not applicable |
| REACH - List of substances subject to authorisation (Annex XIV) | : Not applicable |
| Regulation (EC) No 1005/2009 on substances that deplete the ozone layer | : Not applicable |
| Regulation (EU) 2019/1021 on persistent organic pollutants (recast) | : Not applicable |
| Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals | : Not applicable |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Metherm 61 No Change Service!

Version
02.03

Revision Date:
22.03.2021

Date of last issue: 25.01.2021
Date of first issue: 05.12.2018

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: 24.55 %

Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values.

15.2 Chemical safety assessment

Exempt

SECTION 16: Other information

Full text of H-Statements

H225 : Highly flammable liquid and vapour.
H302 : Harmful if swallowed.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.
H336 : May cause drowsiness or dizziness.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Chronic : Long-term (chronic) aquatic hazard
Eye Dam. : Serious eye damage
Eye Irrit. : Eye irritation
Flam. Liq. : Flammable liquids
STOT SE : Specific target organ toxicity - single exposure
IE OEL : Ireland. List of Chemical Agents and Occupational Exposure Limit Values - Schedule 1
IE OEL / OELV - 8 hrs (TWA) : Occupational exposure limit value (8-hour reference period)
IE OEL / OELV - 15 min (STEL) : Occupational exposure limit value (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - In-

Metherm 61 No Change Service!

Version
02.03

Revision Date:
22.03.2021

Date of last issue: 25.01.2021
Date of first issue: 05.12.2018

International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoc - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Eve Irrit. 2

H319

Classification procedure:

Calculation method

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.