



Your new **super**power

No matter what big tasks the day holds in store for you, SteriHero Podo has your back. The brand new stand-alone Class B and S autoclave now complies with medical device regulations and is perfectly suited for podiatry: From the features to the price! Trendsetting technologies, an incredibly advanced display and the unique MELAG quality - made in Germany give you the superpower to change everything:



Supersafe

Safety for your patients: Class B and Class S autoclaves with the fractional vacuum procedure provide the safest sterilization of all wrapped and unwrapped instruments - regardless of their type and complexity.

Superstrong

More than enough power for whatever you plan to do: High loading capacities, fast cycle times from 13 minutes and effective vacuum drying ensure that your instruments are ready for use in no time.

Up to 5 kg on 5 trays



Supersmart

The intuitive user interface with a large Smart-Touch **Display makes everything easier:** From program selection to documentation. With the help of process monitoring, you can provide complete proof of a successful sterilization.

A dream team for your practice hygiene:



"Our patients are our top priority: With the system solution tailored to my practice's needs, we offer maximum protection with minimum effort."



"We live up to our responsibility to use only impeccable instruments to patients with our new reprocessing workflow with solutions from MELAG."

Practice for podiatry, Reni Otte

Superrobust

An autoclave should never fail: We make no compromises when it comes to reliability and develop under the highest quality requirements at our headquarters in Berlin.

100 % quality - made in Germany

Class B and S steam sterilization according to EN 13060



Documentation via USB, network or log printout*



Protects the environment. And your patients.

SteriHero Podo guarantees safe sterilization according to your needs with a wide range of programs. But that's not all: the pioneering stand-alone device concept and the Power Save energy-saving function make SteriHero Podo the cleanest solution - for your budget and the environment.

Programs SteriHero Podo 18	Universal-B	Quick-S		Quick-B		Gentle-B		Prion-B	
Program speficication	134 °C, holding time: 5.5 min	134 °C, holding time: 3.5 min		134 °C, holding time: 5.5 min		121 °C, holding time: 20.5 min		134 °C, holding time: 20.5 min	
Operating times (at minimum to maximum load)*	22 – 27 min	15 – 18 min		22 – 25 min		37 – 42 min		37 – 42 min	
Drying (time controlled)	20 min	5 min		10 min		20 min		20 min	
Programs SteriHero Podo 18 S	Universal-S		Quick-S		Gentle-S			Prion-S	
Program speficication	134 °C, holding time: 5.5 mi	in	134 °C, holding time: 3.5 min			121 °C, time: 20.5 min	134 °C, holding time: 20.5 min		
Operating times (at minimum to maximum load)*	18 – 23 min		13 – 19 min		33 – 37 min		33 – 38 min		
Drying (time controlled)	25 min		5 min		25 min			25 min	

* Data for the Quick S program for unpacked loads and for all other programs for single-packed loads. Times may vary depending on load type and quantity.

Device / Order no.	Device type	Chamber size	Chamber volume	Load quantity	Device dimensions (W x H x D)	Weight	Power supply	Documentation interfaces
SteriHero Podo 18 ME10118PB	Stand-alone class B autoclave (compatible with additional water treatment)	ø 25 cm x 35 cm long	17 liters	max. 5 kg instruments / 1.8 kg textiles	47 x 50 x 64 cm (device fi ts on a 60 cm table top)	48 kg	220 – 230 V / 50 – 60 Hz (2.100 Watt)	USB, Network
SteriHero Podo 18 S ME10118PS	Stand-alone class S autoclave (compatible with additional water treatment)	ø 25 cm x 35 cm long	17 liters	max. 4 kg instruments / 1 kg textiles	47 x 50 x 64 cm (device fi ts on a 60 cm table top)	46 kg	220 – 230 V / 50 – 60 Hz (2.100 Watt)	USB, Network





Save paper, protect the environment: In order to reduce paper, we provide you with electronic user documentation via our Download Center. Further information at: www.sterihero.com

MELAG