

5-year net survival changes


5-year net survival changes,
1995-1999 to 2010-2014



* = Highest 2010-2014 survival


Oesophageal cancer

5-year net survival changes, 1995-1999 to 2010-2014




Stomach cancer

5-year net survival changes, 1995-1999 to 2010-2014




Colon cancer

5-year net survival changes, 1995-1999 to 2010-2014



Rectal cancer

5-year net survival changes, 1995-1999 to 2010-2014



Notes

- Australia: New South Wales, Victoria, Western Australia
 Canada: Alberta, British Columbia, Manitoba, New Brunswick, Nova Scotia, Ontario, Prince Edward Island, Saskatchewan
 UK: England, Northern Ireland, Scotland, Wales

Ireland (1995-2013)
 New South Wales (1995-2012)
 Prince Edward Island (small sample size)

5-year net survival changes


5-year net survival changes,
1995-1999 to 2010-2014



* = Highest 2010-2014 survival

Pancreatic cancer


5-year net survival changes, 1995-1999 to 2010-2014



* 14.6%

Lung cancer


5-year net survival changes, 1995-1999 to 2010-2014



* 21.4%

Ovarian cancer

5-year net survival changes, 1995-1999 to 2010-2014



* 46.2%

Notes

- Australia: New South Wales, Victoria, Western Australia
 Canada: Alberta, British Columbia, Manitoba, New Brunswick, Nova Scotia, Ontario, Prince Edward Island, Saskatchewan
 UK: England, Northern Ireland, Scotland, Wales

Ireland (1995-2013)

New South Wales (1995-2012)

Prince Edward Island (small sample size)